Observation of Same-Sign WW Production from Double Parton Scattering in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV

A. Tumasyan *et al.*[*]
(CMS Collaboration)

(Received 6 June 2022; accepted 18 August 2022; published 1 September 2023)

The first observation of the production of $W^{\pm}W^{\pm}$ bosons from double parton scattering processes using same-sign electron-muon and dimuon events in proton-proton collisions is reported. The data sample corresponds to an integrated luminosity of 138 fb^{-1} recorded at a center-of-mass energy of 13 TeV using the CMS detector at the CERN LHC. Multivariate discriminants are used to distinguish the signal process from the main backgrounds. A binned maximum likelihood fit is performed to extract the signal cross section. The measured cross section for production of same-sign W bosons decaying leptonically is $80.7 \pm 11.2(\mathrm{stat})\,^{+9.5}_{-8.6}(\mathrm{syst}) \pm 12.1(\mathrm{model})$ fb, whereas the measured fiducial cross section is $6.28 \pm 0.81(\mathrm{stat}) \pm 0.69(\mathrm{syst}) \pm 0.37(\mathrm{model})$ fb. The observed significance of the signal is 6.2 standard deviations above the background-only hypothesis.

DOI: 10.1103/PhysRevLett.131.091803

Double parton scattering (DPS) events, in which two hard parton-parton interactions occur in a single proton-proton (pp) collision, have been proposed and studied since the advent of the parton model and hadron colliders [1–9]. The study of such events sheds light on the internal structure of the colliding protons. Primarily, the study of DPS processes provides information on the transverse profile of the proton and its energy evolution, information that is otherwise not accessible in single parton scattering (SPS) events. In addition, processes with two or more hard parton-parton scatterings allow the study of correlations among the partons from the same proton in terms of momentum, flavor, color, and spin.

In the simplest theoretical model [10], the two parton-parton interactions in DPS can be considered entirely uncorrelated, and the expected DPS cross section can be written as the (normalized) product of the SPS cross sections to produce processes A and B independently, as

$$\sigma_{AB}^{\mathrm{DPS}} = \frac{n}{2} \frac{\sigma_A \sigma_B}{\sigma_{\mathrm{eff}}}, \tag{1}$$

where n is a combinatorial factor that takes a value of unity if $A = B$ and two otherwise. The denominator σ_{eff} can be interpreted as being proportional to the average squared transverse distance between the interacting partons, and it serves as a useful quantity to compare DPS processes in different production modes. Its experimental value ranges between 2 and 10 mb for gluon-initiated and 10 and 25 mb for quark-initiated DPS production processes [11–29].

As the center-of-mass energy of pp collisions increases, so does the density of sea quarks and gluons, which, in turn, leads to increased DPS contributions to many final states where pairs of heavy particles are produced. These additional DPS contributions can limit the precision of searches for new physics [30] and the accuracy of high-precision standard model analyses [31]. Therefore, it is important to study DPS processes in different production modes and final states. Theoretical advancements [8] have improved upon the simple “geometric” approach on which Eq. (1) is based. The introduction of interparton correlations via double parton distribution functions (dPDF) [32–35], which include parton splitting effects and impact parameter dependence, has led to the first dPDF-based Monte Carlo (MC) event generator for DPS events, dShower [36].

The production of leptonically decaying same-sign (SS) W boson pairs is a promising process to study DPS [37]. Its experimental signature is rather clean and easy to trigger on, and the SPS $W^{\pm}W^{\pm}$ production is highly suppressed because of two additional partons produced in the final state compared with the opposite-sign configuration. Figure 1 illustrates the production of $W^{\pm}W^{\pm}$ via the DPS and SPS processes at leading order (LO) accuracy in electroweak and perturbative quantum chromodynamics (QCD). The DPS $W^{\pm}W^{\pm}$ production has not been observed experimentally, and the existing searches for the process are not statistically significant due to the size of the available data samples [25,38].

---

[*] Full author list given at the end of the Letter.

0031-9007/23/131(9)/091803(20)



FIG. 1. Example Feynman diagrams for leptonically decaying $W^{\pm}W^{\pm}$ bosons produced via DPS (upper) and SPS (middle and lower) processes.

This Letter presents the first observation of DPS $W^{\pm}W^{\pm}$ production using pp collision data at $\sqrt{s} = 13$ TeV. The data sample corresponds to an integrated luminosity of 138 fb^{-1} collected using the CMS detector during the 2016–2018 operation of the LHC. The W bosons are required to decay into final states consisting of two SS leptons ($e^{\pm}\mu^{\pm}$ or $\mu^{\pm}\mu^{\pm}$), including the contributions from leptonic τ decays. As in Refs. [25,38], the dielectron final state is not considered because of the larger background, but the overall analysis strategy has been reoptimized to enhance the signal sensitivity.

The CMS apparatus [39] is a multipurpose, nearly hermetic detector, designed to trigger on [40,41] and identify electrons, muons, photons, and hadrons [42–45]. A global “particle-flow” (PF) algorithm [46] reconstructs all individual particles in an event, combining information from the silicon tracker and the crystal electromagnetic (ECAL) and the brass-scintillator hadron calorimeters, which all operate within a 3.8 T superconducting solenoid, with data from the gas-ionization muon detectors embedded in the flux-return yoke outside the solenoid. Details of the event reconstruction used to define the primary vertex (PV) and build leptons, jets, hadronically decaying τ leptons (τ_h), and missing transverse momentum (p_T^{miss}) are provided in Refs. [47–52]. Events of interest are selected using a two-tiered trigger system. The first level ($L1$), composed of custom hardware processors, selects events at a rate of around 100 kHz [40]. The second level, known as the high-level trigger, further reduces the event rate to around 1 kHz before data storage [41].

Charged leptons are required to originate from the primary vertex (PV) to avoid contributions from additional pp interactions in the same and nearby bunch crossings (pileup). Electrons are identified using a multivariate analysis (MVA) discriminant that combines observables sensitive to the matching of charged-particle tracks in the tracker to the energy deposits in the ECAL and the number of bremsstrahlung photons emitted along their trajectory [42,53]. The identification of muons is based on linking track segments reconstructed in the silicon tracker to hits in the muon detectors [43]. Further selection criteria are applied to ensure the correct assignment of the electric charge of the leptons in the reconstruction [42]. Lepton isolation requirements are imposed following the same approach as in Ref. [54]. The electron (muon) candidates are required to pass minimal kinematic selection criteria of $p_T > 10$ GeV and $|\eta| < 2.5(2.4)$ and are referred to as “loose” leptons. The “tight” lepton selection used in the analysis employs an MVA discriminant to separate prompt leptons coming from the decays of W or Z (V) bosons, or τ leptons and nonprompt leptons [54]. The nonprompt leptons originate from the decays of light- and heavy-flavor hadrons inside jets produced via strong interactions (QCD multijet), hadrons misidentified as leptons, and electrons from photon conversions. The MVA discriminant is trained using a set of observables related to the lepton kinematics, isolation, and identification, as well as variables relating the lepton to the PV and to the nearest reconstructed PF jet [54]. Reconstructed jets must not overlap with identified electrons, muons, or τ_h within $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} < 0.4$, where ϕ is the azimuthal angle in radians. The DeepJet b-tagging algorithm [55,56] is used to identify jets originating from the hadronization of b quarks. The chosen working point corresponds to a b-tagging efficiency of 84% and a mistag rate of 11% for light-flavor quark and gluon jets.

Collision events are collected using a combination of single-lepton and dilepton triggers that require the presence of one or two isolated leptons above certain p_T thresholds [41]. The resulting trigger efficiency is above 98% for events passing the subsequent offline selection criteria.

The dominant background contribution arises from the WZ process, in which both bosons decay leptonically and one of the leptons from the Z boson decay either is out of the detector acceptance or does not pass the lepton identification criteria. The nonprompt-lepton backgrounds include predominantly $W +$ jets and QCD multijet events, with smaller contributions from $t\bar{t}$ production. Other sources of background include $W\gamma^*$ events, $V\gamma$ events with a photon conversion, and ZZ, as well as rare backgrounds, which include SPS $W^\pm W^\pm$, VVV, and $t\bar{t}V$ production. A minor background contribution stems from Drell-Yan (DY) events when the charge of one lepton is mismeasured. The charge mismeasurement in dimuon events is negligible [43], although it is nonzero for electrons [42]. Hence, the lepton charge misidentification ("charge misid") background contributes to the $e^\pm\mu^\pm$ channel only. The contribution to the signal yield from the production of two overlapping W bosons from pileup is negligible.

The signal process is characterized by the presence of a SS lepton pair with a moderate amount of p_T^{miss} and little jet activity. The signal region (SR) selection requires events with exactly one pair of $e^\pm\mu^\pm$ or $\mu^\pm\mu^\pm$ with $p_T > 25(20)$ GeV for the leading (subleading) lepton. To reduce the contribution from WZ background, events having either a third loosely identified lepton with $p_T > 10$ GeV or a τ_h candidate with $p_T > 20$ GeV and $|\eta| < 2.3$ are rejected. The contributions from nonprompt-lepton backgrounds are reduced by selecting events with $p_T^{\text{miss}} > 15$ GeV and dilepton invariant mass, $m_{\ell\ell} > 12$ GeV.

Events are required to have at most one jet with $p_T^{\text{jet}} > 30$ GeV within $|\eta_{\text{jet}}| < 2.4$. Events with a b-tagged jet having $p_T^{b\,\text{jet}} > 25$ GeV and $|\eta_{b\,\text{jet}}| < 2.4$ are vetoed to reject top quark events. For the $e^\pm\mu^\pm$ channel, the dilepton transverse momentum should satisfy $p_T^{\ell\ell} > 20$ GeV to suppress contributions from $V\gamma$ and DY processes. To increase the signal sensitivity, events in the SR are split into four lepton flavor and charge categories: $e^+\mu^+$, $e^-\mu^-$, $\mu^+\mu^+$, and $\mu^-\mu^-$.

The normalization of the WZ (ZZ) background is estimated using $WZ \to 3\ell\nu$ ($ZZ \to 4\ell$) lepton control regions (CR) by means of a maximum likelihood (ML) fit to the invariant mass of the three- (four-) lepton system. The $WZ \to 3\ell\nu$ CR is defined by requiring three tight leptons including at least one opposite-sign same-flavor (OSSF) lepton pair with $|m_{\ell\ell} - m_Z| < 10$ GeV. The invariant mass of the three-lepton system must be > 100 GeV. The leading lepton is required to have $p_T > 25$ GeV, and trailing leptons with $p_T > 15$ GeV are selected. The p_T^{miss} threshold is raised to 50 GeV for this CR, and the rest of the selection requirements are taken from the SR. The $ZZ \to 4\ell$ CR requires an additional fourth tight lepton with $p_T > 10$ GeV without any requirement on jets and p_T^{miss}. Both the OSSF lepton pairs should have $m_{\ell\ell}$ compatible with the Z boson mass.

Various MC event generators are used to simulate the signal and background processes. The signal process is simulated at LO using the PYTHIA [57], HERWIG [58], and dShower [36] generators. The PYTHIA sample, with leptonically decaying W bosons, is taken as the nominal signal sample, and it predicts a signal cross section value of $\sigma_{\text{DPS}}^{W^\pm W^\pm} = 86.4$ fb with the tune cuetp8m1 [14]. The tune dependence of the PYTHIA8 cross section is around 40%, emphasizing the need for an experimental measurement. The sample from HERWIG is used for estimating systematic uncertainties. The PYTHIA v8.226 (8.230) using the NNPDF 2.3 [59] parton distribution functions (PDFs) with the underlying tune cuetp8m1 (cp5 [60]) is used for the simulation of the 2016 (2017 and 2018) data-taking periods. The event generator HERWIG++ (v2.7) [58,61] using the CTEQ6L1 [62] PDF set with the tune CUETHppS1 [14] is used for the 2016 data-taking period, whereas HERWIG7 (v7.1.4) using the NNPDF 3.1 [63] with PDF set ch3 tune [64] is employed for 2017 and 2018. The dShower generator uses dPDF [33,65] developed using the LO MSTW2008 [65] PDF set. For a given event generator, neither the underlying event tune nor the PDF sets used to simulate the signal samples impact the kinematic observables relevant to the analysis.

The WZ background is simulated at next-to-LO (NLO) in QCD with the MadGraph5_aMC@NLO v2.4.2 (2.6.5) generator [66] using the FxFx jet merging scheme [67] for the 2016 (2017 and 2018) data-taking period. The MadGraph5_aMC@NLO generator is also used to simulate $V\gamma$, $t\bar{t}V$, and triboson (VVV) production. The POWHEG BOX (v2.0) code [68–70] is used to simulate SPS $W^\pm W^\pm$, ZZ, and $W\gamma^*$ production processes. The simulated samples of backgrounds for the 2016 data-taking period use the NNPDF 3.0 [71,72] PDF set, whereas the NNPDF 3.1 set is used for 2017 and 2018. Background simulations and the dShower event generator are interfaced with PYTHIA8 for modeling of the parton showering, hadronization, and underlying event processes, which have similar versions and tunes as the signal process. The CMS detector response is modeled using GEANT4 [73], and the simulated events are reconstructed with the same algorithms used for the data. Simulated events are weighted to reproduce the pileup distribution measured in the data. The average number of pileup interactions was 23 (32) in 2016 (2017 and 2018). Scale factors are applied to simulated samples to correct for differences in the reconstruction and selection of physics objects and in the trigger efficiencies between simulation and data. These scale factors are measured with the "tag-and-probe" method using DY events [74].

The nonprompt-lepton background is estimated directly from data using the lepton misidentification rate method [54]. The probability for a loose nonprompt lepton to pass the tight lepton selection criteria (f_p) is estimated using a data control sample dominated by nonprompt leptons and is parametrized as a function of p_T and $|\eta|$. Events in a sideband of the SR, with at least one lepton failing the tight lepton selection criteria, are reweighted with f_p to estimate the nonprompt-lepton background contribution. A similar approach is used to estimate the background contribution from "charge misidentification" events by applying the lepton charge misidentification rate to opposite-sign events in data. The charge misidentification rate is about 0.01% (0.10%) for electrons in the barrel (end cap) regions.

Because of the topological differences between the dominant WZ and nonprompt-lepton backgrounds, two separate boosted decision tree (BDT) discriminants [75] are trained to distinguish the signal from these background components. Addition of the BDT discriminant trained against the nonprompt-lepton backgrounds improves the signal sensitivity by 13%. The BDT training against the WZ sample is done using its simulated sample, whereas the training against nonprompt leptons is carried out using a "tight-loose" control sample in data. Kinematic differences between the signal and these backgrounds are explored to define a set of input variables for the training of two discriminants, which are optimized based on their discriminating power. These input variables include transverse momenta of the two leptons; p_T^{miss}; product and absolute sum of the η of the two leptons; separation in ϕ between the leptons; separation in ϕ between the subleading lepton and p_T^{miss}; separation in ϕ between the dilepton system and the subleading lepton; transverse mass of the two leptons; transverse mass of the leading lepton and p_T^{miss}; and the "stransverse mass" of the dilepton and p_T^{miss} system [76,77]. The two BDT scores are mapped into a two-dimensional (2D) plane in both discriminants. Further, the 2D plane is divided into 13 contiguous regions on which the final fit is performed. This division into regions is performed through optimization of the expected signal significance.

The integrated luminosities for the 2016–2018 data-taking years have individual uncertainties of 1.2%–2.5% [78–80], while the overall uncertainty for the 2016–2018 period is 1.6%. The simulation of pileup events assumes an inelastic pp cross section of 69.2 mb, with an associated uncertainty of 5% [81], which impacts the expected signal and background yields by 1%. The uncertainties in data to simulation scale factors corresponding to the lepton trigger, reconstruction, and identification result in an uncertainty of 3.3% (2.8%) for the $e^\pm\mu^\pm$ ($\mu^\pm\mu^\pm$) final states. This also includes an uncertainty in the scale factors applied to account for the $L1$ trigger inefficiency observed in the $|\eta| > 2.0$ region for the 2016 and 2017 data-taking periods [40]. The jet energy scale uncertainties affect the expected event yields by 3%. Uncertainties in the p_T^{miss} are calculated by varying the momenta of unclustered particles that are identified neither as a jet nor as a lepton and affect the expected event yields by ≈2%. The uncertainty in the b-tagging efficiency has an effect of ≈1.8% on the expected event yields.

For the $e^\pm\mu^\pm$ ($\mu^\pm\mu^\pm$) channels, a normalization uncertainty of 30% (25%) in the nonprompt-lepton background accounts for the observed variations in the background estimation method when applied to simulated samples. The dependence of f_p on the kinematics of the event sample in which it is measured is included as a shape uncertainty [54]. A normalization uncertainty of 20% is applied to the "charge misid" background, covering the differences in the measurement of the charge misidentification rate in data and simulation. The data-to-MC normalization factors of the $V\gamma$ background, measured using a dedicated CR [82], are close to unity.

A 50% normalization uncertainty is applied to all other small simulated backgrounds, accounting for the theoretical uncertainties in the predicted cross sections. The theoretical uncertainties associated with the choice of the renormalization and factorization scales and the variations in the PDFs and the strong coupling constant [83,84] affect the simulated background yields by ≈1%. The effect of variation in PDF sets is negligible for the signal simulations. Any residual model dependence of the signal process is estimated by allowing the shape of the final BDT discriminant to vary between the PYTHIA and HERWIG simulations, and the resulting effect is small. The statistical uncertainties due to the limited size of the MC samples are treated according to the Barlow-Beeston-lite method [85,86].

The yield of the DPS $W^\pm W^\pm$ process in the SR is obtained by performing a binned ML fit simultaneously in the SR and in the two CRs [87–89]; i.e., the normalization factors for the WZ and ZZ backgrounds are included as free parameters in the fit together with the signal process. The fit is performed after combining all the background and signal processes in the aforementioned lepton flavor and charge categories, resulting in four independent distributions of the final BDT discriminant per data-taking year. An excess of events with respect to the background-only hypothesis is observed, which is quantified by calculating the p value using a profile likelihood ratio test statistic [87]. Figure 2 shows the BDT discriminant distribution after the ML fit (postfit) for the four lepton flavor and sign categories. The contributions from different backgrounds and the signal processes are stacked on top of each other, and the associated postfit uncertainties are also shown. The distributions of the kinematic variables used to train the BDT discriminants along with the two BDT discriminants are shown in Supplemental Material [90].

The measured value of $\sigma_{\text{DPS}}^{W^\pm W^\pm}$ is $80.7 \pm 11.2(\text{stat})\,^{+9.5}_{-8.6}(\text{syst}) \pm 12.1(\text{model})$ fb, where the model uncertainty accounts for the difference in cross sections obtained in the experimental acceptance region with the PYTHIA and HERWIG simulations. The observed statistical significance of the signal is 6.2 standard deviations above the background-only hypothesis. Separate fits to the $e^\pm\mu^\pm$ and $\mu^\pm\mu^\pm$ channels indicate that the two measurements agree within 1.7 standard deviations. The DPS $W^\pm W^\pm$ production cross section is also measured in a fiducial volume, defined using two generator-level SS "dressed" leptons ($e^\pm\mu^\pm$ or $\mu^\pm\mu^\pm$) from W boson decays excluding the events with leptonically decaying τ leptons. The leptons are dressed by adding the momenta of generator-level



FIG. 2. Postfit distribution of the final BDT discriminant output for the four lepton flavor and sign categories. The SPS $W^{\pm}W^{\pm}$, $t\bar{t}V$, and VVV contributions are grouped as the "rare" background. The total postfit uncertainty in the signal and background predictions is shown as the hatched band. The bottom panels show the ratio of data to the sum of all background contributions as the black data points along with the extracted signal shown by the red line. The vertical error bars on the data points represent the statistical uncertainty of the data.

photons within a cone of $\Delta R(\ell,\gamma) < 0.1$ to their momenta and are required to pass kinematic requirements on the p_T, η, $m_{\ell\ell}$, and $p_T^{\ell\ell}$ variables from the SR selection. The measured fiducial cross section is $6.28 \pm 0.81(\text{stat}) \pm 0.69(\text{syst}) \pm 0.37(\text{model})$ fb, where the model uncertainty represents the observed difference in reconstruction efficiencies within the fiducial region obtained using the PYTHIA and HERWIG simulations. The measured value of the inclusive (fiducial) cross section is in agreement with the predicted value of 86.4 (6.74) fb by PYTHIA8 with the tune cuetp8m1 and dShower. A value of σ_{eff} is extracted from Eq. (1), using the measured $\sigma_{\text{DPS}}^{W^{\pm}W^{\pm}}$ value and the next-to-NLO prediction for the single W^{+} (W^{-}) production cross section including leptonic decays of $35.4 \pm 1.4(26.0 \pm 1.0)$ nb [91,92]. This procedure results in a value of $12.2^{+2.9}_{-2.2}$ mb, consistent with previous measurements of this quantity from final states with vector bosons [19,26]. Tabulated results are provided in HEPData [93].

In summary, the first observation of $W^{\pm}W^{\pm}$ production from double parton scattering processes in proton-proton collisions at $\sqrt{s} = 13$ TeV has been reported. The analyzed dataset corresponds to an integrated luminosity of 138 fb^{-1} collected in 2016–2018 using the CMS detector at the LHC. Events are selected by requiring same-sign electron-muon or dimuon pairs with moderate missing transverse momentum and low jet multiplicity. Boosted decision trees are used to discriminate between the signal and the dominant background processes. A fiducial cross section of $6.28 \pm 0.81(\text{stat}) \pm 0.69(\text{syst}) \pm 0.37(\text{model})$ fb is extracted, and an inclusive cross section of $80.7 \pm 11.2(\text{stat})\,^{+9.5}_{-8.6}(\text{syst}) \pm 12.1(\text{model})$ fb is measured. This corresponds to an observed significance of the signal above the background-only hypothesis of 6.2 standard deviations. A value of the DPS effective cross section, characterizing the transverse distribution of partons in the proton, $\sigma_{\text{eff}} = 12.2^{+2.9}_{-2.2}$ mb is extracted.

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centers and personnel of the Worldwide LHC Computing Grid and other centers for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC, the CMS detector, and the supporting computing infrastructure provided by the following funding agencies: BMBWF and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, FAPERGS, and FAPESP (Brazil); MES and BNSF (Bulgaria); CERN; CAS, MoST, and NSFC (China); MINCIENCIAS (Colombia); MSES and CSF (Croatia); RIF (Cyprus); SENESCYT (Ecuador); MoER, ERC PUT, and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRI (Greece); NKFIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); MES (Latvia); LAS (Lithuania); MOE and UM (Malaysia); BUAP, CINVESTAV, CONACYT, LNS, SEP, and UASLP-FAI (Mexico); MOS (Montenegro); MBIE (New Zealand); PAEC (Pakistan); MES and NSC (Poland); FCT (Portugal); MESTD (Serbia); MCIN/AEI and PCTI (Spain); MOSTR (Sri Lanka); Swiss Funding Agencies (Switzerland); MST (Taipei); MHESI and NSTDA (Thailand); TUBITAK and TENMAK (Turkey); NASU (Ukraine); STFC (United Kingdom); and DOE and NSF (USA).

[1] N. Paver and D. Treleani, Multiquark scattering and large-p_T jet production in hadronic collisions, Nuovo Cimento Soc. Ital. Fis. **70A**, 215 (1982).

[2] C. Goebel, D. M. Scott, and F. Halzen, Double Drell-Yan annihilations in hadron collisions: Novel tests of the constituent picture, Phys. Rev. D **22**, 2789 (1980).

[3] V. P. Shelest, A. M. Snigirev, and G. M. Zinovev, Gazing into the multiparton distribution equations in QCD, Phys. Lett. **113B**, 325 (1982).

[4] T. Sjöstrand and M. van Zijl, A multiple interaction model for the event structure in hadron collisions, Phys. Rev. D **36**, 2019 (1987).

[5] G. Calucci and D. Treleani, Disentangling correlations in multiple parton interactions, Phys. Rev. D **83**, 016012 (2011).

[6] M. Diehl, D. Ostermeier, and A. Schafer, Elements of a theory for multiparton interactions in QCD, J. High Energy Phys. 03 (2012) 089.

[7] B. Blok, Yu. Dokshitzer, L. Frankfurt, and M. Strikman, Perturbative QCD correlations in multi-parton collisions, Eur. Phys. J. C **74**, 2926 (2014).

[8] M. Diehl and J. R. Gaunt, Double parton scattering theory overview, Adv. Ser. Dir. High Energy Phys. **29**, 7 (2018).

[9] *Multiple Parton Interactions at the LHC*, edited by P. Bartalini and J. R. Gaunt, Advanced Series on Directions in High Energy Physics Vol. 29 (World Scientific, Singapore, 2019), 10.1142/10646.

[10] J. R. Gaunt, C.-H. Kom, A. Kulesza, and W. J. Stirling, Same-sign W pair production as a probe of double parton scattering at the LHC, Eur. Phys. J. C **69**, 53 (2010).

[11] ATLAS Collaboration, Measurement of hard double-parton interactions in $\mathrm{W}(\rightarrow l\nu) + 2$ jet events at $\sqrt{s} = 7$ TeV with the ATLAS detector, New J. Phys. **15**, 033038 (2013).

[12] CMS Collaboration, Study of double parton scattering using $\mathrm{W} + 2$-jet events in proton-proton collisions at $\sqrt{s} = 7$ TeV, J. High Energy Phys. 03 (2014) 032.

[13] F. Abe *et al.* (CDF Collaboration), Measurement of Double Parton Scattering in $\bar{p}$p Collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. Lett. **79**, 584 (1997).

[14] CMS Collaboration, Event generator tunes obtained from underlying event and multiparton scattering measurements, Eur. Phys. J. C **76**, 155 (2016).

[15] V. M. Abazov *et al.* (D0 Collaboration), Double parton interactions in $\gamma + 3$ jet events in p$\bar{\mathrm{p}}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **81**, 052012 (2010).

[16] ATLAS Collaboration, Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Eur. Phys. J. C **75**, 229 (2015).

[17] LHCb Collaboration, Production of associated Υ and open charm hadrons in pp collisions at $\sqrt{s} = 7$ and 8 TeV via double parton scattering, J. High Energy Phys. 07 (2016) 052.

[18] V. M. Abazov *et al.* (D0 Collaboration), Evidence for Simultaneous Production of J/ψ and Υ Mesons, Phys. Rev. Lett. **116**, 082002 (2016).

[19] CMS Collaboration, Observation of triple J/ψ meson production in proton-proton collisions at $\sqrt{s} = 13$ TeV, Nat. Phys. **19**, 338 (2023).

[20] T. Akesson *et al.* (AFS Collaboration), Double parton scattering in pp collisions at $\sqrt{s} = 63$ GeV, Z. Phys. C **34**, 163 (1987).

[21] J. Alitti *et al.* (UA2 Collaboration), A study of multi-jet events at the CERN $\bar{\mathrm{p}}$p collider and a search for double parton scattering, Phys. Lett. B **268**, 145 (1991).

[22] F. e. a. Abe (CDF Collaboration), Study of four-jet events and evidence for double parton interactions in p$\bar{\mathrm{p}}$ collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **47**, 4857 (1993).

[23] F. e. a. Abe (CDF Collaboration), Double parton scattering in $\bar{p}$p collisions at $\sqrt{s} = 1.8$ TeV, Phys. Rev. D **56**, 3811 (1997).

[24] LHCb Collaboration, Observation of double charm production involving open charm in pp collisions at $\sqrt{s} = 7$ TeV, J. High Energy Phys. 06 (2012) 141; 03 (2014) 108(A).

[25] CMS Collaboration, Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 02 (2018) 032.

[26] ATLAS Collaboration, Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, Phys. Lett. B **790**, 595 (2019).

[27] CMS Collaboration, Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 01 (2022) 177.

[28] CMS Collaboration, Study of Z boson plus jets events using variables sensitive to double-parton scattering in pp collisions at 13 TeV, J. High Energy Phys. 10 (2021) 176.

[29] V. M. Abazov *et al.* (D0 Collaboration), Observation and studies of double J/ψ production at the Tevatron, Phys. Rev. D **90**, 111101 (2014).

[30] CMS Collaboration, Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **80**, 752 (2020).

[31] A. Del Fabbro and D. Treleani, Double parton scattering background to Higgs boson production at the LHC, Phys. Rev. D **61**, 077502 (2000).

[32] J. R. Gaunt and W. J. Stirling, Double parton distributions incorporating perturbative QCD evolution and momentum and quark number sum rules, J. High Energy Phys. 03 (2010) 005.

[33] M. Diehl, J. R. Gaunt, and K. Schönwald, Double hard scattering without double counting, J. High Energy Phys. 06 (2017) 083.

[34] M. Diehl, P. Plößl, and A. Schäfer, Proof of sum rules for double parton distributions in QCD, Eur. Phys. J. C **79**, 253 (2019).

[35] J. R. Gaunt and T. Kasemets, Transverse momentum dependence in double parton scattering, Adv. High Energy Phys. **2019**, 3797394 (2019).

[36] B. Cabouat, J. R. Gaunt, and K. Ostrolenk, A Monte Carlo simulation of double parton scattering, J. High Energy Phys. 11 (2019) 061.

[37] A. Kulesza and W. J. Stirling, Like sign W boson production at the LHC as a probe of double parton scattering, Phys. Lett. B **475**, 168 (2000).

[38] CMS Collaboration, Evidence for WW production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **80**, 41 (2020).

[39] CMS Collaboration, The CMS experiment at the CERN LHC, J. Instrum. **3**, S08004 (2008).

[40] CMS Collaboration, Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV, J. Instrum. **15**, P10017 (2020).

[41] CMS Collaboration, The CMS trigger system, J. Instrum. **12**, P01020 (2017).

[42] CMS Collaboration, Performance of electron reconstruction and selection with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, J. Instrum. **10**, P06005 (2015).

[43] CMS Collaboration, Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13$ TeV, J. Instrum. **13**, P06015 (2018).

[44] CMS Collaboration, Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV, J. Instrum. **10**, P08010 (2015).

[45] CMS Collaboration, Description and performance of track and primary-vertex reconstruction with the CMS tracker, J. Instrum. **9**, P10009 (2014).

[46] CMS Collaboration, Particle-flow reconstruction and global event description with the CMS detector, J. Instrum. **12**, P10003 (2017).

[47] CMS Collaboration, Performance of reconstruction and identification of τ leptons decaying to hadrons and ν_τ in pp collisions at $\sqrt{s} = 13$ TeV, J. Instrum. **13**, P10005 (2018).

[48] CMS Collaboration, Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV, J. Instrum. **12**, P02014 (2017).

[49] CMS Collaboration, Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector, J. Instrum. **14**, P07004 (2019).

[50] M. Cacciari, G. P. Salam, and G. Soyez, The anti-k_T jet clustering algorithm, J. High Energy Phys. 04 (2008) 063.

[51] M. Cacciari, G. P. Salam, and G. Soyez, FastJet user manual, Eur. Phys. J. C **72**, 1896 (2012).

[52] CMS Collaboration, Pileup mitigation at CMS in 13 TeV data, J. Instrum. **15**, P09018 (2020).

[53] CMS Collaboration, Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC, J. Instrum. **16**, P05014 (2021).

[54] CMS Collaboration, Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **81**, 378 (2021).

[55] E. Bols, J. Kieseler, M. Verzetti, M. Stoye, and A. Stakia, Jet flavour classification using DeepJet, J. Instrum. **15**, P12012 (2020).

[56] CMS Collaboration, Performance of the DeepJet b tagging algorithm using 41.9 fb^{-1} of data from proton-proton collisions at 13 TeV with Phase 1 CMS detector, CMS Detector Performance Note Report No. CMS-DP-2018-058, CERN, 2018, http://cds.cern.ch/record/2646773.

[57] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, An introduction to PYTHIA 8.2, Comput. Phys. Commun. **191**, 159 (2015).

[58] M. Bahr *et al.*, HERWIG++ physics and manual, Eur. Phys. J. C **58**, 639 (2008).

[59] R. D. Ball *et al.*, Parton distributions with LHC data, Nucl. Phys. **B867**, 244 (2013).

[60] CMS Collaboration, Extraction and validation of a new set of CMS PYTHIA8 tunes from underlying-event measurements, Eur. Phys. J. C **80**, 4 (2020).

[61] J. Bellm *et al.*, HERWIG 7.0/HERWIG++ 3.0 release note, Eur. Phys. J. C **76**, 196 (2016).

[62] J. Pumplin, D. R. Stump, J. Huston, H. L. Lai, P. M. Nadolsky, and W. K. Tung, New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012.

[63] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions from high-precision collider data, Eur. Phys. J. C **77**, 663 (2017).

[64] CMS Collaboration, Development and validation of HERWIG 7 tunes from CMS underlying-event measurements, Eur. Phys. J. C **81**, 312 (2021).

[65] A. D. Martin, W. J. Stirling, R. S. Thorne, and G. Watt, Heavy-quark mass dependence in global PDF analyses and 3- and 4-flavour parton distributions, Eur. Phys. J. C **70**, 51 (2010).

[66] J. Alwall, R. Frederix, S. Frixione, V. Hirschi, F. Maltoni, O. Mattelaer, H. S. Shao, T. Stelzer, P. Torrielli, and M. Zaro, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079.

[67] R. Frederix and S. Frixione, Merging meets matching in MC@NLO, J. High Energy Phys. 12 (2012) 061.

[68] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040.

[69] S. Frixione, P. Nason, and C. Oleari, Matching NLO QCD computations with parton shower simulations: The POWHEG method, J. High Energy Phys. 11 (2007) 070.

[70] S. Alioli, P. Nason, C. Oleari, and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: The POWHEG BOX, J. High Energy Phys. 06 (2010) 043.

[71] R. D. Ball, V. Bertone, S. Carrazza, L. Del Debbio, S. Forte, A. Guffanti, N. P. Hartland, and J. Rojo (NNPDF Collaboration), Parton distributions with QED corrections, Nucl. Phys. **B877**, 290 (2013).

[72] R. D. Ball, V. Bertone, F. Cerutti, L. Del Debbio, S. Forte, A. Guffanti, J. I. Latorre, J. Rojo, and M. Ubiali (NNPDF Collaboration), Unbiased global determination of parton distributions and their uncertainties at NNLO and at LO, Nucl. Phys. **B855**, 153 (2012).

[73] S. Agostinelli *et al.* (GEANT4 Collaboration), GEANT4—A simulation toolkit, Nucl. Instrum. Methods Phys. Res., Sect. A **506**, 250 (2003).

[74] CMS Collaboration, Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 08 (2018) 066.

[75] H. Voss, A. Höcker, J. Stelzer, and F. Tegenfeldt, TMVA, the toolkit for multivariate data analysis with ROOT, in *Proceedings of the XIth International Workshop on Advanced Computing and Analysis Techniques in Physics Research (ACAT)* (2007), p. 40, 10.22323/1.050.0040.

[76] C. G. Lester and D. J. Summers, Measuring masses of semi-invisibly decaying particles pair produced at hadron colliders, Phys. Lett. B **463**, 99 (1999).

[77] A. Barr, C. Lester, and P. Stephens, A variable for measuring masses at hadron colliders when missing energy is expected; m_{T2}: The truth behind the glamour, J. Phys. G **29**, 2343 (2003).

[78] CMS Collaboration, Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS, Eur. Phys. J. C **81**, 800 (2021).

[79] CMS Collaboration, CMS luminosity measurement for the 2017 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary Report No. CMS-PAS-LUM-17-004, CERN, 2018, http://cds.cern.ch/record/2621960.

[80] CMS Collaboration, CMS luminosity measurement for the 2018 data-taking period at $\sqrt{s} = 13$ TeV, CMS Physics Analysis Summary Report No. CMS-PAS-LUM-18-002, CERN, 2019, http://cds.cern.ch/record/2676164.

[81] CMS Collaboration, Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 07 (2018) 161.

[82] CMS Collaboration, Measurement of the inclusive and differential WZ production cross sections, polarization angles, and triple gauge couplings in pp collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 07 (2022) 032.

[83] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC Run II, J. High Energy Phys. 04 (2015) 040.

[84] J. Butterworth *et al.*, PDF4LHC recommendations for LHC Run II, J. Phys. G **43**, 023001 (2016).

[85] R. J. Barlow and C. Beeston, Fitting using finite Monte Carlo samples, Comput. Phys. Commun. **77**, 219 (1993).

[86] J. S. Conway, Incorporating nuisance parameters in likelihoods for multisource spectra, in *Proceedings of PHYSTAT 2011* (2011), p. 115, 10.5170/CERN-2011-006.115.

[87] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C **71**, 1554 (2011); **73**, 2501(E) (2013).

[88] ATLAS and CMS Collaborations, LHC Higgs Combination Group, Procedure for the LHC Higgs boson search combination in summer 2011, Technical Reports No. CMS-NOTE-2011-005, No. ATL-PHYS-PUB-2011-11, CERN, 2011, https://cds.cern.ch/record/1379837.

[89] CMS Collaboration, Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV, Eur. Phys. J. C **75**, 212 (2015).

[90] See Supplemental Material at http://link.aps.org/supplemental/10.1103/PhysRevLett.131.091803 for distributions of the kinematic variables used for the training of BDT discriminants and the two BDT discriminants.

[91] C. Anastasiou, L. J. Dixon, K. Melnikov, and F. Petriello, High precision QCD at hadron colliders: Electroweak gauge boson rapidity distributions at NNLO, Phys. Rev. D **69**, 094008 (2004).

[92] R. Gavin, Y. Li, F. Petriello, and S. Quackenbush, W physics at the LHC with FEWZ 2.1, Comput. Phys. Commun. **184**, 208 (2013).

[93] HEPData record for this analysis, 10.17182/hepdata.130562.

A. Tumasyan,[1,b] W. Adam,[2] J. W. Andrejkovic,[2] T. Bergauer,[2] S. Chatterjee,[2] K. Damanakis,[2] M. Dragicevic,[2] A. Escalante Del Valle,[2] P. S. Hussain,[2] M. Jeitler,[2,c] N. Krammer,[2] L. Lechner,[2] D. Liko,[2] I. Mikulec,[2] P. Paulitsch,[2] F. M. Pitters,[2] J. Schieck,[2,c] R. Schöfbeck,[2] D. Schwarz,[2] S. Templ,[2] W. Waltenberger,[2] C.-E. Wulz,[2,c] M. R. Darwish,[3,d] T. Janssen,[3] T. Kello,[3,e] H. Rejeb Sfar,[3] P. Van Mechelen,[3] E. S. Bols,[4] J. D'Hondt,[4] A. De Moor,[4] M. Delcourt,[4] H. El Faham,[4] S. Lowette,[4] S. Moortgat,[4] A. Morton,[4] D. Müller,[4] A. R. Sahasransu,[4] S. Tavernier,[4] W. Van Doninck,[4] D. Vannerom,[4] B. Clerbaux,[5] G. De Lentdecker,[5] L. Favart,[5] D. Hohov,[5] J. Jaramillo,[5] K. Lee,[5] M. Mahdavikhorrami,[5] I. Makarenko,[5] A. Malara,[5] S. Paredes,[5] L. Pétré,[5] N. Postiau,[5] E. Starling,[5] L. Thomas,[5] M. Vanden Bemden,[5] C. Vander Velde,[5] P. Vanlaer,[5] D. Dobur,[6] J. Knolle,[6] L. Lambrecht,[6] G. Mestdach,[6] M. Niedziela,[6] C. Rendón,[6] C. Roskas,[6] A. Samalan,[6] K. Skovpen,[6] M. Tytgat,[6] N. Van Den Bossche,[6] B. Vermassen,[6] L. Wezenbeek,[6] A. Benecke,[7] G. Bruno,[7] F. Bury,[7] C. Caputo,[7] P. David,[7] C. Delaere,[7] I. S. Donertas,[7] A. Giammanco,[7] K. Jaffel,[7] Sa. Jain,[7] V. Lemaitre,[7] K. Mondal,[7] J. Prisciandaro,[7] A. Taliercio,[7] T. T. Tran,[7] P. Vischia,[7] S. Wertz,[7] G. A. Alves,[8] E. Coelho,[8] C. Hensel,[8] A. Moraes,[8] P. Rebello Teles,[8] W. L. Aldá Júnior,[9] M. Alves Gallo Pereira,[9] M. Barroso Ferreira Filho,[9] H. Brandao Malbouisson,[9] W. Carvalho,[9] J. Chinellato,[9,f] E. M. Da Costa,[9] G. G. Da Silveira,[9,g] D. De Jesus Damiao,[9] V. Dos Santos Sousa,[9] S. Fonseca De Souza,[9] J. Martins,[9,h] C. Mora Herrera,[9] K. Mota Amarilo,[9] L. Mundim,[9] H. Nogima,[9] A. Santoro,[9] S. M. Silva Do Amaral,[9] A. Sznajder,[9] M. Thiel,[9] F. Torres Da Silva De Araujo,[9,i] A. Vilela Pereira,[9] C. A. Bernardes,[10,g] L. Calligaris,[10] T. R. Fernandez Perez Tomei,[10] E. M. Gregores,[10] P. G. Mercadante,[10] S. F. Novaes,[10] Sandra S. Padula,[10] A. Aleksandrov,[11] G. Antchev,[11] R. Hadjiiska,[11] P. Iaydjiev,[11] M. Misheva,[11] M. Rodozov,[11] M. Shopova,[11] G. Sultanov,[11] A. Dimitrov,[12] T. Ivanov,[12] L. Litov,[12] B. Pavlov,[12] P. Petkov,[12] A. Petrov,[12] E. Shumka,[12] T. Cheng,[13] T. Javaid,[13,j] M. Mittal,[13] L. Yuan,[13] M. Ahmad,[14] G. Bauer,[14,k] Z. Hu,[14] S. Lezki,[14] K. Yi,[14,l,k] G. M. Chen,[15,j] H. S. Chen,[15,j] M. Chen,[15,j] F. Iemmi,[15] C. H. Jiang,[15] A. Kapoor,[15] H. Liao,[15] Z.-A. Liu,[15,m] V. Milosevic,[15] F. Monti,[15] R. Sharma,[15] J. Tao,[15] J. Thomas-Wilsker,[15] J. Wang,[15] H. Zhang,[15] J. Zhao,[15] A. Agapitos,[16] Y. An,[16] Y. Ban,[16] C. Chen,[16] A. Levin,[16] C. Li,[16] Q. Li,[16] X. Lyu,[16] Y. Mao,[16] S. J. Qian,[16] X. Sun,[16] D. Wang,[16] J. Xiao,[16] H. Yang,[16] J. Li,[17] M. Lu,[17] Z. You,[17] X. Gao,[18,e] D. Leggat,[18] H. Okawa,[18] Y. Zhang,[18] Z. Lin,[19] C. Lu,[19] M. Xiao,[19] C. Avila,[20] D. A. Barbosa Trujillo,[20] A. Cabrera,[20] C. Florez,[20]

J. Fraga,[20] J. Mejia Guisao,[21] F. Ramirez,[21] M. Rodriguez,[21] J. D. Ruiz Alvarez,[21] D. Giljanovic,[22]
N. Godinovic,[22] D. Lelas,[22] I. Puljak,[22] Z. Antunovic,[23] M. Kovac,[23] T. Sculac,[23] V. Brigljevic,[24]
B. K. Chitroda,[24] D. Ferencek,[24] D. Majumder,[24] M. Roguljic,[24] A. Starodumov,[24,n] T. Susa,[24] A. Attikis,[25]
K. Christoforou,[25] G. Kole,[25] M. Kolosova,[25] S. Konstantinou,[25] J. Mousa,[25] C. Nicolaou,[25] F. Ptochos,[25]
P. A. Razis,[25] H. Rykaczewski,[25] H. Saka,[25] M. Finger,[26,n] M. Finger Jr.,[26,n] A. Kveton,[26] E. Ayala,[27]
E. Carrera Jarrin,[28] Y. Assran,[29,o,p] S. Elgammal,[29,o] M. A. Mahmoud,[30] Y. Mohammed,[30] S. Bhowmik,[31]
R. K. Dewanjee,[31] K. Ehataht,[31] M. Kadastik,[31] T. Lange,[31] S. Nandan,[31] C. Nielsen,[31] J. Pata,[31] M. Raidal,[31]
L. Tani,[31] C. Veelken,[31] P. Eerola,[32] H. Kirschenmann,[32] K. Osterberg,[32] M. Voutilainen,[32] S. Bharthuar,[33]
E. Brücken,[33] F. Garcia,[33] J. Havukainen,[33] M. S. Kim,[33] R. Kinnunen,[33] T. Lampén,[33] K. Lassila-Perini,[33]
S. Lehti,[33] T. Lindén,[33] M. Lotti,[33] L. Martikainen,[33] M. Myllymäki,[33] J. Ott,[33] M. m. Rantanen,[33]
H. Siikonen,[33] E. Tuominen,[33] J. Tuominiemi,[33] P. Luukka,[34] H. Petrow,[34] T. Tuuva,[34] C. Amendola,[35]
M. Besancon,[35] F. Couderc,[35] M. Dejardin,[35] D. Denegri,[35] J. L. Faure,[35] F. Ferri,[35] S. Ganjour,[35] P. Gras,[35]
G. Hamel de Monchenault,[35] P. Jarry,[35] V. Lohezic,[35] J. Malcles,[35] J. Rander,[35] A. Rosowsky,[35] M. Ö. Sahin,[35]
A. Savoy-Navarro,[35,q] P. Simkina,[35] M. Titov,[35] C. Baldenegro Barrera,[36] F. Beaudette,[36] A. Buchot Perraguin,[36]
P. Busson,[36] A. Cappati,[36] C. Charlot,[36] F. Damas,[36] O. Davignon,[36] B. Diab,[36] G. Falmagne,[36]
B. A. Fontana Santos Alves,[36] S. Ghosh,[36] R. Granier de Cassagnac,[36] A. Hakimi,[36] B. Harikrishnan,[36] G. Liu,[36]
J. Motta,[36] M. Nguyen,[36] C. Ochando,[36] L. Portales,[36] J. Rembser,[36] R. Salerno,[36] U. Sarkar,[36] J. B. Sauvan,[36]
Y. Sirois,[36] A. Tarabini,[36] E. Vernazza,[36] A. Zabi,[36] A. Zghiche,[36] J.-L. Agram,[37,r] J. Andrea,[37] D. Apparu,[37]
D. Bloch,[37] G. Bourgatte,[37] J.-M. Brom,[37] E. C. Chabert,[37] C. Collard,[37] D. Darej,[37] U. Goerlach,[37] C. Grimault,[37]
A.-C. Le Bihan,[37] P. Van Hove,[37] S. Beauceron,[38] C. Bernet,[38] B. Blancon,[38] G. Boudoul,[38] A. Carle,[38]
N. Chanon,[38] J. Choi,[38] D. Contardo,[38] P. Depasse,[38] C. Dozen,[38,s] H. El Mamouni,[38] J. Fay,[38] S. Gascon,[38]
M. Gouzevitch,[38] G. Grenier,[38] B. Ille,[38] I. B. Laktineh,[38] M. Lethuillier,[38] L. Mirabito,[38] S. Perries,[38] V. Sordini,[38]
L. Torterotot,[38] M. Vander Donckt,[38] P. Verdier,[38] S. Viret,[38] G. Adamov,[39] I. Lomidze,[39] Z. Tsamalaidze,[39,n]
V. Botta,[40] L. Feld,[40] K. Klein,[40] M. Lipinski,[40] D. Meuser,[40] A. Pauls,[40] N. Röwert,[40] M. Teroerde,[40]
S. Diekmann,[41] A. Dodonova,[41] N. Eich,[41] D. Eliseev,[41] M. Erdmann,[41] P. Fackeldey,[41] D. Fasanella,[41]
B. Fischer,[41] T. Hebbeker,[41] K. Hoepfner,[41] F. Ivone,[41] M. y. Lee,[41] L. Mastrolorenzo,[41] M. Merschmeyer,[41]
A. Meyer,[41] S. Mondal,[41] S. Mukherjee,[41] D. Noll,[41] A. Novak,[41] F. Nowotny,[41] A. Pozdnyakov,[41] Y. Rath,[41]
W. Redjeb,[41] H. Reithler,[41] A. Schmidt,[41] S. C. Schuler,[41] A. Sharma,[41] L. Vigilante,[41] S. Wiedenbeck,[41]
S. Zaleski,[41] C. Dziwok,[42] G. Flügge,[42] W. Haj Ahmad,[42,t] O. Hlushchenko,[42] T. Kress,[42] A. Nowack,[42]
O. Pooth,[42] A. Stahl,[42,u] T. Ziemons,[42] A. Zotz,[42] H. Aarup Petersen,[43] M. Aldaya Martin,[43] P. Asmuss,[43]
S. Baxter,[43] M. Bayatmakou,[43] O. Behnke,[43] A. Bermúdez Martínez,[43] S. Bhattacharya,[43] A. A. Bin Anuar,[43]
F. Blekman,[43,v] K. Borras,[43,w] D. Brunner,[43] A. Campbell,[43] A. Cardini,[43] C. Cheng,[43] F. Colombina,[43]
S. Consuegra Rodríguez,[43] G. Correia Silva,[43] M. De Silva,[43] L. Didukh,[43] G. Eckerlin,[43] D. Eckstein,[43]
L. I. Estevez Banos,[43] O. Filatov,[43] E. Gallo,[43,v] A. Geiser,[43] A. Giraldi,[43] G. Greau,[43] A. Grohsjean,[43]
V. Guglielmi,[43] M. Guthoff,[43] A. Jafari,[43,x] N. Z. Jomhari,[43] B. Kaech,[43] A. Kasem,[43,w] M. Kasemann,[43]
H. Kaveh,[43] C. Kleinwort,[43] R. Kogler,[43] M. Komm,[43] D. Krücker,[43] W. Lange,[43] D. Leyva Pernia,[43] K. Lipka,[43]
W. Lohmann,[43,y] R. Mankel,[43] I.-A. Melzer-Pellmann,[43] M. Mendizabal Morentin,[43] J. Metwally,[43] A. B. Meyer,[43]
G. Milella,[43] M. Mormile,[43] A. Mussgiller,[43] A. Nürnberg,[43] Y. Otarid,[43] D. Pérez Adán,[43] A. Raspereza,[43]
B. Ribeiro Lopes,[43] J. Rübenach,[43] A. Saggio,[43] A. Saibel,[43] M. Savitskyi,[43] M. Scham,[43,w,z] V. Scheurer,[43]
S. Schnake,[43,w] P. Schütze,[43] C. Schwanenberger,[43,v] M. Shchedrolosiev,[43] R. E. Sosa Ricardo,[43] D. Stafford,[43]
N. Tonon,[43,a] M. Van De Klundert,[43] F. Vazzoler,[43] A. Ventura Barroso,[43] R. Walsh,[43] D. Walter,[43] Q. Wang,[43]
Y. Wen,[43] K. Wichmann,[43] L. Wiens,[43,w] C. Wissing,[43] S. Wuchterl,[43] Y. Yang,[43] A. Zimermmane Castro Santos,[43]
R. Aggleton,[44] A. Albrecht,[44] S. Albrecht,[44] M. Antonello,[44] S. Bein,[44] L. Benato,[44] M. Bonanomi,[44]
P. Connor,[44] K. De Leo,[44] M. Eich,[44] K. El Morabit,[44] F. Feindt,[44] A. Fröhlich,[44] C. Garbers,[44] E. Garutti,[44]
M. Hajheidari,[44] J. Haller,[44] A. Hinzmann,[44] H. R. Jabusch,[44] G. Kasieczka,[44] R. Klanner,[44] W. Korcari,[44]
T. Kramer,[44] V. Kutzner,[44] J. Lange,[44] A. Lobanov,[44] C. Matthies,[44] A. Mehta,[44] L. Moureaux,[44]
M. Mrowietz,[44] A. Nigamova,[44] Y. Nissan,[44] A. Paasch,[44] K. J. Pena Rodriguez,[44] M. Rieger,[44] O. Rieger,[44]
P. Schleper,[44] M. Schröder,[44] J. Schwandt,[44] H. Stadie,[44] G. Steinbrück,[44] A. Tews,[44] M. Wolf,[44] J. Bechtel,[45]
S. Brommer,[45] M. Burkart,[45] E. Butz,[45] R. Caspart,[45] T. Chwalek,[45] A. Dierlamm,[45] A. Droll,[45] N. Faltermann,[45]

M. Giffels,[45] J. O. Gosewisch,[45] A. Gottmann,[45] F. Hartmann,[45,u] M. Horzela,[45] U. Husemann,[45] P. Keicher,[45]
M. Klute,[45] R. Koppenhöfer,[45] S. Maier,[45] S. Mitra,[45] Th. Müller,[45] M. Neukum,[45] G. Quast,[45] K. Rabbertz,[45]
J. Rauser,[45] D. Savoiu,[45] M. Schnepf,[45] D. Seith,[45] I. Shvetsov,[45] H. J. Simonis,[45] N. Trevisani,[45] R. Ulrich,[45]
J. van der Linden,[45] R. F. Von Cube,[45] M. Wassmer,[45] M. Weber,[45] S. Wieland,[45] R. Wolf,[45] S. Wozniewski,[45]
S. Wunsch,[45] G. Anagnostou,[46] P. Assiouras,[46] G. Daskalakis,[46] A. Kyriakis,[46] A. Stakia,[46] M. Diamantopoulou,[47]
D. Karasavvas,[47] P. Kontaxakis,[47] A. Manousakis-Katsikakis,[47] A. Panagiotou,[47] I. Papavergou,[47] N. Saoulidou,[47]
K. Theofilatos,[47] E. Tziaferi,[47] K. Vellidis,[47] E. Vourliotis,[47] I. Zisopoulos,[47] G. Bakas,[48] T. Chatzistavrou,[48]
K. Kousouris,[48] I. Papakrivopoulos,[48] G. Tsipolitis,[48] A. Zacharopoulou,[48] K. Adamidis,[49] I. Bestintzanos,[49]
I. Evangelou,[49] C. Foudas,[49] P. Gianneios,[49] C. Kamtsikis,[49] P. Katsoulis,[49] P. Kokkas,[49]
P. G. Kosmoglou Kioseoglou,[49] N. Manthos,[49] I. Papadopoulos,[49] J. Strologas,[49] M. Csanád,[50] K. Farkas,[50]
M. M. A. Gadallah,[50,aa] C. Komjáti,[50] S. Lökös,[50,bb] P. Major,[50] K. Mandal,[50] G. Pásztor,[50] A. J. Rádl,[50,cc]
O. Surányi,[50] G. I. Veres,[50] M. Bartók,[51,dd] G. Bencze,[51] C. Hajdu,[51] D. Horvath,[51,ee,ff] F. Sikler,[51]
V. Veszpremi,[51] N. Beni,[52] S. Czellar,[52] J. Karancsi,[52,dd] J. Molnar,[52] Z. Szillasi,[52] D. Teyssier,[52] P. Raics,[53]
B. Ujvari,[53,gg] T. Csorgo,[54,cc] F. Nemes,[54,cc] T. Novak,[54] J. Babbar,[55] S. Bansal,[55] S. B. Beri,[55] V. Bhatnagar,[55]
G. Chaudhary,[55] S. Chauhan,[55] N. Dhingra,[55,hh] R. Gupta,[55] A. Kaur,[55] A. Kaur,[55] H. Kaur,[55] M. Kaur,[55]
S. Kumar,[55] P. Kumari,[55] M. Meena,[55] K. Sandeep,[55] T. Sheokand,[55] J. B. Singh,[55,ii] A. Singla,[55] A. K. Virdi,[55]
A. Ahmed,[56] A. Bhardwaj,[56] B. C. Choudhary,[56] M. Gola,[56] S. Keshri,[56] A. Kumar,[56] M. Naimuddin,[56]
P. Priyanka,[56] K. Ranjan,[56] S. Saumya,[56] A. Shah,[56] S. Baradia,[57] S. Barman,[57,jj] S. Bhattacharya,[57]
D. Bhowmik,[57] S. Dutta,[57] S. Dutta,[57] B. Gomber,[57,kk] M. Maity,[57,jj] P. Palit,[57] P. K. Rout,[57] G. Saha,[57] B. Sahu,[57]
S. Sarkar,[57] P. K. Behera,[58] S. C. Behera,[58] P. Kalbhor,[58] J. R. Komaragiri,[58,ll] D. Kumar,[58,ll] A. Muhammad,[58]
L. Panwar,[58,ll] R. Pradhan,[58] P. R. Pujahari,[58] A. Sharma,[58] A. K. Sikdar,[58] P. C. Tiwari,[58,ll] S. Verma,[58]
K. Naskar,[59,mm] T. Aziz,[60] I. Das,[60] S. Dugad,[60] M. Kumar,[60] G. B. Mohanty,[60] P. Suryadevara,[60] S. Banerjee,[61]
R. Chudasama,[61] M. Guchait,[61] S. Karmakar,[61] S. Kumar,[61] G. Majumder,[61] K. Mazumdar,[61] S. Mukherjee,[61]
A. Thachayath,[61] S. Bahinipati,[62,nn] A. K. Das,[62] C. Kar,[62] P. Mal,[62] T. Mishra,[62]
V. K. Muraleedharan Nair Bindhu,[62,oo] A. Nayak,[62,oo] P. Saha,[62] N. Sur,[62] S. K. Swain,[62] D. Vats,[62,oo]
A. Alpana,[63] S. Dube,[63] B. Kansal,[63] A. Laha,[63] S. Pandey,[63] A. Rastogi,[63] S. Sharma,[63]
H. Bakhshiansohi,[64,pp] E. Khazaie,[64] M. Zeinali,[64,qq] S. Chenarani,[65,rr] S. M. Etesami,[65] M. Khakzad,[65]
M. Mohammadi Najafabadi,[65] M. Grunewald,[66] M. Abbrescia,[67a,67b] R. Aly,[67a,67c,ss] C. Aruta,[67a,67b]
A. Colaleo,[67a] D. Creanza,[67a,67c] N. De Filippis,[67a,67c] M. De Palma,[67a,67b] A. Di Florio,[67a,67b]
W. Elmetenawee,[67a,67b] F. Errico,[67a,67b] L. Fiore,[67a] G. Iaselli,[67a,67c] M. Ince,[67a,67b] G. Maggi,[67a,67c] M. Maggi,[67a]
I. Margjeka,[67a,67b] V. Mastrapasqua,[67a,67b] S. My,[67a,67b] S. Nuzzo,[67a,67b] A. Pellecchia,[67a,67b] A. Pompili,[67a,67b]
G. Pugliese,[67a,67c] R. Radogna,[67a] D. Ramos,[67a] A. Ranieri,[67a] G. Selvaggi,[67a,67b] L. Silvestris,[67a]
F. M. Simone,[67a,67b] Ü. Sözbilir,[67a] A. Stamerra,[67a] R. Venditti,[67a] P. Verwilligen,[67a] G. Abbiendi,[68a]
C. Battilana,[68a,68b] D. Bonacorsi,[68a,68b] L. Borgonovi,[68a] L. Brigliadori,[68a] R. Campanini,[68a,68b] P. Capiluppi,[68a,68b]
A. Castro,[68a,68b] F. R. Cavallo,[68a] M. Cuffiani,[68a,68b] G. M. Dallavalle,[68a] T. Diotalevi,[68a,68b] F. Fabbri,[68a]
A. Fanfani,[68a,68b] P. Giacomelli,[68a] L. Giommi,[68a,68b] C. Grandi,[68a] L. Guiducci,[68a,68b] S. Lo Meo,[68a,tt]
L. Lunerti,[68a,68b] S. Marcellini,[68a] G. Masetti,[68a] F. L. Navarria,[68a,68b] A. Perrotta,[68a] F. Primavera,[68a,68b]
A. M. Rossi,[68a,68b] T. Rovelli,[68a,68b] G. P. Siroli,[68a,68b] S. Costa,[69a,69b,uu] A. Di Mattia,[69a] R. Potenza,[69a,69b]
A. Tricomi,[69a,69b,uu] C. Tuve,[69a,69b] G. Barbagli,[70a] B. Camaiani,[70a,70b] A. Cassese,[70a] R. Ceccarelli,[70a,70b]
V. Ciulli,[70a,70b] C. Civinini,[70a] R. D'Alessandro,[70a,70b] E. Focardi,[70a,70b] G. Latino,[70a,70b] P. Lenzi,[70a,70b]
M. Lizzo,[70a,70b] M. Meschini,[70a] S. Paoletti,[70a] R. Seidita,[70a,70b] G. Sguazzoni,[70a] L. Viliani,[70a] L. Benussi,[71]
S. Bianco,[71] S. Meola,[71,u] D. Piccolo,[71] M. Bozzo,[72a,72b] F. Ferro,[72a] R. Mulargia,[72a] E. Robutti,[72a]
S. Tosi,[72a,72b] A. Benaglia,[73a] G. Boldrini,[73a] F. Brivio,[73a,73b] F. Cetorelli,[73a,73b] F. De Guio,[73a,73b]
M. E. Dinardo,[73a,73b] P. Dini,[73a] S. Gennai,[73a] A. Ghezzi,[73a,73b] P. Govoni,[73a,73b] L. Guzzi,[73a,73b]
M. T. Lucchini,[73a,73b] M. Malberti,[73a] S. Malvezzi,[73a] A. Massironi,[73a] D. Menasce,[73a] L. Moroni,[73a]
M. Paganoni,[73a,73b] D. Pedrini,[73a] B. S. Pinolini,[73a] S. Ragazzi,[73a,73b] N. Redaelli,[73a] T. Tabarelli de Fatis,[73a,73b]
D. Zuolo,[73a,73b] S. Buontempo,[74a] F. Carnevali,[74a,74b] N. Cavallo,[74a,74c] A. De Iorio,[74a,74b] F. Fabozzi,[74a,74c]
A. O. M. Iorio,[74a,74b] L. Lista,[74a,74b,vv] P. Paolucci,[74a,u] B. Rossi,[74a] C. Sciacca,[74a,74b] P. Azzi,[75a]
N. Bacchetta,[75a,ww] P. Bortignon,[75a] A. Bragagnolo,[75a,75b] R. Carlin,[75a,75b] P. Checchia,[75a] U. Gasparini,[75a,75b]

G. Grosso,[75a] L. Layer,[75a,xx] E. Lusiani,[75a] M. Margoni,[75a,75b] A. T. Meneguzzo,[75a,75b] M. Passaseo,[75a] J. Pazzini,[75a,75b] P. Ronchese,[75a,75b] R. Rossin,[75a,75b] M. Sgaravatto,[75a] F. Simonetto,[75a,75b] G. Strong,[75a] M. Tosi,[75a,75b] S. Ventura,[75a] H. Yarar,[75a,75b] M. Zanetti,[75a,75b] P. Zotto,[75a,75b] A. Zucchetta,[75a,75b] G. Zumerle,[75a,75b] S. Abu Zeid,[76a,yy] C. Aimè,[76a,76b] A. Braghieri,[76a] S. Calzaferri,[76a,76b] D. Fiorina,[76a,76b] P. Montagna,[76a,76b] V. Re,[76a] C. Riccardi,[76a,76b] P. Salvini,[76a] I. Vai,[76a] P. Vitulo,[76a,76b] P. Asenov,[77a,zz] G. M. Bilei,[77a] D. Ciangottini,[77a,77b] L. Fanò,[77a,77b] M. Magherini,[77a,77b] G. Mantovani,[77a,77b] V. Mariani,[77a,77b] M. Menichelli,[77a] F. Moscatelli,[77a,zz] A. Piccinelli,[77a,77b] M. Presilla,[77a,77b] A. Rossi,[77a,77b] A. Santocchia,[77a,77b] D. Spiga,[77a] T. Tedeschi,[77a,77b] P. Azzurri,[78a] G. Bagliesi,[78a] V. Bertacchi,[78a,78c] R. Bhattacharya,[78a] L. Bianchini,[78a,78b] T. Boccali,[78a] E. Bossini,[78a,78b] D. Bruschini,[78a,78c] R. Castaldi,[78a] M. A. Ciocci,[78a,78b] V. D'Amante,[78a,78d] R. Dell'Orso,[78a] M. R. Di Domenico,[78a,78d] S. Donato,[78a] A. Giassi,[78a] F. Ligabue,[78a,78c] E. Manca,[78a,78c] G. Mandorli,[78a,78c] D. Matos Figueiredo,[78a] A. Messineo,[78a,78b] M. Musich,[78a,78b] F. Palla,[78a] S. Parolia,[78a,78b] G. Ramirez-Sanchez,[78a,78c] A. Rizzi,[78a,78b] G. Rolandi,[78a,78c] S. Roy Chowdhury,[78a,78c] T. Sarkar,[78a,jj] A. Scribano,[78a] N. Shafiei,[78a,78b] P. Spagnolo,[78a] R. Tenchini,[78a] G. Tonelli,[78a,78b] N. Turini,[78a,78d] A. Venturi,[78a] P. G. Verdini,[78a] P. Barria,[79a] M. Campana,[79a,79b] F. Cavallari,[79a] D. Del Re,[79a,79b] E. Di Marco,[79a] M. Diemoz,[79a] E. Longo,[79a,79b] P. Meridiani,[79a] G. Organtini,[79a,79b] F. Pandolfi,[79a] R. Paramatti,[79a,79b] C. Quaranta,[79a,79b] S. Rahatlou,[79a,79b] C. Rovelli,[79a] F. Santanastasio,[79a,79b] L. Soffi,[79a] R. Tramontano,[79a,79b] N. Amapane,[80a,80b] R. Arcidiacono,[80a,80c] S. Argiro,[80a,80b] M. Arneodo,[80a,80c] N. Bartosik,[80a] R. Bellan,[80a,80b] A. Bellora,[80a,80b] J. Berenguer Antequera,[80a,80b] C. Biino,[80a] N. Cartiglia,[80a] M. Costa,[80a,80b] R. Covarelli,[80a,80b] N. Demaria,[80a] M. Grippo,[80a,80b] B. Kiani,[80a,80b] F. Legger,[80a] C. Mariotti,[80a] S. Maselli,[80a] A. Mecca,[80a,80b] E. Migliore,[80a,80b] E. Monteil,[80a,80b] M. Monteno,[80a] M. M. Obertino,[80a,80b] G. Ortona,[80a] L. Pacher,[80a,80b] N. Pastrone,[80a] M. Pelliccioni,[80a] M. Ruspa,[80a,80c] K. Shchelina,[80a] F. Siviero,[80a,80b] V. Sola,[80a] A. Solano,[80a,80b] D. Soldi,[80a,80b] A. Staiano,[80a] M. Tornago,[80a,80b] D. Trocino,[80a] G. Umoret,[80a,80b] A. Vagnerini,[80a,80b] S. Belforte,[81a] V. Candelise,[81a,81b] M. Casarsa,[81a] F. Cossutti,[81a] A. Da Rold,[81a,81b] G. Della Ricca,[81a,81b] G. Sorrentino,[81a,81b] S. Dogra,[82] C. Huh,[82] B. Kim,[82] D. H. Kim,[82] G. N. Kim,[82] J. Kim,[82] J. Lee,[82] S. W. Lee,[82] C. S. Moon,[82] Y. D. Oh,[82] S. I. Pak,[82] M. S. Ryu,[82] S. Sekmen,[82] Y. C. Yang,[82] H. Kim,[83] D. H. Moon,[83] E. Asilar,[84] T. J. Kim,[84] J. Park,[84] S. Cho,[85] S. Choi,[85] S. Han,[85] B. Hong,[85] K. Lee,[85] K. S. Lee,[85] J. Lim,[85] J. Park,[85] S. K. Park,[85] J. Yoo,[85] J. Goh,[86] H. S. Kim,[87] Y. Kim,[87] S. Lee,[87] J. Almond,[88] J. H. Bhyun,[88] J. Choi,[88] S. Jeon,[88] W. Jun,[88] J. Kim,[88] J. Kim,[88] J. S. Kim,[88] S. Ko,[88] H. Kwon,[88] H. Lee,[88] J. Lee,[88] S. Lee,[88] B. H. Oh,[88] M. Oh,[88] S. B. Oh,[88] H. Seo,[88] U. K. Yang,[88] I. Yoon,[88] W. Jang,[89] D. Y. Kang,[89] Y. Kang,[89] D. Kim,[89] S. Kim,[89] B. Ko,[89] J. S. H. Lee,[89] Y. Lee,[89] J. A. Merlin,[89] I. C. Park,[89] Y. Roh,[89] D. Song,[89] I. J. Watson,[89] S. Yang,[89] S. Ha,[90] H. D. Yoo,[90] M. Choi,[91] M. R. Kim,[91] H. Lee,[91] Y. Lee,[91] Y. Lee,[91] I. Yu,[91] T. Beyrouthy,[92] Y. Maghrbi,[92] K. Dreimanis,[93] A. Gaile,[93] A. Potrebko,[93] T. Torims,[93] V. Veckalns,[93] M. Ambrozas,[94] A. Carvalho Antunes De Oliveira,[94] A. Juodagalvis,[94] A. Rinkevicius,[94] G. Tamulaitis,[94] N. Bin Norjoharuddeen,[95] S. Y. Hoh,[95,aaa] I. Yusuff,[95,aaa] Z. Zolkapli,[95] J. F. Benitez,[96] A. Castaneda Hernandez,[96] H. A. Encinas Acosta,[96] L. G. Gallegos Maríñez,[96] M. León Coello,[96] J. A. Murillo Quijada,[96] A. Sehrawat,[96] L. Valencia Palomo,[96] G. Ayala,[97] H. Castilla-Valdez,[97] I. Heredia-De La Cruz,[97,bbb] R. Lopez-Fernandez,[97] C. A. Mondragon Herrera,[97] D. A. Perez Navarro,[97] A. Sánchez Hernández,[97] C. Oropeza Barrera,[98] F. Vazquez Valencia,[98] I. Pedraza,[99] H. A. Salazar Ibarguen,[99] C. Uribe Estrada,[99] I. Bubanja,[100] J. Mijuskovic,[100,ccc] N. Raicevic,[100] A. Ahmad,[101] M. I. Asghar,[101] A. Awais,[101] M. I. M. Awan,[101] M. Gul,[101] H. R. Hoorani,[101] W. A. Khan,[101] M. Shoaib,[101] M. Waqas,[101] V. Avati,[102] L. Grzanka,[102] M. Malawski,[102] H. Bialkowska,[103] M. Bluj,[103] B. Boimska,[103] M. Górski,[103] M. Kazana,[103] M. Szleper,[103] P. Zalewski,[103] K. Bunkowski,[104] K. Doroba,[104] A. Kalinowski,[104] M. Konecki,[104] J. Krolikowski,[104] M. Araujo,[105] P. Bargassa,[105] D. Bastos,[105] A. Boletti,[105] P. Faccioli,[105] M. Gallinaro,[105] J. Hollar,[105] N. Leonardo,[105] T. Niknejad,[105] M. Pisano,[105] J. Seixas,[105] O. Toldaiev,[105] J. Varela,[105] P. Adzic,[106,ddd] M. Dordevic,[106] P. Milenovic,[106] J. Milosevic,[106] M. Aguilar-Benitez,[107] J. Alcaraz Maestre,[107] A. Álvarez Fernández,[107] M. Barrio Luna,[107] Cristina F. Bedoya,[107] C. A. Carrillo Montoya,[107] M. Cepeda,[107] M. Cerrada,[107] N. Colino,[107] B. De La Cruz,[107] A. Delgado Peris,[107] D. Fernández Del Val,[107] J. P. Fernández Ramos,[107] J. Flix,[107] M. C. Fouz,[107] O. Gonzalez Lopez,[107] S. Goy Lopez,[107] J. M. Hernandez,[107] M. I. Josa,[107] J. León Holgado,[107] D. Moran,[107] C. Perez Dengra,[107] A. Pérez-Calero Yzquierdo,[107] J. Puerta Pelayo,[107] I. Redondo,[107] D. D. Redondo Ferrero,[107] L. Romero,[107]

S. Sánchez Navas,[107] J. Sastre,[107] L. Urda Gómez,[107] J. Vazquez Escobar,[107] C. Willmott,[107] J. F. de Trocóniz,[108] B. Alvarez Gonzalez,[109] J. Cuevas,[109] J. Fernandez Menendez,[109] S. Folgueras,[109] I. Gonzalez Caballero,[109] J. R. González Fernández,[109] E. Palencia Cortezon,[109] C. Ramón Álvarez,[109] V. Rodríguez Bouza,[109] A. Soto Rodríguez,[109] A. Trapote,[109] C. Vico Villalba,[109] J. A. Brochero Cifuentes,[110] I. J. Cabrillo,[110] A. Calderon,[110] J. Duarte Campderros,[110] M. Fernandez,[110] C. Fernandez Madrazo,[110] A. García Alonso,[110] G. Gomez,[110] C. Lasaosa García,[110] C. Martinez Rivero,[110] P. Martinez Ruiz del Arbol,[110] F. Matorras,[110] P. Matorras Cuevas,[110] J. Piedra Gomez,[110] C. Prieels,[110] A. Ruiz-Jimeno,[110] L. Scodellaro,[110] I. Vila,[110] J. M. Vizan Garcia,[110] M. K. Jayananda,[111] B. Kailasapathy,[111,eee] D. U. J. Sonnadara,[111] D. D. C. Wickramarathna,[111] W. G. D. Dharmaratna,[112] K. Liyanage,[112] N. Perera,[112] N. Wickramage,[112] D. Abbaneo,[113] J. Alimena,[113] E. Auffray,[113] G. Auzinger,[113] J. Baechler,[113] P. Baillon,[113,a] D. Barney,[113] J. Bendavid,[113] M. Bianco,[113] B. Bilin,[113] A. Bocci,[113] E. Brondolin,[113] C. Caillol,[113] T. Camporesi,[113] G. Cerminara,[113] N. Chernyavskaya,[113] S. S. Chhibra,[113] S. Choudhury,[113] M. Cipriani,[113] L. Cristella,[113] D. d'Enterria,[113] A. Dabrowski,[113] A. David,[113] A. De Roeck,[113] M. M. Defranchis,[113] M. Deile,[113] M. Dobson,[113] M. Dünser,[113] N. Dupont,[113] A. Elliott-Peisert,[113] F. Fallavollita,[113,fff] A. Florent,[113] L. Forthomme,[113] G. Franzoni,[113] W. Funk,[113] S. Ghosh,[113] S. Giani,[113] D. Gigi,[113] K. Gill,[113] F. Glege,[113] L. Gouskos,[113] E. Govorkova,[113] M. Haranko,[113] J. Hegeman,[113] V. Innocente,[113] T. James,[113] P. Janot,[113] J. Kaspar,[113] J. Kieseler,[113] N. Kratochwil,[113] S. Laurila,[113] P. Lecoq,[113] E. Leutgeb,[113] A. Lintuluoto,[113] C. Lourenço,[113] B. Maier,[113] L. Malgeri,[113] M. Mannelli,[113] A. C. Marini,[113] F. Meijers,[113] S. Mersi,[113] E. Meschi,[113] F. Moortgat,[113] M. Mulders,[113] S. Orfanelli,[113] L. Orsini,[113] F. Pantaleo,[113] E. Perez,[113] M. Peruzzi,[113] A. Petrilli,[113] G. Petrucciani,[113] A. Pfeiffer,[113] M. Pierini,[113] D. Piparo,[113] M. Pitt,[113] H. Qu,[113] T. Quast,[113] D. Rabady,[113] A. Racz,[113] G. Reales Gutiérrez,[113] M. Rovere,[113] H. Sakulin,[113] J. Salfeld-Nebgen,[113] S. Scarfi,[113] M. Selvaggi,[113] A. Sharma,[113] P. Silva,[113] P. Sphicas,[113,ggg] A. G. Stahl Leiton,[113] S. Summers,[113] K. Tatar,[113] V. R. Tavolaro,[113] D. Treille,[113] P. Tropea,[113] A. Tsirou,[113] J. Wanczyk,[113,hhh] K. A. Wozniak,[113] W. D. Zeuner,[113] L. Caminada,[114,iii] A. Ebrahimi,[114] W. Erdmann,[114] R. Horisberger,[114] Q. Ingram,[114] H. C. Kaestli,[114] D. Kotlinski,[114] C. Lange,[114] M. Missiroli,[114,iii] L. Noehte,[114,iii] T. Rohe,[114] T. K. Aarrestad,[115] K. Androsov,[115,hhh] M. Backhaus,[115] P. Berger,[115] A. Calandri,[115] K. Datta,[115] A. De Cosa,[115] G. Dissertori,[115] M. Dittmar,[115] M. Donegà,[115] F. Eble,[115] M. Galli,[115] K. Gedia,[115] F. Glessgen,[115] T. A. Gómez Espinosa,[115] C. Grab,[115] D. Hits,[115] W. Lustermann,[115] A.-M. Lyon,[115] R. A. Manzoni,[115] L. Marchese,[115] C. Martin Perez,[115] A. Mascellani,[115,hhh] M. T. Meinhard,[115] F. Nessi-Tedaldi,[115] J. Niedziela,[115] F. Pauss,[115] V. Perovic,[115] S. Pigazzini,[115] M. G. Ratti,[115] M. Reichmann,[115] C. Reissel,[115] T. Reitenspiess,[115] B. Ristic,[115] F. Riti,[115] D. Ruini,[115] D. A. Sanz Becerra,[115] J. Steggemann,[115,hhh] D. Valsecchi,[115,u] R. Wallny,[115] C. Amsler,[116,jjj] P. Bärtschi,[116] C. Botta,[116] D. Brzhechko,[116] M. F. Canelli,[116] K. Cormier,[116] A. De Wit,[116] R. Del Burgo,[116] J. K. Heikkilä,[116] M. Huwiler,[116] W. Jin,[116] A. Jofrehei,[116] B. Kilminster,[116] S. Leontsinis,[116] S. P. Liechti,[116] A. Macchiolo,[116] P. Meiring,[116] V. M. Mikuni,[116] U. Molinatti,[116] I. Neutelings,[116] A. Reimers,[116] P. Robmann,[116] S. Sanchez Cruz,[116] K. Schweiger,[116] M. Senger,[116] Y. Takahashi,[116] C. Adloff,[117,kkk] C. M. Kuo,[117] W. Lin,[117] S. S. Yu,[117] L. Ceard,[118] Y. Chao,[118] K. F. Chen,[118] P. s. Chen,[118] H. Cheng,[118] W.-S. Hou,[118] Y. y. Li,[118] R.-S. Lu,[118] E. Paganis,[118] A. Psallidas,[118] A. Steen,[118] H. y. Wu,[118] E. Yazgan,[118] P. r. Yu,[118] C. Asawatangtrakuldee,[119] N. Srimanobhas,[119] D. Agyel,[120] F. Boran,[120] Z. S. Demiroglu,[120] F. Dolek,[120] I. Dumanoglu,[120,lll] E. Eskut,[120] Y. Guler,[120,mmm] E. Gurpinar Guler,[120,mmm] C. Isik,[120] O. Kara,[120] A. Kayis Topaksu,[120] U. Kiminsu,[120] G. Onengut,[120] K. Ozdemir,[120,nnn] A. Polatoz,[120] A. E. Simsek,[120] B. Tali,[120,ooo] U. G. Tok,[120] S. Turkcapar,[120] E. Uslan,[120] I. S. Zorbakir,[120] G. Karapinar,[121,ppp] K. Ocalan,[121,qqq] M. Yalvac,[121,rrr] B. Akgun,[122] I. O. Atakisi,[122] E. Gülmez,[122] M. Kaya,[122,sss] O. Kaya,[122,ttt] Ö. Özçelik,[122] S. Tekten,[122,uuu] A. Cakir,[123] K. Cankocak,[123,lll] Y. Komurcu,[123] S. Sen,[123,vvv] O. Aydilek,[124] S. Cerci,[124,ooo] B. Hacisahinoglu,[124] I. Hos,[124,www] B. Isildak,[124,xxx] B. Kaynak,[124] S. Ozkorucuklu,[124] C. Simsek,[124] D. Sunar Cerci,[124,ooo] B. Grynyov,[125] L. Levchuk,[126] D. Anthony,[127] E. Bhal,[127] J. J. Brooke,[127] A. Bundock,[127] E. Clement,[127] D. Cussans,[127] H. Flacher,[127] M. Glowacki,[127] J. Goldstein,[127] G. P. Heath,[127] H. F. Heath,[127] L. Kreczko,[127] B. Krikler,[127] S. Paramesvaran,[127] S. Seif El Nasr-Storey,[127] V. J. Smith,[127] N. Stylianou,[127,yyy] K. Walkingshaw Pass,[127] R. White,[127] A. H. Ball,[128] K. W. Bell,[128] A. Belyaev,[128,zzz] C. Brew,[128] R. M. Brown,[128] D. J. A. Cockerill,[128] C. Cooke,[128] K. V. Ellis,[128] K. Harder,[128] S. Harper,[128] M.-L. Holmberg,[128,aaaa] J. Linacre,[128] K. Manolopoulos,[128] D. M. Newbold,[128]

E. Olaiya,[128] D. Petyt,[128] T. Reis,[128] G. Salvi,[128] T. Schuh,[128] C. H. Shepherd-Themistocleous,[128] I. R. Tomalin,[128]
T. Williams,[128] R. Bainbridge,[129] P. Bloch,[129] S. Bonomally,[129] J. Borg,[129] S. Breeze,[129] C. E. Brown,[129]
O. Buchmuller,[129] V. Cacchio,[129] V. Cepaitis,[129] G. S. Chahal,[129,bbbb] D. Colling,[129] J. S. Dancu,[129] P. Dauncey,[129]
G. Davies,[129] J. Davies,[129] M. Della Negra,[129] S. Fayer,[129] G. Fedi,[129] G. Hall,[129] M. H. Hassanshahi,[129]
A. Howard,[129] G. Iles,[129] J. Langford,[129] L. Lyons,[129] A.-M. Magnan,[129] S. Malik,[129] A. Martelli,[129]
M. Mieskolainen,[129] D. G. Monk,[129] J. Nash,[129,cccc] M. Pesaresi,[129] B. C. Radburn-Smith,[129] D. M. Raymond,[129]
A. Richards,[129] A. Rose,[129] E. Scott,[129] C. Seez,[129] A. Shtipliyski,[129] R. Shukla,[129] A. Tapper,[129] K. Uchida,[129]
G. P. Uttley,[129] L. H. Vage,[129] T. Virdee,[129,u] M. Vojinovic,[129] N. Wardle,[129] S. N. Webb,[129] D. Winterbottom,[129]
K. Coldham,[130] J. E. Cole,[130] A. Khan,[130] P. Kyberd,[130] I. D. Reid,[130] S. Abdullin,[131] A. Brinkerhoff,[131]
B. Caraway,[131] J. Dittmann,[131] K. Hatakeyama,[131] A. R. Kanuganti,[131] B. McMaster,[131] M. Saunders,[131]
S. Sawant,[131] C. Sutantawibul,[131] J. Wilson,[131] R. Bartek,[132] A. Dominguez,[132] R. Uniyal,[132]
A. M. Vargas Hernandez,[132] A. Buccilli,[133] S. I. Cooper,[133] D. Di Croce,[133] S. V. Gleyzer,[133] C. Henderson,[133]
C. U. Perez,[133] P. Rumerio,[133,dddd] C. West,[133] A. Akpinar,[134] A. Albert,[134] D. Arcaro,[134] C. Cosby,[134]
Z. Demiragli,[134] C. Erice,[134] E. Fontanesi,[134] D. Gastler,[134] S. May,[134] J. Rohlf,[134] K. Salyer,[134] D. Sperka,[134]
D. Spitzbart,[134] I. Suarez,[134] A. Tsatsos,[134] S. Yuan,[134] G. Benelli,[135] B. Burkle,[135] X. Coubez,[135,w] D. Cutts,[135]
M. Hadley,[135] U. Heintz,[135] J. M. Hogan,[135,eeee] T. Kwon,[135] G. Landsberg,[135] K. T. Lau,[135] D. Li,[135] J. Luo,[135]
M. Narain,[135] N. Pervan,[135] S. Sagir,[135,ffff] F. Simpson,[135] E. Usai,[135] W. Y. Wong,[135] X. Yan,[135] D. Yu,[135]
W. Zhang,[135] J. Bonilla,[136] C. Brainerd,[136] R. Breedon,[136] M. Calderon De La Barca Sanchez,[136] M. Chertok,[136]
J. Conway,[136] P. T. Cox,[136] R. Erbacher,[136] G. Haza,[136] F. Jensen,[136] O. Kukral,[136] G. Mocellin,[136]
M. Mulhearn,[136] D. Pellett,[136] B. Regnery,[136] D. Taylor,[136] Y. Yao,[136] F. Zhang,[136] M. Bachtis,[137]
R. Cousins,[137] A. Datta,[137] D. Hamilton,[137] J. Hauser,[137] M. Ignatenko,[137] M. A. Iqbal,[137] T. Lam,[137]
W. A. Nash,[137] S. Regnard,[137] D. Saltzberg,[137] B. Stone,[137] V. Valuev,[137] Y. Chen,[138] R. Clare,[138] J. W. Gary,[138]
M. Gordon,[138] G. Hanson,[138] G. Karapostoli,[138] O. R. Long,[138] N. Manganelli,[138] W. Si,[138] S. Wimpenny,[138]
J. G. Branson,[139] P. Chang,[139] S. Cittolin,[139] S. Cooperstein,[139] D. Diaz,[139] J. Duarte,[139] R. Gerosa,[139]
L. Giannini,[139] J. Guiang,[139] R. Kansal,[139] V. Krutelyov,[139] R. Lee,[139] J. Letts,[139] M. Masciovecchio,[139]
F. Mokhtar,[139] M. Pieri,[139] B. V. Sathia Narayanan,[139] V. Sharma,[139] M. Tadel,[139] F. Würthwein,[139] Y. Xiang,[139]
A. Yagil,[139] N. Amin,[140] C. Campagnari,[140] M. Citron,[140] G. Collura,[140] A. Dorsett,[140] V. Dutta,[140]
J. Incandela,[140] M. Kilpatrick,[140] J. Kim,[140] A. J. Li,[140] B. Marsh,[140] P. Masterson,[140] H. Mei,[140] M. Oshiro,[140]
M. Quinnan,[140] J. Richman,[140] U. Sarica,[140] R. Schmitz,[140] F. Setti,[140] J. Sheplock,[140] P. Siddireddy,[140]
D. Stuart,[140] S. Wang,[140] A. Bornheim,[141] O. Cerri,[141] I. Dutta,[141] J. M. Lawhorn,[141] N. Lu,[141] J. Mao,[141]
H. B. Newman,[141] T. Q. Nguyen,[141] M. Spiropulu,[141] J. R. Vlimant,[141] C. Wang,[141] S. Xie,[141] R. Y. Zhu,[141]
J. Alison,[142] S. An,[142] M. B. Andrews,[142] P. Bryant,[142] T. Ferguson,[142] A. Harilal,[142] C. Liu,[142]
T. Mudholkar,[142] S. Murthy,[142] M. Paulini,[142] A. Roberts,[142] A. Sanchez,[142] W. Terrill,[142] J. P. Cumalat,[143]
W. T. Ford,[143] A. Hassani,[143] G. Karathanasis,[143] E. MacDonald,[143] F. Marini,[143] R. Patel,[143] A. Perloff,[143]
C. Savard,[143] N. Schonbeck,[143] K. Stenson,[143] K. A. Ulmer,[143] S. R. Wagner,[143] N. Zipper,[143] J. Alexander,[144]
S. Bright-Thonney,[144] X. Chen,[144] D. J. Cranshaw,[144] J. Fan,[144] X. Fan,[144] D. Gadkari,[144] S. Hogan,[144]
J. Monroy,[144] J. R. Patterson,[144] D. Quach,[144] J. Reichert,[144] M. Reid,[144] A. Ryd,[144] J. Thom,[144] P. Wittich,[144]
R. Zou,[144] M. Albrow,[145] M. Alyari,[145] G. Apollinari,[145] A. Apresyan,[145] L. A. T. Bauerdick,[145] D. Berry,[145]
J. Berryhill,[145] P. C. Bhat,[145] K. Burkett,[145] J. N. Butler,[145] A. Canepa,[145] G. B. Cerati,[145] H. W. K. Cheung,[145]
F. Chlebana,[145] K. F. Di Petrillo,[145] J. Dickinson,[145] V. D. Elvira,[145] Y. Feng,[145] J. Freeman,[145]
A. Gandrakota,[145] Z. Gecse,[145] L. Gray,[145] D. Green,[145] S. Grünendahl,[145] O. Gutsche,[145] R. M. Harris,[145]
R. Heller,[145] T. C. Herwig,[145] J. Hirschauer,[145] L. Horyn,[145] B. Jayatilaka,[145] S. Jindariani,[145] M. Johnson,[145]
U. Joshi,[145] T. Klijnsma,[145] B. Klima,[145] K. H. M. Kwok,[145] S. Lammel,[145] D. Lincoln,[145] R. Lipton,[145]
T. Liu,[145] C. Madrid,[145] K. Maeshima,[145] C. Mantilla,[145] D. Mason,[145] P. McBride,[145] P. Merkel,[145]
S. Mrenna,[145] S. Nahn,[145] J. Ngadiuba,[145] D. Noonan,[145] V. Papadimitriou,[145] N. Pastika,[145] K. Pedro,[145]
C. Pena,[145,gggg] F. Ravera,[145] A. Reinsvold Hall,[145,hhhh] L. Ristori,[145] E. Sexton-Kennedy,[145] N. Smith,[145]
A. Soha,[145] L. Spiegel,[145] J. Strait,[145] L. Taylor,[145] S. Tkaczyk,[145] N. V. Tran,[145] L. Uplegger,[145]
E. W. Vaandering,[145] H. A. Weber,[145] I. Zoi,[145] P. Avery,[146] D. Bourilkov,[146] L. Cadamuro,[146]
V. Cherepanov,[146] R. D. Field,[146] D. Guerrero,[146] M. Kim,[146] E. Koenig,[146] J. Konigsberg,[146] A. Korytov,[146]

K. H. Lo,[146] K. Matchev,[146] N. Menendez,[146] G. Mitselmakher,[146] A. Muthirakalayil Madhu,[146] N. Rawal,[146]
D. Rosenzweig,[146] S. Rosenzweig,[146] K. Shi,[146] J. Wang,[146] Z. Wu,[146] T. Adams,[147] A. Askew,[147]
R. Habibullah,[147] V. Hagopian,[147] R. Khurana,[147] T. Kolberg,[147] G. Martinez,[147] H. Prosper,[147] C. Schiber,[147]
O. Viazlo,[147] R. Yohay,[147] J. Zhang,[147] M. M. Baarmand,[148] S. Butalla,[148] T. Elkafrawy,[148,yy] M. Hohlmann,[148]
R. Kumar Verma,[148] M. Rahmani,[148] F. Yumiceva,[148] M. R. Adams,[149] H. Becerril Gonzalez,[149] R. Cavanaugh,[149]
S. Dittmer,[149] O. Evdokimov,[149] C. E. Gerber,[149] D. J. Hofman,[149] D. S. Lemos,[149] A. H. Merrit,[149] C. Mills,[149]
G. Oh,[149] T. Roy,[149] S. Rudrabhatla,[149] M. B. Tonjes,[149] N. Varelas,[149] X. Wang,[149] Z. Ye,[149] J. Yoo,[149]
M. Alhusseini,[150] K. Dilsiz,[150,iiii] L. Emediato,[150] R. P. Gandrajula,[150] G. Karaman,[150] O. K. Köseyan,[150]
J.-P. Merlo,[150] A. Mestvirishvili,[150,jjjj] J. Nachtman,[150] O. Neogi,[150] H. Ogul,[150,kkkk] Y. Onel,[150] A. Penzo,[150]
C. Snyder,[150] E. Tiras,[150,llll] O. Amram,[151] B. Blumenfeld,[151] L. Corcodilos,[151] J. Davis,[151] A. V. Gritsan,[151]
L. Kang,[151] S. Kyriacou,[151] P. Maksimovic,[151] J. Roskes,[151] S. Sekhar,[151] M. Swartz,[151] T. Á. Vámi,[151]
A. Abreu,[152] L. F. Alcerro Alcerro,[152] J. Anguiano,[152] P. Baringer,[152] A. Bean,[152] Z. Flowers,[152] T. Isidori,[152]
S. Khalil,[152] J. King,[152] G. Krintiras,[152] M. Lazarovits,[152] C. Le Mahieu,[152] C. Lindsey,[152] J. Marquez,[152]
N. Minafra,[152] M. Murray,[152] M. Nickel,[152] C. Rogan,[152] C. Royon,[152] R. Salvatico,[152] S. Sanders,[152]
E. Schmitz,[152] C. Smith,[152] Q. Wang,[152] J. Williams,[152] G. Wilson,[152] B. Allmond,[153] S. Duric,[153]
R. Gujju Gurunadha,[153] A. Ivanov,[153] K. Kaadze,[153] D. Kim,[153] Y. Maravin,[153] T. Mitchell,[153] A. Modak,[153]
K. Nam,[153] J. Natoli,[153] D. Roy,[153] F. Rebassoo,[154] D. Wright,[154] E. Adams,[155] A. Baden,[155] O. Baron,[155]
A. Belloni,[155] A. Bethani,[155] S. C. Eno,[155] N. J. Hadley,[155] S. Jabeen,[155] R. G. Kellogg,[155] T. Koeth,[155]
Y. Lai,[155] S. Lascio,[155] A. C. Mignerey,[155] S. Nabili,[155] C. Palmer,[155] C. Papageorgakis,[155] M. Seidel,[155]
L. Wang,[155] K. Wong,[155] D. Abercrombie,[156] R. Bi,[156] W. Busza,[156] I. A. Cali,[156] Y. Chen,[156] M. D'Alfonso,[156]
J. Eysermans,[156] C. Freer,[156] G. Gomez-Ceballos,[156] M. Goncharov,[156] P. Harris,[156] M. Hu,[156] D. Kovalskyi,[156]
J. Krupa,[156] Y.-J. Lee,[156] K. Long,[156] C. Mironov,[156] C. Paus,[156] D. Rankin,[156] C. Roland,[156] G. Roland,[156]
Z. Shi,[156] G. S. F. Stephans,[156] J. Wang,[156] Z. Wang,[156] B. Wyslouch,[156] R. M. Chatterjee,[157] B. Crossman,[157]
A. Evans,[157] J. Hiltbrand,[157] Sh. Jain,[157] B. M. Joshi,[157] C. Kapsiak,[157] M. Krohn,[157] Y. Kubota,[157] J. Mans,[157]
M. Revering,[157] R. Rusack,[157] R. Saradhy,[157] N. Schroeder,[157] N. Strobbe,[157] M. A. Wadud,[157]
L. M. Cremaldi,[158] K. Bloom,[159] M. Bryson,[159] D. R. Claes,[159] C. Fangmeier,[159] L. Finco,[159] F. Golf,[159]
C. Joo,[159] I. Kravchenko,[159] I. Reed,[159] J. E. Siado,[159] G. R. Snow,[159,a] W. Tabb,[159] A. Wightman,[159] F. Yan,[159]
A. G. Zecchinelli,[159] G. Agarwal,[160] H. Bandyopadhyay,[160] L. Hay,[160] I. Iashvili,[160] A. Kharchilava,[160]
C. McLean,[160] M. Morris,[160] D. Nguyen,[160] J. Pekkanen,[160] S. Rappoccio,[160] A. Williams,[160] G. Alverson,[161]
E. Barberis,[161] Y. Haddad,[161] Y. Han,[161] A. Krishna,[161] J. Li,[161] J. Lidrych,[161] G. Madigan,[161]
B. Marzocchi,[161] D. M. Morse,[161] V. Nguyen,[161] T. Orimoto,[161] A. Parker,[161] L. Skinnari,[161]
A. Tishelman-Charny,[161] T. Wamorkar,[161] B. Wang,[161] A. Wisecarver,[161] D. Wood,[161] S. Bhattacharya,[162]
J. Bueghly,[162] Z. Chen,[162] A. Gilbert,[162] T. Gunter,[162] K. A. Hahn,[162] Y. Liu,[162] N. Odell,[162] M. H. Schmitt,[162]
M. Velasco,[162] R. Band,[163] R. Bucci,[163] S. Castells,[163] M. Cremonesi,[163] A. Das,[163] R. Goldouzian,[163]
M. Hildreth,[163] K. Hurtado Anampa,[163] C. Jessop,[163] K. Lannon,[163] J. Lawrence,[163] N. Loukas,[163] L. Lutton,[163]
J. Mariano,[163] N. Marinelli,[163] I. Mcalister,[163] T. McCauley,[163] C. Mcgrady,[163] K. Mohrman,[163] C. Moore,[163]
Y. Musienko,[163,n] H. Nelson,[163] R. Ruchti,[163] A. Townsend,[163] M. Wayne,[163] H. Yockey,[163] M. Zarucki,[163]
L. Zygala,[163] B. Bylsma,[164] M. Carrigan,[164] L. S. Durkin,[164] B. Francis,[164] C. Hill,[164] A. Lesauvage,[164]
M. Nunez Ornelas,[164] K. Wei,[164] B. L. Winer,[164] B. R. Yates,[164] F. M. Addesa,[165] B. Bonham,[165] P. Das,[165]
G. Dezoort,[165] P. Elmer,[165] A. Frankenthal,[165] B. Greenberg,[165] N. Haubrich,[165] S. Higginbotham,[165]
A. Kalogeropoulos,[165] G. Kopp,[165] S. Kwan,[165] D. Lange,[165] D. Marlow,[165] K. Mei,[165] I. Ojalvo,[165]
J. Olsen,[165] D. Stickland,[165] C. Tully,[165] S. Malik,[166] S. Norberg,[166] A. S. Bakshi,[167] V. E. Barnes,[167]
R. Chawla,[167] S. Das,[167] L. Gutay,[167] M. Jones,[167] A. W. Jung,[167] D. Kondratyev,[167] A. M. Koshy,[167] M. Liu,[167]
G. Negro,[167] N. Neumeister,[167] G. Paspalaki,[167] S. Piperov,[167] A. Purohit,[167] J. F. Schulte,[167] M. Stojanovic,[167]
J. Thieman,[167] F. Wang,[167] R. Xiao,[167] W. Xie,[167] J. Dolen,[168] N. Parashar,[168] D. Acosta,[169] A. Baty,[169]
T. Carnahan,[169] M. Decaro,[169] S. Dildick,[169] K. M. Ecklund,[169] P. J. Fernández Manteca,[169] S. Freed,[169]
P. Gardner,[169] F. J. M. Geurts,[169] A. Kumar,[169] W. Li,[169] B. P. Padley,[169] R. Redjimi,[169] J. Rotter,[169] W. Shi,[169]
S. Yang,[169] E. Yigitbasi,[169] L. Zhang,[169,mmmm] Y. Zhang,[169] X. Zuo,[169] A. Bodek,[170] P. de Barbaro,[170]
R. Demina,[170] J. L. Dulemba,[170] C. Fallon,[170] T. Ferbel,[170] M. Galanti,[170] A. Garcia-Bellido,[170] O. Hindrichs,[170]

A. Khukhunaishvili,[170] E. Ranken,[170] R. Taus,[170] G. P. Van Onsem,[170] K. Goulianos,[171] B. Chiarito,[172] J. P. Chou,[172] Y. Gershtein,[172] E. Halkiadakis,[172] A. Hart,[172] M. Heindl,[172] D. Jaroslawski,[172] O. Karacheban,[172,y] I. Laflotte,[172] A. Lath,[172] R. Montalvo,[172] K. Nash,[172] M. Osherson,[172] S. Salur,[172] S. Schnetzer,[172] S. Somalwar,[172] R. Stone,[172] S. A. Thayil,[172] S. Thomas,[172] H. Wang,[172] H. Acharya,[173] A. G. Delannoy,[173] S. Fiorendi,[173] T. Holmes,[173] E. Nibigira,[173] S. Spanier,[173] O. Bouhali,[174,nnnn] M. Dalchenko,[174] A. Delgado,[174] R. Eusebi,[174] J. Gilmore,[174] T. Huang,[174] T. Kamon,[174,oooo] H. Kim,[174] S. Luo,[174] S. Malhotra,[174] R. Mueller,[174] D. Overton,[174] D. Rathjens,[174] A. Safonov,[174] N. Akchurin,[175] J. Damgov,[175] V. Hegde,[175] K. Lamichhane,[175] S. W. Lee,[175] T. Mengke,[175] S. Muthumuni,[175] T. Peltola,[175] I. Volobouev,[175] Z. Wang,[175] A. Whitbeck,[175] E. Appelt,[176] S. Greene,[176] A. Gurrola,[176] W. Johns,[176] A. Melo,[176] F. Romeo,[176] P. Sheldon,[176] S. Tuo,[176] J. Velkovska,[176] J. Viinikainen,[176] B. Cardwell,[177] B. Cox,[177] G. Cummings,[177] J. Hakala,[177] R. Hirosky,[177] M. Joyce,[177] A. Ledovskoy,[177] A. Li,[177] C. Neu,[177] C. E. Perez Lara,[177] B. Tannenwald,[177] P. E. Karchin,[178] N. Poudyal,[178] S. Banerjee,[179] K. Black,[179] T. Bose,[179] S. Dasu,[179] I. De Bruyn,[179] P. Everaerts,[179] C. Galloni,[179] H. He,[179] M. Herndon,[179] A. Herve,[179] C. K. Koraka,[179] A. Lanaro,[179] A. Loeliger,[179] R. Loveless,[179] J. Madhusudanan Sreekala,[179] A. Mallampalli,[179] A. Mohammadi,[179] S. Mondal,[179] G. Parida,[179] D. Pinna,[179] A. Savin,[179] V. Shang,[179] V. Sharma,[179] W. H. Smith,[179] D. Teague,[179] H. F. Tsoi,[179] W. Vetens,[179] S. Afanasiev,[180] V. Andreev,[180] Yu. Andreev,[180] T. Aushev,[180] M. Azarkin,[180] A. Babaev,[180] A. Belyaev,[180] V. Blinov,[180,pppp] E. Boos,[180] V. Borshch,[180] D. Budkouski,[180] V. Bunichev,[180] V. Chekhovsky,[180] R. Chistov,[180,pppp] M. Danilov,[180,pppp] A. Dermenev,[180] T. Dimova,[180,pppp] I. Dremin,[180] M. Dubinin,[180,gggg] L. Dudko,[180] V. Epshteyn,[180] A. Ershov,[180] G. Gavrilov,[180] V. Gavrilov,[180] S. Gninenko,[180] V. Golovtcov,[180] N. Golubev,[180] I. Golutvin,[180] I. Gorbunov,[180] V. Ivanchenko,[180] Y. Ivanov,[180] V. Kachanov,[180] L. Kardapoltsev,[180,pppp] V. Karjavine,[180] A. Karneyeu,[180] V. Kim,[180,pppp] M. Kirakosyan,[180] D. Kirpichnikov,[180] M. Kirsanov,[180] V. Klyukhin,[180] O. Kodolova,[180,qqqq] D. Konstantinov,[180] V. Korenkov,[180] A. Kozyrev,[180,pppp] N. Krasnikov,[180] E. Kuznetsova,[180,rrrr] A. Lanev,[180] P. Levchenko,[180] A. Litomin,[180] O. Lukina,[180] N. Lychkovskaya,[180] V. Makarenko,[180] A. Malakhov,[180] V. Matveev,[180,pppp] V. Murzin,[180] A. Nikitenko,[180,ssss] S. Obraztsov,[180] V. Okhotnikov,[180] A. Oskin,[180] I. Ovtin,[180,pppp] V. Palichik,[180] P. Parygin,[180] V. Perelygin,[180] G. Pivovarov,[180] S. Polikarpov,[180,pppp] V. Popov,[180] O. Radchenko,[180,pppp] M. Savina,[180] V. Savrin,[180] D. Selivanova,[180] V. Shalaev,[180] S. Shmatov,[180] S. Shulha,[180] Y. Skovpen,[180,pppp] S. Slabospitskii,[180] V. Smirnov,[180] A. Snigirev,[180] D. Sosnov,[180] A. Stepennov,[180] V. Sulimov,[180] E. Tcherniaev,[180] A. Terkulov,[180] O. Teryaev,[180] I. Tlisova,[180] M. Toms,[180] A. Toropin,[180] L. Uvarov,[180] A. Uzunian,[180] E. Vlasov,[180] A. Vorobyev,[180] N. Voytishin,[180] B. S. Yuldashev,[180,tttt] A. Zarubin,[180] I. Zhizhin,[180] and A. Zhokin[180]

(CMS Collaboration)

[1]*Yerevan Physics Institute, Yerevan, Armenia*
[2]*Institut für Hochenergiephysik, Vienna, Austria*
[3]*Universiteit Antwerpen, Antwerpen, Belgium*
[4]*Vrije Universiteit Brussel, Brussel, Belgium*
[5]*Université Libre de Bruxelles, Bruxelles, Belgium*
[6]*Ghent University, Ghent, Belgium*
[7]*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*
[8]*Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil*
[9]*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*
[10]*Universidade Estadual Paulista, Universidade Federal do ABC, São Paulo, Brazil*
[11]*Institute for Nuclear Research and Nuclear Energy, Bulgarian Academy of Sciences, Sofia, Bulgaria*
[12]*University of Sofia, Sofia, Bulgaria*
[13]*Beihang University, Beijing, China*
[14]*Department of Physics, Tsinghua University, Beijing, China*
[15]*Institute of High Energy Physics, Beijing, China*
[16]*State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China*
[17]*Sun Yat-Sen University, Guangzhou, China*

[18]*Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE) - Fudan University, Shanghai, China*
[19]*Zhejiang University, Hangzhou, Zhejiang, China*
[20]*Universidad de Los Andes, Bogota, Colombia*
[21]*Universidad de Antioquia, Medellin, Colombia*
[22]*University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia*
[23]*University of Split, Faculty of Science, Split, Croatia*
[24]*Institute Rudjer Boskovic, Zagreb, Croatia*
[25]*University of Cyprus, Nicosia, Cyprus*
[26]*Charles University, Prague, Czech Republic*
[27]*Escuela Politecnica Nacional, Quito, Ecuador*
[28]*Universidad San Francisco de Quito, Quito, Ecuador*
[29]*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
[30]*Center for High Energy Physics (CHEP-FU), Fayoum University, El-Fayoum, Egypt*
[31]*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
[32]*Department of Physics, University of Helsinki, Helsinki, Finland*
[33]*Helsinki Institute of Physics, Helsinki, Finland*
[34]*Lappeenranta-Lahti University of Technology, Lappeenranta, Finland*
[35]*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
[36]*Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France*
[37]*Université de Strasbourg, CNRS, IPHC UMR 7178, Strasbourg, France*
[38]*Institut de Physique des 2 Infinis de Lyon (IP2I), Villeurbanne, France*
[39]*Georgian Technical University, Tbilisi, Georgia*
[40]*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
[41]*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
[42]*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
[43]*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
[44]*University of Hamburg, Hamburg, Germany*
[45]*Karlsruher Institut fuer Technologie, Karlsruhe, Germany*
[46]*Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece*
[47]*National and Kapodistrian University of Athens, Athens, Greece*
[48]*National Technical University of Athens, Athens, Greece*
[49]*University of Ioánnina, Ioánnina, Greece*
[50]*MTA-ELTE Lendület CMS Particle and Nuclear Physics Group, Eötvös Loránd University, Budapest, Hungary*
[51]*Wigner Research Centre for Physics, Budapest, Hungary*
[52]*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*
[53]*Institute of Physics, University of Debrecen, Debrecen, Hungary*
[54]*Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary*
[55]*Panjab University, Chandigarh, India*
[56]*University of Delhi, Delhi, India*
[57]*Saha Institute of Nuclear Physics, HBNI, Kolkata, India*
[58]*Indian Institute of Technology Madras, Madras, India*
[59]*Bhabha Atomic Research Centre, Mumbai, India*
[60]*Tata Institute of Fundamental Research-A, Mumbai, India*
[61]*Tata Institute of Fundamental Research-B, Mumbai, India*
[62]*National Institute of Science Education and Research, An OCC of Homi Bhabha National Institute, Bhubaneswar, Odisha, India*
[63]*Indian Institute of Science Education and Research (IISER), Pune, India*
[64]*Isfahan University of Technology, Isfahan, Iran*
[65]*Institute for Research in Fundamental Sciences (IPM), Tehran, Iran*
[66]*University College Dublin, Dublin, Ireland*
[67a]*INFN Sezione di Bari, Bari, Italy*
[67b]*Università di Bari, Bari, Italy*
[67c]*Politecnico di Bari, Bari, Italy*
[68a]*INFN Sezione di Bologna, Bologna, Italy*
[68b]*Università di Bologna, Bologna, Italy*
[69a]*INFN Sezione di Catania, Catania, Italy*
[69b]*Università di Catania, Catania, Italy*
[70a]*INFN Sezione di Firenze, Firenze, Italy*
[70b]*Università di Firenze, Firenze, Italy*

[71]*INFN Laboratori Nazionali di Frascati, Frascati, Italy*
[72a]*INFN Sezione di Genova, Genova, Italy*
[72b]*Università di Genova, Genova, Italy*
[73a]*INFN Sezione di Milano-Bicocca, Milano, Italy*
[73b]*Università di Milano-Bicocca, Milano, Italy*
[74a]*INFN Sezione di Napoli, Napoli, Italy*
[74b]*Università di Napoli "Federico II", Napoli, Italy*
[74c]*Università della Basilicata, Potenza, Italy*
[74d]*Università G. Marconi, Roma, Italy*
[75a]*INFN Sezione di Padova, Padova, Italy*
[75b]*Università di Padova, Padova, Italy*
[75c]*Università di Trento, Trento, Italy*
[76a]*INFN Sezione di Pavia, Pavia, Italy*
[76b]*Università di Pavia, Pavia, Italy*
[77a]*INFN Sezione di Perugia, Perugia, Italy*
[77b]*Università di Perugia, Perugia, Italy*
[78a]*INFN Sezione di Pisa, Pisa, Italy*
[78b]*Università di Pisa, Pisa, Italy*
[78c]*Scuola Normale Superiore di Pisa, Pisa, Italy*
[78d]*Università di Siena, Siena, Italy*
[79a]*INFN Sezione di Roma, Roma, Italy*
[79b]*Sapienza Università di Roma, Roma, Italy*
[80a]*INFN Sezione di Torino, Torino, Italy*
[80b]*Università di Torino, Torino, Italy*
[80c]*Università del Piemonte Orientale, Novara, Italy*
[81a]*INFN Sezione di Trieste, Trieste, Italy*
[81b]*Università di Trieste, Trieste, Italy*
[82]*Kyungpook National University, Daegu, Korea*
[83]*Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea*
[84]*Hanyang University, Seoul, Korea*
[85]*Korea University, Seoul, Korea*
[86]*Kyung Hee University, Department of Physics, Seoul, Korea*
[87]*Sejong University, Seoul, Korea*
[88]*Seoul National University, Seoul, Korea*
[89]*University of Seoul, Seoul, Korea*
[90]*Yonsei University, Department of Physics, Seoul, Korea*
[91]*Sungkyunkwan University, Suwon, Korea*
[92]*College of Engineering and Technology, American University of the Middle East (AUM), Dasman, Kuwait*
[93]*Riga Technical University, Riga, Latvia*
[94]*Vilnius University, Vilnius, Lithuania*
[95]*National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia*
[96]*Universidad de Sonora (UNISON), Hermosillo, Mexico*
[97]*Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico*
[98]*Universidad Iberoamericana, Mexico City, Mexico*
[99]*Benemerita Universidad Autonoma de Puebla, Puebla, Mexico*
[100]*University of Montenegro, Podgorica, Montenegro*
[101]*National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan*
[102]*AGH University of Science and Technology Faculty of Computer Science, Electronics and Telecommunications, Krakow, Poland*
[103]*National Centre for Nuclear Research, Swierk, Poland*
[104]*Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland*
[105]*Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal*
[106]*VINCA Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia*
[107]*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
[108]*Universidad Autónoma de Madrid, Madrid, Spain*
[109]*Universidad de Oviedo, Instituto Universitario de Ciencias y Tecnologías Espaciales de Asturias (ICTEA), Oviedo, Spain*
[110]*Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*
[111]*University of Colombo, Colombo, Sri Lanka*
[112]*University of Ruhuna, Department of Physics, Matara, Sri Lanka*
[113]*CERN, European Organization for Nuclear Research, Geneva, Switzerland*
[114]*Paul Scherrer Institut, Villigen, Switzerland*

[115]*ETH Zurich - Institute for Particle Physics and Astrophysics (IPA), Zurich, Switzerland*
[116]*Universität Zürich, Zurich, Switzerland*
[117]*National Central University, Chung-Li, Taiwan*
[118]*National Taiwan University (NTU), Taipei, Taiwan*
[119]*Chulalongkorn University, Faculty of Science, Department of Physics, Bangkok, Thailand*
[120]*Çukurova University, Physics Department, Science and Art Faculty, Adana, Turkey*
[121]*Middle East Technical University, Physics Department, Ankara, Turkey*
[122]*Bogazici University, Istanbul, Turkey*
[123]*Istanbul Technical University, Istanbul, Turkey*
[124]*Istanbul University, Istanbul, Turkey*
[125]*Institute for Scintillation Materials of National Academy of Science of Ukraine, Kharkiv, Ukraine*
[126]*National Science Centre, Kharkiv Institute of Physics and Technology, Kharkiv, Ukraine*
[127]*University of Bristol, Bristol, United Kingdom*
[128]*Rutherford Appleton Laboratory, Didcot, United Kingdom*
[129]*Imperial College, London, United Kingdom*
[130]*Brunel University, Uxbridge, United Kingdom*
[131]*Baylor University, Waco, Texas, USA*
[132]*Catholic University of America, Washington, DC, USA*
[133]*The University of Alabama, Tuscaloosa, Alabama, USA*
[134]*Boston University, Boston, Massachusetts, USA*
[135]*Brown University, Providence, Rhode Island, USA*
[136]*University of California, Davis, Davis, California, USA*
[137]*University of California, Los Angeles, California, USA*
[138]*University of California, Riverside, Riverside, California, USA*
[139]*University of California, San Diego, La Jolla, California, USA*
[140]*University of California, Santa Barbara - Department of Physics, Santa Barbara, California, USA*
[141]*California Institute of Technology, Pasadena, California, USA*
[142]*Carnegie Mellon University, Pittsburgh, Pennsylvania, USA*
[143]*University of Colorado Boulder, Boulder, Colorado, USA*
[144]*Cornell University, Ithaca, New York, USA*
[145]*Fermi National Accelerator Laboratory, Batavia, Illinois, USA*
[146]*University of Florida, Gainesville, Florida, USA*
[147]*Florida State University, Tallahassee, Florida, USA*
[148]*Florida Institute of Technology, Melbourne, Florida, USA*
[149]*University of Illinois at Chicago (UIC), Chicago, Illinois, USA*
[150]*The University of Iowa, Iowa City, Iowa, USA*
[151]*Johns Hopkins University, Baltimore, Maryland, USA*
[152]*The University of Kansas, Lawrence, Kansas, USA*
[153]*Kansas State University, Manhattan, Kansas, USA*
[154]*Lawrence Livermore National Laboratory, Livermore, California, USA*
[155]*University of Maryland, College Park, Maryland, USA*
[156]*Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
[157]*University of Minnesota, Minneapolis, Minnesota, USA*
[158]*University of Mississippi, Oxford, Mississippi, USA*
[159]*University of Nebraska-Lincoln, Lincoln, Nebraska, USA*
[160]*State University of New York at Buffalo, Buffalo, New York, USA*
[161]*Northeastern University, Boston, Massachusetts, USA*
[162]*Northwestern University, Evanston, Illinois, USA*
[163]*University of Notre Dame, Notre Dame, Indiana, USA*
[164]*The Ohio State University, Columbus, Ohio, USA*
[165]*Princeton University, Princeton, New Jersey, USA*
[166]*University of Puerto Rico, Mayaguez, Puerto Rico*
[167]*Purdue University, West Lafayette, Indiana, USA*
[168]*Purdue University Northwest, Hammond, Indiana, USA*
[169]*Rice University, Houston, Texas, USA*
[170]*University of Rochester, Rochester, New York, USA*
[171]*The Rockefeller University, New York, New York, USA*
[172]*Rutgers, The State University of New Jersey, Piscataway, New Jersey, USA*
[173]*University of Tennessee, Knoxville, Tennessee, USA*
[174]*Texas A&M University, College Station, Texas, USA*

[175]*Texas Tech University, Lubbock, Texas, USA*
[176]*Vanderbilt University, Nashville, Tennessee, USA*
[177]*University of Virginia, Charlottesville, Virginia, USA*
[178]*Wayne State University, Detroit, Michigan, USA*
[179]*University of Wisconsin - Madison, Madison, Wisconsin, USA*
[180]*An institute or international laboratory covered by a cooperation agreement with CERN*

[a] Deceased.
[b] Also at Yerevan State University, Yerevan, Armenia.
[c] Also at TU Wien, Vienna, Austria.
[d] Also at Institute of Basic and Applied Sciences, Faculty of Engineering, Arab Academy for Science, Technology and Maritime Transport, Alexandria, Egypt.
[e] Also at Université Libre de Bruxelles, Bruxelles, Belgium.
[f] Also at Universidade Estadual de Campinas, Campinas, Brazil.
[g] Also at Federal University of Rio Grande do Sul, Porto Alegre, Brazil.
[h] Also at UFMS, Nova Andradina, Brazil.
[i] Also at The University of the State of Amazonas, Manaus, Brazil.
[j] Also at University of Chinese Academy of Sciences, Beijing, China.
[k] Also at Nanjing Normal University Department of Physics, Nanjing, China.
[l] Present address: The University of Iowa, Iowa City, Iowa, USA.
[m] Also at University of Chinese Academy of Sciences, Beijing, China.
[n] Also at Another institute or international laboratory covered by a cooperation agreement with CERN.
[o] Present address: British University in Egypt, Cairo, Egypt.
[p] Also at Suez University, Suez, Egypt.
[q] Also at Purdue University, West Lafayette, Indiana, USA.
[r] Also at Université de Haute Alsace, Mulhouse, France.
[s] Also at Department of Physics, Tsinghua University, Beijing, China.
[t] Also at Erzincan Binali Yildirim University, Erzincan, Turkey.
[u] Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland.
[v] Also at University of Hamburg, Hamburg, Germany.
[w] Also at RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany.
[x] Also at Isfahan University of Technology, Isfahan, Iran.
[y] Also at Brandenburg University of Technology, Cottbus, Germany.
[z] Also at Forschungszentrum Jülich, Juelich, Germany.
[aa] Also at Physics Department, Faculty of Science, Assiut University, Assiut, Egypt.
[bb] Also at Karoly Robert Campus, MATE Institute of Technology, Gyongyos, Hungary.
[cc] Also at Wigner Research Centre for Physics, Budapest, Hungary.
[dd] Also at Institute of Physics, University of Debrecen, Debrecen, Hungary.
[ee] Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.
[ff] Present address: Universitatea Babes-Bolyai—Facultatea de Fizica, Cluj-Napoca, Romania.
[gg] Also at Faculty of Informatics, University of Debrecen, Debrecen, Hungary.
[hh] Also at Punjab Agricultural University, Ludhiana, India.
[ii] Also at UPES—University of Petroleum and Energy Studies, Dehradun, India.
[jj] Also at University of Visva-Bharati, Santiniketan, India.
[kk] Also at University of Hyderabad, Hyderabad, India.
[ll] Also at Indian Institute of Science (IISc), Bangalore, India.
[mm] Also at Indian Institute of Technology (IIT), Mumbai, India.
[nn] Also at IIT Bhubaneswar, Bhubaneswar, India.
[oo] Also at Institute of Physics, Bhubaneswar, India.
[pp] Also at Deutsches Elektronen-Synchrotron, Hamburg, Germany.
[qq] Also at Sharif University of Technology, Tehran, Iran.
[rr] Also at Department of Physics, University of Science and Technology of Mazandaran, Behshahr, Iran.
[ss] Also at Helwan University, Cairo, Egypt.
[tt] Also at Italian National Agency for New Technologies, Energy and Sustainable Economic Development, Bologna, Italy.
[uu] Also at Centro Siciliano di Fisica Nucleare e di Struttura Della Materia, Catania, Italy.
[vv] Also at Scuola Superiore Meridionale, Università di Napoli “Federico II”, Napoli, Italy.
[ww] Also at Fermi National Accelerator Laboratory, Batavia, Illinois, USA.
[xx] Also at Università di Napoli “Federico II”, Napoli, Italy.
[yy] Also at Ain Shams University, Cairo, Egypt.
[zz] Also at Consiglio Nazionale delle Ricerche—Istituto Officina dei Materiali, Perugia, Italy.

[aaa] Also at Department of Applied Physics, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia.
[bbb] Also at Consejo Nacional de Ciencia y Tecnología, Mexico City, Mexico.
[ccc] Also at IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France.
[ddd] Also at Faculty of Physics, University of Belgrade, Belgrade, Serbia.
[eee] Also at Trincomalee Campus, Eastern University, Sri Lanka, Nilaveli, Sri Lanka.
[fff] Also at INFN Sezione di Pavia, Università di Pavia, Pavia, Italy.
[ggg] Also at National and Kapodistrian University of Athens, Athens, Greece.
[hhh] Also at Ecole Polytechnique Fédérale Lausanne, Lausanne, Switzerland.
[iii] Also at Universität Zürich, Zurich, Switzerland.
[jjj] Also at Stefan Meyer Institute for Subatomic Physics, Vienna, Austria.
[kkk] Also at Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France.
[lll] Also at Near East University, Research Center of Experimental Health Science, Mersin, Turkey.
[mmm] Also at Konya Technical University, Konya, Turkey.
[nnn] Also at Izmir Bakircay University, Izmir, Turkey.
[ooo] Also at Adiyaman University, Adiyaman, Turkey.
[ppp] Also at Istanbul Gedik University, Istanbul, Turkey.
[qqq] Also at Necmettin Erbakan University, Konya, Turkey.
[rrr] Also at Bozok Universitetesi Rektörlügü, Yozgat, Turkey.
[sss] Also at Marmara University, Istanbul, Turkey.
[ttt] Also at Milli Savunma University, Istanbul, Turkey.
[uuu] Also at Kafkas University, Kars, Turkey.
[vvv] Also at Hacettepe University, Ankara, Turkey.
[www] Also at Istanbul University—Cerrahpasa, Faculty of Engineering, Istanbul, Turkey.
[xxx] Also at Yildiz Technical University, Istanbul, Turkey.
[yyy] Also at Vrije Universiteit Brussel, Brussel, Belgium.
[zzz] Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
[aaaa] Also at University of Bristol, Bristol, United Kingdom.
[bbbb] Also at IPPP Durham University, Durham, United Kingdom.
[cccc] Also at Monash University, Faculty of Science, Clayton, Australia.
[dddd] Also at Università di Torino, Torino, Italy.
[eeee] Also at Bethel University, St. Paul, Minnesota, USA.
[ffff] Also at Karamanoğlu Mehmetbey University, Karaman, Turkey.
[gggg] Also at California Institute of Technology, Pasadena, California, USA.
[hhhh] Also at United States Naval Academy, Annapolis, Maryland, USA.
[iiii] Also at Bingol University, Bingol, Turkey.
[jjjj] Also at Georgian Technical University, Tbilisi, Georgia.
[kkkk] Also at Sinop University, Sinop, Turkey.
[llll] Also at Erciyes University, Kayseri, Turkey.
[mmmm] Also at Institute of Modern Physics and Key Laboratory of Nuclear Physics and Ion-beam Application (MOE)—Fudan University, Shanghai, China.
[nnnn] Also at Texas A&M University at Qatar, Doha, Qatar.
[oooo] Also at Kyungpook National University, Daegu, Korea.
[pppp] Also at another institute or international laboratory covered by a cooperation agreement with CERN.
[qqqq] Also at Yerevan Physics Institute, Yerevan, Armenia.
[rrrr] Also at University of Florida, Gainesville, Florida, USA.
[ssss] Also at Imperial College, London, United Kingdom.
[tttt] Also at Institute of Nuclear Physics of the Uzbekistan Academy of Sciences, Tashkent, Uzbekistan.