

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

Research in eating disorders: the misunderstanding of supposing serious mental illnesses as a niche specialty

This is the author's manuscript

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/1877408> since 2022-10-25T13:19:40Z

Published version:

DOI:10.1007/s40519-022-01473-9

Terms of use:

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)



Research in eating disorders: the misunderstanding of supposing serious mental illnesses as a niche specialty

Enrica Marzola¹ · Matteo Panero¹ · Paola Longo¹ · Matteo Martini¹ · Fernando Fernández-Aranda^{2,3,4,5} · Walter H. Kaye⁶ · Giovanni Abbate-Daga¹

Received: 31 May 2022 / Accepted: 21 August 2022
© The Author(s) 2022

Abstract

Purpose Eating disorders (EDs) are mental illnesses with severe consequences and high mortality rates. Notwithstanding, EDs are considered a niche specialty making it often difficult for researchers to publish in high-impact journals. Subsequently, research on EDs receives less funding than other fields of psychiatry potentially slowing treatment progress. This study aimed to compare research vitality between EDs and schizophrenia focusing on: number and type of publications; top-cited articles; geographical distribution of top-ten publishing countries; journal distribution of scientific production as measured by bibliometric analysis; funded research and collaborations.

Methods We used the Scopus database, then we adopted the Bibliometrix R-package software with the web interface app Biblioshiny. We included in the analyses 1,916 papers on EDs and 6491 on schizophrenia.

Results The ED field published three times less than schizophrenia in top-ranking journals – with letters and notes particularly lacking—notwithstanding a comparable number of papers published per author. Only 50% of top-cited articles focused on EDs and a smaller pool of journals available for ED research (i.e., Zones 1 and 2 according to Bradford's law) emerged; journals publishing on EDs showed an overall lower rank compared to the schizophrenia field. Schizophrenia research was more geographically distributed and more funded; in contrast, a comparable collaboration index was found between the fields.

Conclusion These data show that research on EDs is currently marginalized and top-rank journals are seldom achievable by researchers in EDs. Such difficulties in research dissemination entail potentially serious repercussions on clinical advancements.

Level of evidence Level V: opinions of respected authorities, based on descriptive studies, narrative reviews, clinical experience, or reports of expert committees.

Keywords Anorexia nervosa · Bulimia nervosa · Binge eating disorder · Schizophrenia · Bibliometry · Bradford's law

✉ Giovanni Abbate-Daga
giovanni.abbatedaga@unito.it

- ¹ Eating Disorders Center, Department of Neuroscience, University of Turin, Turin, Italy
- ² Department of Psychiatry, Bellvitge University Hospital, Barcelona, Spain
- ³ CIBER Fisiopatología Obesidad Y Nutrición (CIBERObn), Instituto de Salud Carlos III, Barcelona, Spain
- ⁴ Department of Clinical Sciences, School of Medicine and Health Sciences, University of Barcelona, Barcelona, Spain
- ⁵ Psychoneurobiology of Eating and Addictive Behaviors Group, Neurosciences Programme, Bellvitge Biomedical Research Institute (IDIBELL), 08908 Barcelona, Spain
- ⁶ Department of Psychiatry, University of California, San Diego, San Diego, CA, USA

Introduction

Almost 20 years have passed since Frost and colleagues [1] published their research on the possible bias against eating disorders (EDs), considered trivial and self-inflicted among some leading psychiatric journals. Since then, bewildering advances have been made in the light of EDs as biologically driven illnesses [2], although stigmatization is still present and a real burden for many patients [3]. Noteworthy, part of this “blame” could be within the ED field itself. Several clinicians and researchers start their careers with the idea that EDs are caused by psychosocial factors and are substantially a socially learned behavior [4]. That is, they tend to lack interest or understanding of how genetics and neurobiology contribute

to EDs. This is despite limited evidence that treatments based on psychosocial factors or learned behaviors have much efficacy [5]. In fact, EDs are plagued by countless organic and psychological sequelae and have among the highest mortality rates of mental disorders [6, 7]. Only 50% of patients respond to state-of-the-art treatments and about 20% develop an enduring ED [8]. A multidisciplinary approach is strictly needed, which is costly and hard to find for many patients [9]. Also, differently from other fields of psychiatry, the pharmacological armamentarium available for patients with EDs is at best scarce. With that said, it is noteworthy that annually EDs cost the US more than \$65 billion [10] and the UK 6.8–8 billion GBP [11]. When hospitalization is needed, data from Canada showed that about 36,000 EUR are required as overall costs for society [12]; notwithstanding, up to 40% of patients need to be readmitted within 12 months after discharge [13].

Within this background, it should be also considered that research funding, quality, and availability often resonate with patients' standard of care. The publication system plays a role in this scenario as well since, for example, the number of citations is used by universities and funding bodies as a proxy for scientific outcomes [14]. Citations are highly valued also for grant applications by which researchers with a strong track record in high-impact and widely cited journals are likely to become the funding recipients. Without being able to publish in high-impact journals, research can be difficultly disseminated at the expense of patients. In fact, it has been recently authoritatively stated: "the loss of academic programs has rendered treatment for AN a luxury commodity" [15], and "no formal training structures are in place for young researchers in Europe that reflect the transdisciplinary needs of the EDs specialty" [16]. This is particularly true in the field of EDs, since patients require a highly specialized multidisciplinary approach, with individualized treatment plans targeting each motivation phase. As a result, only a minority of patients with EDs receive proper care (report UK), and frequently after a prolonged (and costly) untreated illness [17]. Taken together, these data show how compelling is the need for extensive research on evidence-based treatments [18], notwithstanding inadequate funding in both Europe [16, 19] and the USA [15].

Therefore, with the overarching aim to clarify the extent of current research productivity and visibility in the ED field from a top-rank journal perspective, we decided to perform a comparison of publications in top-rank psychiatry journals between EDs and schizophrenia. This rationale was grounded on some key points that guided our research: first, EDs represent biologically based serious mental illnesses deserving health care coverage and overall research/funding/clinical attention comparable to conditions currently categorized as "severe mental illnesses", including schizophrenia [20].

Second, when looking at the disability-adjusted life years (DALYs), EDs and schizophrenia showed the closest DALYs across psychiatric disorders (179 for EDs versus 262 for schizophrenia) and overall similar prevalence worldwide [21] although EDs are even more common in western countries [22]. Third, despite the scant research available on both diagnoses, the family burden has been found as comparable, mostly concerning supervision needed [23]. Fourth, also the quality of life between patients with EDs and schizophrenia was reported as similar [24, 25]. Finally, some treatment-related difficulties, like relapse prevention strategies [26], non-responders, and the frequent need for hospital readmissions [13, 27], are widely shared characteristics between the fields. Notwithstanding such similarities, it should be noted that EDs are plagued by increasing years lived with disabilities when compared to schizophrenia [21].

With more detail, this study aimed to measure the total number of scientific papers published between 2018 and 2020 in the top-ranking journals according to the Scopus database with respect to categories of Psychiatry and Mental Health comparing the ED and schizophrenia fields. In particular, for both fields, we measured and compared: (a) number and type of publications; (b) top-cited articles; (c) the geographical distribution of top-ten publishing countries; (d) analysis of bibliometric indices measuring journal and author distribution of scientific production; (e) the extent of funded research and collaborations. We expected to find a reduced overall scientific production focused on EDs concerning all the aforementioned endpoints.

Materials and methods

Disability-adjusted life-years for eating disorders and schizophrenia

Following earlier research [1], we used disability-adjusted life-years (DALY) to find a suitable psychiatric diagnosis to compare to EDs. DALYs are a measure of the burden of a certain disease taking into account the degree of illness, disability, and long-term survival. DALYs derive from the sum of the years of life lost due to premature mortality and the years lived with a disability thus one DALY is conceived as one lost year of "healthy" life. We referred to the latest estimates of the Global Burden of Disease available here <https://vizhub.healthdata.org/gbd-compare/>. It should be borne in mind when reading the analyses that DALYs for EDs are likely to be underestimated: in fact, the Global Burden of Disease has not included so far two major ED diagnoses, namely Binge Eating Disorder and Other Specified Eating Disorder, thus receiving criticisms in this regard [28], also in the light of Binge Eating Disorder being the most prevalent ED [29]. With that being said, we referred to the 15–49 age

range for Western Europe reporting the following DALYs per 100,000 [30]: 179 for EDs, 646 for anxiety disorders, 262 for schizophrenia, 748 for major depression, 270 for bipolar disorders. Therefore, schizophrenia was set as a comparison diagnosis since it resulted to be the closest disease regards to DALYs.

Setting/variables

The literature search was conducted in the Scopus database between July and October 2021. We selected the Scopus database because is one of the largest and most inclusive databases [31], and provides for every journal the CiteScore, an index specifically designed for bibliometric analyses.

The CiteScore of a journal is the number of citations received in that year and the previous 3 years for documents published in the journal during that period, divided by the total number of published documents in the journal during the previous three-year period. Furthermore, the Scopus database allows the selection of journals pertaining to definite Subject Areas. With these instruments, we searched for papers published in a three-year time span (2018–2019–2020), in journals that resulted in the first (highest) quartile based on 2019 CiteScore Index in the subject area of Psychiatry and Mental Health. We retrieved 166 journals (sources) which were in the first quartile in accordance with the 2019 CiteScore.

The rationale for relying on this three-year time span is to have a broad and up-to-date area of research: the number of citations may vary after publication so a three-year span may offer a good balance, relying on citations referring to a reasonably long period. Importantly, setting Citescore 2019 as a year for the choice of the first quartile to identify the most important journals means that this index is not affected by the rise of SARS-COV-2 whose impact on scientific publications and journals' bibliometric indexes remains to be determined, and could have otherwise biased the results of our analysis (e.g., with the inclusion of journals which have had a steep increase in citations due to the specific focus on highly cited COVID-19 papers in 2020) [32, 33].

Nonetheless, the scientific production of 2020, even though partly affected by the pandemic, was included in our analysis in order to provide comprehensive data on this triennium.

For EDs and schizophrenia we used Medical Subject Headings (MeSH) Terms and MeSH Tree Structure to determine a broad and at the same time precise bibliometric research. As a subsequent step, we developed two query strings (fully available in the Supplementary Materials): the first aimed to search articles in the field of EDs (using the following Mesh terms: ("eating disorder" OR "eating

disorders" OR bulim* OR anorex* OR binge OR purging OR arfid OR "feeding disorder" OR "feeding disorders" OR "other specified feeding" OR pica OR purging OR "night eating" OR (rumination AND (eating OR food))), the second in that of schizophrenia (using the following Mesh terms: (schizophren*) OR (psychosi* AND NOT (Dementia* OR Bipolar OR "affective disorder" OR Substance OR Capgras OR Parasitosis))). Four authors (E. M., M. P., P. L., M. M.) conducted an independent search on Scopus focused on both strings to exclude non-eligible items; then, working in couples, two teams of researchers compared the retrieved papers and, in case of disagreement, discussed and clarified eventual conflicts; in case of need, the senior author (G. A. D.) was contacted to resolve the discordance.

Papers were included if they were about studies either (1) including samples of individuals diagnosed with the disorder of interest or (2) explicitly designed to investigate illness-related constructs. The query string on EDs retrieved a total of 2915 papers and, after double-check selection 1916 papers were retained, with a discordance rate of 11.6%. The query string on schizophrenia yielded 7688 papers of which, after item-by-item selection, 6,491 were retained, with a discordance rate of 10.8%. (see also Supplementary Fig. 1: Prisma Diagram).

All metadata from articles were downloaded with information for all fields, including the author, affiliation, title, source, language, document type, keywords, indexed-Keywords, fundings, abstract, and references. These data sources were used for the bibliometric analysis.

Data sources/measurement

Data acquired from the Scopus collection, as mentioned above, were exported in Bibtext format and then used. For this study, we used the Bibliometrix R-package software developed by Aria and Cuccurullo [34] and written in the R language. The Bibliometrix R-package software is open-source and provides a set of instruments to conduct quantitative research in bibliometrics. Moreover, the web interface app called Biblioshiny for Bibliometrix supports scholars in easy use of the main features of Bibliometrix and has been used in this study to import data from Scopus in BibTex format.

This was not a human-subject study; therefore, neither approval by the institutional review board nor obtaining informed consent was required.

Bibliometric tools

Bradford law is one of the most used bibliometrics tools. Samuel Bradford described the scattered distribution of bibliometric references [35]. In a specific area of interest, when dividing references into three zones of equal numerosity, the

citations for the first zone would come from a small "core" group of journals. The second zone requires more journals to achieve the same number of citations, and the third zone exponentially more than the second. In moving from Zone 1 to Zone 3 journals have a "diminishing productivity" which has become known as Bradford's law of scattering (that is also presented as "1:n:n²") or Bradford's distribution. It follows that to reach a complete bibliographic coverage for a specific topic, it is necessary to analyze an exponentially growing number of peripheric journals, albeit a small group of core journals encloses the highest number of references.

Results

Comparison of published research over 2018–2020 in the top-ranking journals for the eating disorders and schizophrenia fields

As shown in Table 1, 1916 and 6491 papers on EDs and schizophrenia, respectively, were published over the triennium 2018–2020, according to Scopus. Average years from the publication were overall comparable, as well as the average citations per document and the average citations per year per document.

Similar to the data on papers, also authors in the ED field were much fewer than those publishing on schizophrenia. Author appearances were greater for schizophrenia, as well as the authors of single-authored documents.

When considering the type of article, as shown in Table 2, the ED field showed an imbalance mostly concerning letters and notes when compared to schizophrenia: letters and notes in schizophrenia are published more and with higher percentages (8.8% and 2.7% vs 1.6% and 1.2%, respectively). Annual paper distribution is described in Table 1 in Supplementary Materials.

Moreover, out of a total of 166 journals ranked in the first quartile according to Scopus (year 2019 which was chosen as the year to select quartiles for journals for the Psychiatry

and Mental Health category), 113 (68%) published papers on EDs and 140 (84%) published papers on schizophrenia. With respect to highly specialized journals, four could be retrieved for the ED field: International Journal of Eating Disorders (rank = 57), European Eating Disorders Review (rank = 67), Eating and Weight Disorders (rank = 121), and Eating Behaviors (rank = 128) and three (showing an overall higher rank) for schizophrenia: Schizophrenia Bulletin (rank = 13) NPJ Schizophrenia (rank = 38) and Schizophrenia Research (rank = 58).

Table 3 shows the most relevant journals for both fields (see also Supplementary Figs. 2 and 3), according to the Biblioshiny tool. Only three journals overlapped between the fields (i.e., Psychological Medicine, BMC Psychiatry, and Journal of Psychiatric Research).

Top-cited articles for the eating disorders and schizophrenia fields

When the ten top-cited articles were analyzed (see Table 4), 50% of most cited papers on EDs were not focused on EDs but rather included an ED sample while investigating a broader or transdiagnostic psychiatric aspect (e.g.,

Table 2 Type of articles published in the triennium 2018–2020 according to Scopus for the eating disorders and schizophrenia fields

| | EDs <i>n</i> (%) | Schizophrenia <i>n</i> (%) |
|-------------------------|---------------------|-------------------------------|
| <i>Type of document</i> | | |
| Article | 1604 (83.8) | 4854 (74.9) |
| Editorial | 40 (2.1) | 178 (2.8) |
| Review | 215 (11.2) | 633 (9.8) |
| Letter | 31 (1.6) | 573 (8.8) |
| Note | 24 (1.2) | 180 (2.7) |
| Conference paper | 2 (0.1) | 17 (0.2) |
| Short survey | – | 30 (0.4) |
| Others | – | 26 (0.4) |

Table 1 Scientific publications in journals 1st quartile and authors according to Scopus from 2018 to 2020 for the eating disorders and schizophrenia fields

| Triennium 2018–2020 | EDs <i>n</i> (n/tot documents) | Schizophrenia <i>n</i> (n/tot documents) |
|--------------------------------------|-----------------------------------|---|
| Journals | 113 | 140 |
| Documents | 1916 | 6491 |
| Average years from publication | 1.83 | 1.99 |
| Average citations per document | 8.02 | 8.4 |
| Average citations per year per doc | 2.69 | 2.65 |
| Authors | 6740 (3.51) | 23,141 (3.56) |
| Author appearances | 11,341(5.91) | 52,151(8.03) |
| Authors of single-authored documents | 57 (0.03) | 307 (0.05) |
| Authors of multi-authored documents | 6683 (3.48) | 22,834 (3.51) |

comorbidity, dissociation). Therefore, five papers were focused on EDs (of which two were on EDs and SARS-COV-2) although it was included one paper on orthorexia, currently not a formal ED diagnosis. In contrast, 8 out of 10 papers in the schizophrenia field were strictly focused on schizophrenia; that is, the vast majority reported “schizophrenia” or “psychotic disorders” or “psychosis” in the title. Also, when considering the rank of the journals of the top-cited publications, the highest rank was 19 in the ED field (i.e., Psychological Medicine) while, schizophrenia-focused papers were published in top-rank journals, including World Psychiatry (rank = 1). See Table 4 for all details.

Geographical distribution of the ten-top publishing countries for the eating disorders and schizophrenia fields

As shown in Table 5, concerning the world distribution of the 10 most productive countries, Asian countries were present for schizophrenia while both China and Japan were absent (as well as other Asian countries) for EDs publications. The USA, Europe, and Oceania were particularly represented in both research areas.

Journal distribution of the scientific production

According to Bradford's law [35], when all the references in a certain field are equally divided into three zones, the citations for Zone 1 would come from a small core group of journals. Zone 2 would require more journals to achieve the same number of citations, and Zone 3 exponentially more than the second. Therefore, from Zone 1 to Zone 3 there is a decrease in productivity.

Interestingly, as reported in Table 6, the ED field reported fewer journals in both Bradford Law's Zones 1 (greatest

productivity) and 2 (moderate productivity); with more detail, the difference was particularly marked in Zone 2, with 6 journals (5,3%) available for EDs and 15 (10,7%) for schizophrenia. That is, researchers in the ED field have a reduced pool of highly cited journals available to consider when submitting their research.

Also, when considering the ranks of Zone 2 journals, the schizophrenia field could rely on high-impact journals. The highest-impact journal for the ED field in Zone 2 ($n = 6$; 5,3%) was Psychological Medicine (rank = 19) while, in the schizophrenia field ($n = 15$; 10,7%), 5 journals reported an even higher rank (i.e., Lancet Psychiatry, rank = 3; JAMA Psychiatry, rank = 4; Molecular Psychiatry, rank = 5; American Journal of Psychiatry, rank = 6; Neuropsychopharmacology, rank = 12; see Table 6).

Concerning Zone 3, namely the one including less relevant journals to the field, it is noteworthy that the vast majority of journals ($n = 105$, 92.9%) in the ED field was in this zone while a smaller proportion of journals were in Zone 3 for schizophrenia ($n = 122$, 87.1%).

Funding and collaborations in the eating disorders and schizophrenia fields

With respect to funded research, only 51.9% (996/1916) of papers on EDs acknowledged being funded while 78.1% (5075/6491) of papers in the field of schizophrenia did.

Concerning collaborations, documents per author and collaboration index were overall comparable between fields (i.e., 3.6 for EDs and 3.75 for schizophrenia, see Figs. 4, 5, 6, 7 in Supplementary Materials, and Table 7) although overall fewer co-authors per document were present in ED publications.

Table 3 Most relevant journals of the triennium 2018 – 2020 according to Scopus for the eating disorders and schizophrenia fields

| Eating disorders | | | Schizophrenia | | |
|---|------|-----------------------|---|------|-----------------------|
| Journal | Rank | <i>n</i> of documents | Journal | Rank | <i>n</i> of documents |
| International journal of eating disorders | 57 | 518 | Schizophrenia research | 58 | 1523 |
| Eating and weight disorders | 121 | 328 | Schizophrenia bulletin | 13 | 457 |
| European eating disorders review | 67 | 178 | Early intervention in psychiatry | 127 | 281 |
| Eating behaviors | 128 | 131 | Psychological medicine | 19 | 276 |
| Psychological medicine | 19 | 49 | Translational psychiatry | 23 | 229 |
| Journal of adolescent health | 48 | 34 | BMC psychiatry | 103 | 179 |
| Journal of affective disorders | 52 | 29 | Journal of psychiatric research | 46 | 162 |
| Journal of psychiatric research | 46 | 25 | Molecular psychiatry | 5 | 158 |
| BMC psychiatry | 103 | 24 | Journal of clinical psychopharmacology | 129 | 141 |
| Current opinion in psychiatry | 51 | 23 | European archives of psychiatry and clinical neuroscience | 69 | 134 |

Table 4 Ten top-cited articles (TC = total citations) in the triennium 2018 – 2020 according to Scopus for the eating disorders and schizophrenia fields

| Eating disorders | | Schizophrenia | | | | | | | |
|---|--------------|---------------|-------------|---------------|---|--------------|-----|-------------|---------------|
| Paper | Journal rank | TC | TC per year | Normalized TC | Paper | Journal rank | TC | TC per year | Normalized TC |
| Huang Y, et al. Prevalence of mental disorders in China: a cross-sectional epidemiological study. <i>Lancet Psychiatry</i> . 2019 PMID: 30,792,114 | 3 | 344 | 114.7 | 38.1 | Huang Y, et al. Prevalence of mental disorders in China: a cross-sectional epidemiological study. <i>Lancet Psychiatry</i> . 2019 PMID: 30,792,114 | 3 | 344 | 114.7 | 40.8 |
| Plana-Ripoll O, et al. Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA</i> Vinood Patel/psychiatry. 2019 PMID: 30,649,197; PMCID | 4 | 126 | 41 | 13.6 | Kelly S, et al. Widespread white matter microstructural differences in schizophrenia across 4322 individuals: results from the ENIGMA Schizophrenia DTI Working Group. <i>Mol Psychiatry</i> . 2018 PMID: 29,038,599 | 5 | 221 | 55.2 | 16.9 |
| Lysenko L, et al. A Meta-Analysis of Studies Using the Dissociative Experiences Scale. <i>Am J Psychiatry</i> . 2018. PMID: 28,946,763 | 6 | 103 | 25.7 | 8.3 | Meguire et al. Cannabidiol (CBD) as an Adjunctive Therapy in Schizophrenia: A Multicenter Randomized Controlled Trial. <i>Am J Psychiatry</i> . 2018 PMID: 29,241,357 | 6 | 214 | 53.5 | 16.4 |
| Fernández-Aranda F, et al. COVID-19 and implications for eating disorders. <i>Eur Eat Disord Rev</i> . 2020 PMID: 32,346,977 | 67 | 95 | 47.5 | 20.8 | Di Forti M, et al. The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GED): a multicenter case-control study. <i>Lancet Psychiatry</i> . 2019 PMID: 30,902,669 | 3 | 207 | 69 | 24.5 |
| Cena H, et al. Definition and diagnostic criteria for orthorexia nervosa: a narrative review of the literature. <i>Eat Weight Disord</i> . 2019 PMID: 30,414,078 | 121 | 94 | 31.3 | 10.4 | Charlson FJ, et al. Global Epidemiology and Burden of Schizophrenia: Findings From the Global Burden of Disease Study 2016. <i>Schizophr Bull</i> . 2018 PMID: 29,762,765 | 13 | 202 | 50.5 | 15.5 |
| Udo T, Grilo CM. Psychiatric and medical correlates of DSM-5 eating disorders in a nationally representative sample of adults in the United States. <i>Int J Eat Disord</i> . 2019 PMID: 30,756,422 | 57 | 83 | 27.7 | 9.2 | Correll CU, et al. Comparison of early intervention services vs treatment as usual for early-phase psychosis: a systematic review, Meta-analysis, and meta-regression. <i>JAMA Psychiatry</i> . 2018 PMID: 29,800,949 | 4 | 200 | 50 | 15.4 |
| India State-Level Disease Burden Initiative Mental Disorders Collaborators. The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990–2017. <i>Lancet Psychiatry</i> . 2020 PMID: 31,879,245 | 3 | 78 | 39 | 17.1 | Radua J, et al. What causes psychosis? An umbrella review of risk and protective factors. <i>World Psychiatry</i> . 2018 PMID: 29,352,556 | 1 | 184 | 46 | 14.1 |
| Phillipou A, et al. Eating and exercise behaviors in eating disorders and the general population during the COVID-19 pandemic in Australia: Initial results from the COLLATE project. <i>Int J Eat Disord</i> . 2020 PMID: 32,476,163 | 57 | 78 | 39 | 17.1 | Lai MC, et al. Prevalence of co-occurring mental health diagnoses in the autism population: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> . 2019 PMID: 31,447,415 | 3 | 175 | 58.3 | 20.7 |

Table 4 (continued)

| Eating disorders | | Schizophrenia | | | | | | | |
|--|--------------|---------------|-------------|---------------|--|--------------|-----|-------------|---------------|
| Paper | Journal rank | TC | TC per year | Normalized TC | Paper | Journal rank | TC | TC per year | Normalized TC |
| Thompson PM et al. ENIGMA Consortium. 23 ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Transl Psychiatry</i> . 2020 PMID: 32,198,361 | 23 | 78 | 39 | 17.1 | Duncan LE et al. Largest GWAS of PTSD (N = 20070) yields genetic overlap with schizophrenia and sex differences in heritability. <i>Mol Psychiatry</i> . 2018 PMID: 28,439,101 | 5 | 168 | 42 | 12.9 |
| Brockmeyer T, et al. Advances in the treatment of anorexia nervosa: a review of established and emerging interventions. <i>Psychol Med</i> . 2018 PMID: 28,889,819 | 19 | 65 | 16.2 | 5.2 | Rehm J, Shield KD. Global Burden of Disease and the Impact of Mental and Addictive Disorders. <i>Curr Psychiatry Rep</i> . 2019 PMID: 30,729,322 | 44 | 153 | 51 | 18.1 |

Table 5 Ten top-publishing countries in the triennium 2018 – 2020 according to Scopus for the eating disorders and schizophrenia fields

| EDs | Number of documents (2018–2020) | Schizophrenia | Number of documents (2018–2020) |
|-------------|---------------------------------|---------------|---------------------------------|
| USA | 2740 | USA | 8063 |
| Germany | 618 | UK | 3281 |
| UK | 604 | China | 2735 |
| Australia | 584 | Australia | 2087 |
| Italy | 474 | Germany | 1838 |
| Canada | 387 | Canada | 1826 |
| Spain | 273 | Spain | 1601 |
| France | 267 | France | 1319 |
| Sweden | 241 | Japan | 1298 |
| Netherlands | 211 | Netherlands | 1235 |

Discussion

With this paper we aimed to measure research productivity about EDs over the triennium 2018–2020, comparing the ED and the schizophrenia fields. Five main findings emerged: first, the schizophrenia field published three times as much as the EDs in top-ranking journals; second, the vast majority of top-cited papers on schizophrenia were strictly focused on psychosis-related topics, while 50% of top-cited papers on EDs only incidentally included EDs while investigating a broader psychiatric construct (i.e., dissociation); also, in contrast with ED research, schizophrenia-focused top-cited papers were frequently published in top-rank journals. Third, no Asian countries were included in the top-ten publishing countries on EDs while both China and Japan resulted included in the list of schizophrenia top publishing countries. Fourth, when compared to the schizophrenia field, ED research resulted to have much fewer candidate journals able to assure a decent number of citations, also characterized by a much lower rank. Finally, research published on EDs was less funded than that of the counterpart but collaborations were overall similar.

Interestingly, the two research fields, yielded a much diverse number of publications over the same triennium: in fact, over 6000 papers were available on schizophrenia while less than 2000 for EDs, even despite an overall comparable burden of illness (i.e., DALYs; GBD 2017 Disease and Injury Incidence and Prevalence Collaborators, 2018; see material and methods) and a growing incidence for EDs [36]. Moreover, data showed that researchers on EDs represent a small community but equally productive when compared to that of schizophrenia: in fact, the number of authors and documents have similar proportions (i.e., EDs:schizophrenia = 1:3) between research areas. Notwithstanding this difference in raw data, it is noteworthy

Table 6 Productivity-based top journals for the eating disorders and schizophrenia fields

| Eating disorders | | Schizophrenia | |
|--|--------------------------------|--|--------------------------------|
| Journal | Rank (<i>n.</i> of documents) | Journal | Rank (<i>n.</i> of documents) |
| Zone 1 = great productivity | | | |
| International journal of eating disorders | 57 (518) | Schizophrenia research | 58 (1523) |
| Eating and weight disorders | 121 (328) | Schizophrenia bulletin | 13 (457) |
| | | Early intervention in psychiatry | 127 (281) |
| Zone 2 = moderate productivity | | | |
| 1. European eating disorders review | 67 (178) | 1. Psychological medicine | 19 (276) |
| 2. Eating behaviors | 128 (131) | 2. Translational psychiatry | 23 (229) |
| 3. Psychological medicine | 19 (49) | 3. BMC Psychiatry | 103 (179) |
| 4. Journal of adolescent health | 48 (34) | 4. Journal of psychiatric research | 46 (162) |
| 5. Journal of affective disorders | 52 (29) | 5. Molecular psychiatry | 5 (158) |
| 6. Journal of psychiatric research | 46 (25) | 6. Journal of clinical psychopharmacology | 129 (141) |
| | | 7. European archives of psychiatry and clinical neuroscience | 69 (134) |
| | | 8. Jama psychiatry | 4 (126) |
| | | 9. American journal of psychiatry | 6 (117) |
| | | 10. Australian and New Zealand journal of psychiatry | 47 (104) |
| | | 11. European neuropsychopharmacology | 36 (100) |
| | | 12. Psychiatry research—neuroimaging | 133 (99) |
| | | 13. The lancet psychiatry | 3 (97) |
| | | 14. Neuropsychopharmacology | 12 (96) |
| | | 15. Psychiatric services | 130 (95) |
| Zone 3 = low productivity | | | |
| Eating disorders <i>n</i> = 105 journals (92.9%) | | Schizophrenia <i>n</i> = 122 journals (87.1%) | |

Table 7 Collaboration data over the 2018–2020 triennium according to Scopus for the eating disorders and schizophrenia fields

| Triennium 2018–2020 | EDs | Schizophrenia |
|--------------------------|-------|---------------|
| Documents per author | 0.284 | 0.28 |
| Authors per document | 3.52 | 3.57 |
| Co-authors per documents | 5.92 | 8.03 |
| Collaboration index | 3.6 | 3.75 |

that the number of citations per year per document was overall comparable thus highlighting the interest of the readership for EDs. However, it is noteworthy that letters and notes were particularly lacking for EDs. These kinds of papers seldom offer novel data but rather propose comments, experts' opinions, and perspectives, or novel ideas needing further investigation thus representing a proxy for the vitality of the scientific debate around a certain topic. As previously suggested [37], editorials are usually invited and represent an overall contribution to the increase of the citation count of articles in a certain journal. Therefore, both quantity and quality of the scientific production – published in the first quartile of top-rank journals— have been found as much diverse between fields. This is

of interest since it has been consistently reported how the impact factor and the prestige of the publishing journal can be the most important predictor of future citations [38] and how it can be relevant to researchers' careers and funding [39]. Although some papers reported an acceleration in rates of scientific publications on EDs [40, 41] we emphasize that the access of research on EDs to top-rank journals is still a much different issue.

In line with the considerations on the author's career and funding possibilities, when considering the top-cited articles over the 2018–2020 triennium, eight out of ten papers on schizophrenia were focused on this diagnosis while, for EDs, 50% of top-cited papers included a sample of patients with EDs but investigated other psychiatric constructs. Also, on average, the ED-focused papers were published in journals with a much more modest impact factor when compared to that of the counterpart. Taken together, these data highlight how research dissemination and citation can be difficult for EDs. Also, this finding somehow downsizes the comparability of the number of citations per year per document; in fact, when top-cited papers are considered, the divergence between fields tends to confirm how EDs are seen as a niche specialty [19]. Also, 2 out of 5 top-cited ED-focused papers dealt with

SARS-COV-2-related aspects; in fact, EDs widely grew during the SARS-COV-2 pandemic [42], highlighting the crucial relevance of such diagnoses in this area, especially in young people.

Another parameter concerned the world distribution of the ten top-publishing countries. Schizophrenia research showed a balanced distribution of the most productive countries, with all continents involved. In contrast, in the ED field, Asian countries resulted to be not represented despite the increasing trend of ED incidence in Asian countries which has been recently reported, mostly in China, also given its rapid economic growth [43]. The contribution of Asian countries to the ED research field would be much needed since the prevalence of EDs among female Chinese university students was found to be similar to that reported in Western countries [44]; however, it has been reported that only two specialized centers for the treatment of EDs are currently available in China thus potentially making difficult for patients being engaged in treatment and research studies [45]. However, as the study of EDs is still in its infancy in non-Western countries, it is possible that many publications in other languages are not always available in the online libraries used and are not published in journals in the first quartile. Nevertheless, this data underlines how research in schizophrenia is certainly more widespread worldwide.

It is commonly experienced by researchers who work in the ED field the paucity of suitable candidate journals for scientific papers [19]. In a substantial number of submissions, even before starting the peer-review process, the Editorial Board let the authors know that the topic is not listed in the aims of the journal, has low priority, or does not fit the needs of the readership. Therefore, frequently it is advised to consider more specialized journals. Another relevant issue is that there are special considerations for ED research, such as the impact of nutrition on pathophysiology and that journals or study sections need reviews by experts who take this into consideration. Overall, our findings support this everyday experience since, when considering data from Bradford Law analysis, journals in Zone 1, namely including the journals that are the most frequently cited in the literature of the field eventually sparking the highest interest in the readership, two are available for EDs, and three for schizophrenia. In this regard, more important data came from the analysis of the so-called Zone 2. In fact, journals in Zone 2 represent the pool of journals that can ensure decent citations when the specialized/most productive ones on a certain topic (i.e., Zone 1) are excluded. Therefore, in the ED field, the pool of Zone 2 included only 6 (5,3%) journals while 15 (10,7%) were available for schizophrenia. Moreover, when reading these data, it should be also borne in mind that all journals in Zone 1 for schizophrenia had a higher rank than those included in Zone 1 for EDs. Similarly, Zone 2 for schizophrenia included top-rank journals (i.e.,

the Lancet Psychiatry, JAMA Psychiatry, Molecular Psychiatry, the American Journal of Psychiatry, Neuropsychopharmacology) which appear only in Zone 3 in the ED field. Although the Bradford law over the years has been criticized [46], it should be noted that the aim of this paper was not to perform a strict bibliometric analysis of scientific production but rather to explore and measure what could play a role in making research productivity and visibility so difficult in the ED field. With that being said, this is something that could be far from being specific for the ED field. For example, it has been reported how also literature on anxiety disorders, notwithstanding great prevalence and huge DALYs, represents only 4–7% of manuscripts in high impact psychiatry journals [37].

Finally, research published on EDs was less funded than its counterpart. Although mental health tends to receive little funding attention at a broader level [47, 48], this tends to become particularly true for EDs. For example, the European Research Council, a major European funding institution for cutting-edge research, when listing psychiatric disorders states: LS5_12 Psychiatric disorders (e.g. schizophrenia, autism, Tourette's syndrome, obsessive-compulsive disorder, depression, bipolar disorder, attention deficit hyperactivity disorder) [49]. This is just an example of a lack of visibility that could ultimately affect patients' treatment. Recent data from Australia showed that schizophrenia received funding 60 times higher than those allocated to EDs [50]. Funding is particularly welcome in the ED field to implement formal training structures able to provide the extensive multidisciplinary skills that are required to work with patients with EDs whose clinical needs are particularly complex [15, 16]. Still, in contrast with the ED field, schizophrenia research can rely on multiple pharmacological strategies which may have specific funding agencies in pharmaceutical industries, further boosting research productivity.

In contrast, scientific collaborations were comparable between fields, showing that both communities put a great deal of effort into implementing their networks thus developing researchers' expertise and enhancing data collection and a greater flow of information, ultimately increasing funding chances [51].

In closing, this paper explored and measured research productivity and vitality in the ED field also by comparing it to that of schizophrenia. Despite some strengths including the use of straightforward criteria and methods ensuring replicability of the findings, some limitations should be acknowledged as well: first, we a priori selected certain parameters including the use of DALYs, triennium time span, having only one comparator (schizophrenia), database (i.e., Scopus), and database-related categories (i.e., Scopus Psychiatry and Mental Health). As a result, relevant journals and highly cited papers may have not been included according to the aforementioned parameters for both fields (i.e., Nature genetics: Watson et al.,

Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa, 2019; Lam M et al. Comparative genetic architectures of schizophrenia in East Asian and European populations, 2019). In future research it may be useful to use other parameters, such as those used by the web of science system (WOS) or a longer period, for example 5 years and more Scopus categories. Also, we reiterate that DALYs currently do not include relevant ED diagnoses so the data on EDs may be underestimated. Furthermore, in our analysis we couldn't calculate the total number of researchers in a field and if their number differs among the two fields. Finally, funding data present some possible biases as they could be underrepresented as not necessarily all authors acknowledge their funding in their papers or may have multiple fundings available at the time, and the number (quantity) of funded papers may not represent the total amount of funding (quality) in a field. That said, these data suggest that research on EDs is currently limited in getting ED-focused papers published in top-rank journals, obtaining funding, and conveying an adequate geographic representation. This lack of breadth and vitality of scientific production could ultimately end in slow advancements in treatments.

Strength and limits: the study evaluates the quality and amount of research in the ED and schizophrenia field using straightforward criteria and methods, ensuring replicability of the findings. The main limit is the a priori selection of specific parameters including the use of DALYs, triennium, database, and database-related categories.

What is already known on this subject: EDs are severe mental illnesses with high mortality rates, and significant DALYs, but for researcher is difficult to publish on EDs in high-impact journals. Subsequently, research on EDs receives less funding than other fields of psychiatry and it is known that research funding, quality, and availability influence patients' standard of care.

What this study adds? Bibliometric data offer a fine grained overview of a research field. Findings show that the ED field, compared to schizophrenia, published much less and in journals with an overall lower rank. Moreover, research on EDs is less funded and worldwide distributed. These data highlight the difficulty in dissemination and citation for the ED field that could be reflected in fewer funding opportunities leading thus to a potential slowing in treatment progress.

Supplementary Information The online version contains supplementary material available at <https://doi.org/10.1007/s40519-022-01473-9>.

Author contributions All authors contributed to the study conception and design. Material preparation, protocol writing, data collection and analysis were performed by EM, MP, MM and PL. Author who contributed to writing where: EM, MP (original draft preparation), MM, PL (review and editing), GAD, FF-A, WK (review and supervision).

Funding Open access funding provided by Università degli Studi di Torino within the CRUI-CARE Agreement. The authors declare that no funds, grants, or other support were received during the preparation of this manuscript.

Data availability statement The data that support the findings are available from the corresponding author upon reasonable request.

Declarations

Conflict of interest The authors do not have conflicts of interest to declare.

Ethics approval/ Consent to participate/ Consent to publish This was not a human-subject study; therefore, neither approval by the institutional review board nor obtaining informed consent or consent to publish was required.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

1. Frost S, Murphy R, Webster P, Schmidt U (2003) Are top journals biased against eating disorders topics? *Am J Psychiatry* 160:363–365. <https://doi.org/10.1176/appi.ajp.160.2.363>
2. Watson HJ, Yilmaz Z, Thornton LM et al (2019) Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. *Nat Genet.* <https://doi.org/10.1038/s41588-019-0439-2>
3. Ali K, Farrer L, Fassnacht DB et al (2017) Perceived barriers and facilitators towards help-seeking for eating disorders: a systematic review. *Int J Eat Disord* 50:9–21. <https://doi.org/10.1002/eat.22598>
4. Sollberger D (2014) (2014) The inversion of the fall: on identity construction in anorexia nervosa. *Psychopathology* 47(4):244–251. <https://doi.org/10.1159/000357386>
5. Lock J (2015) An Update on Evidence-Based Psychosocial Treatments for Eating Disorders. *J Clin Child Adolescents Psychol* 44:707–721 <https://doi.org/10.1080/15374416.2014.971458>
6. Harris EC, Barraclough B (1998) Excess mortality of mental disorder. *Br J Psychiatry* 173:11–53. <https://doi.org/10.1192/bjp.173.1.11>
7. Arcelus J, Mitchell AJ, Wales J, Nielsen S (2011) Mortality rates in patients with anorexia nervosa and other eating disorders. A meta-analysis of 36 studies. *Arch Gen Psychiatry* 68:724–731. <https://doi.org/10.1001/archgenpsychiatry.2011.74>
8. Dobrescu SR, Dinkler L, Gillberg C et al (2020) Anorexia nervosa: 30-year outcome. *Br J Psychiatry* 216:97–104. <https://doi.org/10.1192/bjp.2019.113>

9. Guarda AS, Wonderlich S, Kaye W, Attia E (2018) A path to defining excellence in intensive treatment for eating disorders. *Int J Eat Disord* 51:1051–1055. <https://doi.org/10.1002/eat.22899>
10. (2020) <https://cdn1.sph.harvard.edu/wp-content/uploads/sites/1267/2020/07/Social-Economic-Cost-of-Eating-Disorders-in-US.pdf>
11. (2015) https://www.basw.co.uk/system/files/resources/basw_104500-2_0.pdf
12. Toulany A, Wong M, Katzman DK et al (2015) Cost analysis of inpatient treatment of anorexia nervosa in adolescents: hospital and caregiver perspectives. *C open* 3:E192–E197. <https://doi.org/10.9778/cmajo.20140086>
13. Marzola E, Longo P, Sardella F et al (2021) Rehospitalization and “revolving door” in anorexia nervosa: are there any predictors of time to readmission? *Front Psychiatry*. <https://doi.org/10.3389/fpsy.2021.694223>
14. Azer SA, Azer S (2019) Top-cited articles in medical professionalism: a bibliometric analysis versus altmetric scores. *BMJ Open* 9:e029433. <https://doi.org/10.1136/bmjopen-2019-029433>
15. Kaye WH, Bulik CM (2021) Treatment of patients with anorexia nervosa in the US—a crisis in care. *JAMA Psychiatr* 78:591–592. <https://doi.org/10.1001/jamapsychiatry.2020.4796>
16. Schmidt U, Adan R, Böhm I et al (2016) Eating disorders: the big issue. *The lancet Psychiatry* 3:313–315. [https://doi.org/10.1016/S2215-0366\(16\)00081-X](https://doi.org/10.1016/S2215-0366(16)00081-X)
17. Volpe U, Monteleone AM, Ricca V et al (2019) Pathways to specialist care for eating disorders: an Italian multicentre study. *Eur Eat Disord Rev* 27:274–282. <https://doi.org/10.1002/erv.2669>
18. Glashouwer KA, Brockmeyer T, Cardi V et al (2020) Time to make a change: a call for more experimental research on key mechanisms in anorexia nervosa. *Eur Eat Disord Rev* 28:361–367. <https://doi.org/10.1002/erv.2754>
19. Solmi F, Bould H, Lloyd EC, Lewis G (2021) The shrouded visibility of eating disorders research. *The lancet Psychiatry* 8:91–92. [https://doi.org/10.1016/S2215-0366\(20\)30423-5](https://doi.org/10.1016/S2215-0366(20)30423-5)
20. Klump KL, Bulik CM, Kaye WH et al (2009) Academy for eating disorders position paper: eating disorders are serious mental illnesses. *Int J Eat Disord* 42:97–103. <https://doi.org/10.1002/eat.20589>
21. GBD (2017) Disease and Injury Incidence and Prevalence Collaborators (2018) Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* (London, England) 392:1789–1858. [https://doi.org/10.1016/S0140-6736\(18\)32279-7](https://doi.org/10.1016/S0140-6736(18)32279-7)
22. van Eeden AE, van Hoeken D, Hoek HW (2021) Incidence, prevalence and mortality of anorexia nervosa and bulimia nervosa. *Curr Opin Psychiatry* 34:515–524. <https://doi.org/10.1097/YCO.0000000000000739>
23. Martín J, Padierna A, van Wijngaarden B et al (2015) Caregivers consequences of care among patients with eating disorders, depression or schizophrenia. *BMC Psychiatry* 15:124. <https://doi.org/10.1186/s12888-015-0507-9>
24. Abbate-Daga G, Facchini F, Marzola E et al (2014) Health-related quality of life in adult inpatients affected by anorexia nervosa. *Eur Eat Disord Rev* 22:285–291. <https://doi.org/10.1002/erv.2302>
25. McCrone P, Patel A, Knapp M et al (2009) A comparison of SF-6D and EQ-5D utility scores in a study of patients with schizophrenia. *J Ment Health Policy Econ* 12:27–31
26. Bighelli I, Rodolico A, García-Mieres H et al (2021) Psychosocial and psychological interventions for relapse prevention in schizophrenia: a systematic review and network meta-analysis. *The lancet Psychiatry* 8:969–980. [https://doi.org/10.1016/S2215-0366\(21\)00243-1](https://doi.org/10.1016/S2215-0366(21)00243-1)
27. Heslin KC, Weiss AJ (2006) Hospital Readmissions Involving Psychiatric Disorders, 2012: Statistical Brief #189
28. Santomauro DF, Melen S, Mitchison D et al (2021) The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. *Lancet Psychiatry* 8:320–328. [https://doi.org/10.1016/S2215-0366\(21\)00040-7](https://doi.org/10.1016/S2215-0366(21)00040-7)
29. Keski-Rahkonen A (2021) Epidemiology of binge eating disorder: prevalence, course, comorbidity, and risk factors. *Curr Opin Psychiatry* 34:525–531. <https://doi.org/10.1097/YCO.00000000000000750>
30. GBD (2019) Diseases and Injuries Collaborators (2020) Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet* (London, England) 396:1204–1222. [https://doi.org/10.1016/S0140-6736\(20\)30925-9](https://doi.org/10.1016/S0140-6736(20)30925-9)
31. Stahlschmidt Stephan and Stephen Dimity (2021) <https://arxiv.org/ftp/arxiv/papers/2106/2106.01695.pdf>. In: From Index. policies through Cit. networks to Norm. Cit. impacts Web Sci. Scopus, Dimens. as varying Reson. chambers
32. Ioannidis JPA, Salholz-Hillel M, Boyack KW, Baas J (2021) The rapid, massive growth of COVID-19 authors in the scientific literature. *R Soc open Sci* 8:210389. <https://doi.org/10.1098/rsos.210389>
33. Malekpour M-R, Abbasi-Kangevari M, Azadnajafabad S et al (2021) How the scientific community responded to the COVID-19 pandemic: a subject-level time-trend bibliometric analysis. *PLoS ONE* 16:e0258064. <https://doi.org/10.1371/journal.pone.0258064>
34. Aria M, Cuccurullo C (2017) bibliometrix: an R-tool for comprehensive science mapping analysis. *J Informetr* 11:959–975. <https://doi.org/10.1016/j.joi.2017.08.007>
35. Bradford SC (1934) Sources of information on specific subjects. *Eng* (Beijing, China) 137:85–86
36. Galmiche M, Déchelotte P, Lambert G, Tavolacci MP (2019) Prevalence of eating disorders over the 2000–2018 period: a systematic literature review. *Am J Clin Nutr* 109:1402–1413. <https://doi.org/10.1093/ajcn/nqy342>
37. Murray SB, Pila E, Mond JM et al (2018) Global trends in high impact psychiatry research. *World Psychiatry* 17:368–370. <https://doi.org/10.1002/wps.20573>
38. Callaham ML, Knopp RK, Gallagher EJ (2002) Effect of written feedback by editors on quality of reviews: two randomized trials. *JAMA* 287:2781–2783. <https://doi.org/10.1001/jama.287.21.2781>
39. Couch Y (2020) Why does a high-impact publication matter so much for a career in research? *Nature*. <https://doi.org/10.1038/d41586-020-02875-4>
40. Clinton D (2010) Towards an ecology of eating disorders: creating sustainability through the integration of scientific research and clinical practice. *Eur Eat Disord Rev* 18:1–9. <https://doi.org/10.1002/erv.986>
41. Valderrama-Zurián J-C, Aguilar-Moya R, Cepeda-Benito A et al (2017) Productivity trends and collaboration patterns: a diachronic study in the eating disorders field. *PLoS ONE* 12:e0182760. <https://doi.org/10.1371/journal.pone.0182760>
42. Agostino H, Burstein B, Moubayed D et al (2021) Trends in the incidence of new-onset anorexia nervosa and atypical anorexia nervosa among youth during the COVID-19 pandemic in Canada. *JAMA Netw open* 4:e2137395. <https://doi.org/10.1001/jamanetworkopen.2021.37395>
43. Wu J, Lin Z, Liu Z et al (2020) Secular trends in the incidence of eating disorders in China from 1990 to 2017: a joinpoint and age-period-cohort analysis. *Psychol Med*. <https://doi.org/10.1017/S0033291720002706>
44. Tong J, Miao S, Wang J et al (2014) A two-stage epidemiologic study on prevalence of eating disorders in female university students in Wuhan, China. *Soc Psychiatry Psychiatr Epidemiol* 49:499–505. <https://doi.org/10.1007/s00127-013-0694-y>

45. Ma R, Zhang M, Oakman JM et al (2021) Eating disorders treatment experiences and social support: perspectives from service seekers in mainland China. *Int J Eat Disord* 54:1537–1548. <https://doi.org/10.1002/eat.23565>
46. Nash-Stewart CE, Kruesi LM, Del Mar CB (2012) Does Bradford's Law of Scattering predict the size of the literature in Cochrane Reviews? *J Med Libr Assoc* 100:135–138. <https://doi.org/10.3163/1536-5050.100.2.013>
47. (2019) <https://www.mqmentalhealth.org/wp-content/uploads/UKMentalHealthResearchFunding2014-2017digital.pdf>
48. Torrey EF, Simmons WW, Hancq ES, Snook J (2021) The continuing decline of clinical research on serious mental illnesses at NIMH. *Psychiatr Serv* 72:1342–1344. <https://doi.org/10.1176/appi.ps.202000739>
49. <https://erc.europa.eu/sites/default/files/document/file/erc%20peer%20review%20evaluation%20panels.pdf>
50. Bryant E (2021) Anorexia: the great taboo. *Lancet Psychiatry* 8:866–867. [https://doi.org/10.1016/S2215-0366\(21\)00362-X](https://doi.org/10.1016/S2215-0366(21)00362-X)
51. Ebadi A, Schiffauerova A (2015) How to receive more funding for your research? get connected to the right people! *PLoS ONE* 10:e0133061. <https://doi.org/10.1371/journal.pone.0133061>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.