

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

THE GRASS-FED SUPPLY CHAIN IN PIEDMONT: FARM PRODUCTION AND FARMERS POINT OF VIEW

This is the author's manuscript

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/1929490> since 2023-09-04T12:10:52Z

Terms of use:



Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.


(Article begins on next page)

THE GRASS-FED SUPPLY CHAIN IN PIEDMONT: FARM PRODUCTION AND FARMERS POINT OF VIEW




R.S. Evola, G. Mina, A. Bonadonna, E. Vesce, G. Peira
Management Department, University of Turin



SAMPLE: 105 farms located in Piedmont
SURVEY: questionnaire online



How widespread is the use of polyphytic fodder among the farms?...



... and how among the meat and milk supply chains?

OLS MODEL carried out with Rstudio
Prof. L. Bollani review

HIGHLIGHTS

- The model suggests that the largest farms in term of livestock units use statistically less polyphytic fodder.
- On the contrary, the preference for the short food supply chain, as direct sales, has an estimated positive effect in their utilisation.
- A positive effect was also found for sustainability consciousness expressed by farmers, more they stated important the effort to achieve sustainability more the diffusion of this type of livestock diet increases.

PAY ATTENTION TO CERTIFICATION VARIABLE!

It was found that the ownership of certification by a farm has an estimated negative effect on the percentage of polyphytic fodder use. This could be due to certifications imposing production guidelines. However, since the farms have indicated several certifications (around 20 types), to explain this result, their effect will be analysed in detail.

	Dependent variable:
	POLYPHYTIC FODDER USAGE
LIVESTOCK UNITS	-0.040** (0.018)
LAND USE (PASTURE)	17.863* (9.994)
LAND USE (MOWING)	14.282** (5.463)
CERTIFICATION	-9.739* (5.513)
SHORT FOOD SUPPLY CHAIN	15.572* (9.049)
SUSTAINABILITY CONSCIOUSNESS	4.296** (2.038)
Constant	22.596* (13.553)
Observations	105
R ²	0.238
Adjusted R ²	0.192
Residual Std. Error	25.461 (df = 98)
F Statistic	5.106*** (df = 6; 98)
Note:	*p<0.1; **p<0.05; ***p<0.01

