

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

**Land based survey of *Tursiops truncatus* interaction with boat traffic in Lampedusa island.**

**This is a pre print version of the following article:**

*Original Citation:*

*Availability:*

This version is available <http://hdl.handle.net/2318/64260> since

*Publisher:*

European Cetacean Society

*Terms of use:*

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

# LAND BASED SURVEY OF *TURSIOPS TRUNCATUS* INTERACTION WITH BOAT TRAFFIC IN LAMPEDUSA ISLAND

Papale Elena, Azzolin Marta, Giacomina Cristina

Animal and Human Biology Department, University of Torino, via Accademia Albertina 13, 10123 Torino, Italy

## Introduction:

Beginning in 2003, as part of the LIFE project "Del.Ta." (NAT/IT/000163), a bottlenose dolphin community has been studied in the Pelagie Archipelago (Sicily, Italy). The aim of this study was to verify the impact of boat traffic on animals behavior.

## Material and methods:

During the summer 2006 land-based surveys were carried out at Lampedusa, one of the Archipelago's Islands, at fixed hours from 6 locations in typical weather condition. Continuous horizon scan and focal group sampling methodology were adopted.

Dolphin behavior and dolphin-boat interaction were recorded for each sighting.

A total of about 236 hours were spent monitoring from a cliff. 35 sightings were recorded.



## Results

The study analyzed differences in sighting time with or without vessels.

	without boats	with boats
N	27	15
Minimum	0,03	0,05
Maximum	1,70	0,85
Mean	0,56	0,28
Std. Deviation	0,46	0,28



Statistical analysis shows that sighting time decreases in the presence of vessels. Animals tend to reduce time of interaction in presence of vessels and to go away in a vertical or horizontal way ( $P = 0,034$ ).

Behavioral analysis shows that animals change their activity in presence of vessels, increasing direction changes and decreasing normal swim. (Graph. 2,3)





A	NORMAL SWIM	B	FAST SWIM	C	LONG DIVE	D	FAST DIVE
E	BREACH	F	LEAP	G	TAIL SLAP	H	SURFACE FINNING
I	CHIN UP	L	CHIN SLAP	M	CHANGE DIRECTION	N	NOT QUANTIFIED DIVE
O	END SIGHTING	P	FEEDING	Q	CARTWHEELING	R	DEPARTING SWIM




The 1° Order Markovian Chains used to quantify dependence between 2 following events show that animals simplify their behaviors near boats, while in their absence they show a major number of behavioral sequences with a high stereotyped level. (GRAPH 4,5)




More than 78% of sightings resulted in negative interaction (avoidance) between dolphins and vessels within 200m. Over 200m most of the animals tend to have no interaction with vessels except for about the 20% of them that positively approached the boats (Graph. 6, 7).



Animals interact in a negative way especially with motorboats. Positive interactions (approaching and following a boat) were recorded just among dolphins and fishing vessels over than 200m. This can be justify by nets dimensions comprised between 200 and 250 m. (Graph. 8, 9, 10).



The transit of fast ships that don't modify speed and direction leads the animals to break off activity and swim away rapidly. (Graph.11)



## Discussion

This study demonstrates that dolphins can be disturbed by vessel traffic in the area because they show behavioral modifications particularly with motorboat within 200m. It is necessary to investigate the possible long-term negative impacts on the population of this disturbance. A comparison with other areas dealing with a similar phenomenon would be very useful.

## REFERENCES

- Aguilar A., Forcada J., Borrell A., Silvani L., Grau E., Gazo M., Calzada N., Pastor T., Badosa E., Arderiu, Samaranch R. 1994 Inventario de cetáceos mediterráneos ibéricos: status y problemas de conservación Unpublished Report, University of Barcelona, Spain,
- Altmann, J. 1974. Observational study of behavior: Sampling methods. *Behaviour* 49: 227-267.
- Andersen, K.F., Eltringham, S.K., 1997. Some preliminary observations on possible stress in the elephants of Mikumi National Park, Tanzania. *African Journal of Ecology* 35, 278–282.
- Bearzi G. 2002. Interactions between cetacean and fisheries in the Mediterranean Sea. In: G. Notarbartolo di Sciara (Ed.), *Cetaceans of the Mediterranean and Black Seas: state of knowledge and conservation strategies*. A report to the ACCOBAMS Secretariat, Monaco, February 2002. Section 9, 20 p.
- Bearzi G, Fortuna CM. 2006. Common bottlenose dolphin *Tursiops truncatus* (Mediterranean subpopulation). In *The Status and Distribution of Cetaceans in the Black Sea and Mediterranean Sea*, Reeves RR, Notarbartolo di Sciara G (eds). IUCN Centre for Mediterranean Cooperation: Malaga, Spain; 64–73.
- Beaubrun P.C. 2002. Disturbance to Mediterranean cetaceans caused by whale watching 2002. In: G. Notarbartolo di Sciara (Ed.), *Cetaceans of the Mediterranean and Black Seas: state of knowledge and conservation strategies*. A report to the ACCOBAMS Secretariat, Monaco. Section 12, 26 p.
- Borrel A., Cantos G., Pastor T. Aguilar A. 2001 Organochlorine compounds in common dolphins (*Delphinus delphis*) from the Atlantic and Mediterranean waters of Spain. *Environmental pollution* 114 265-274
- Caswell, H. 2001 Matrix population models *Sinauer Associates, Boston, Massachusetts*.
- Constantine R., Brunton D.H., Dennis T. 2004 Dolphin-watching tour boats change Bottlenose dolphin (*Tursiops truncatus*) behaviour. *Biological Conservation* 117 299–307.
- Corkeron, P.J., 1995. Humpback whales (*Megaptera novaeangliae*) in Hervey Bay, Queensland: behaviour and responses to whale-watching vessels. *Canadian Journal of Zoology* 73, 1290–1299.
- David L. 2002. Disturbance to Mediterranean cetaceans caused by vessel traffic. In: G. Notarbartolo di Sciara (Ed.), *Cetaceans of the Mediterranean and Black Seas: state of knowledge and conservation strategies*. A report to the ACCOBAMS Secretariat, Monaco, February 2002. Section 11, 21 p.

- Evans, P.G.H. 1992 *Status Review of Cetaceans in British and Irish Waters. UK Department of the Environment, London.*
- Forest, A. 2001. The Hawaiian spinner dolphin, *Stenella longirostris*: effects of tourism. M.S. thesis. *Texas A&M University, Galveston, Texas.*
- Fortuna C.M. 2006. Ecology and conservation of bottlenose dolphins (*Tursiops truncatus*) in the north-eastern Adriatic Sea. *Ph.D. thesis, University of St. Andrews, UK. 275 pp.*
- Guttorp, P. 1995 Stochastic modelling of scientific data *Chapman & Hall, New York.*
- Lemon M., Lyncha T.P., Catoc D.H., Harcourta R.G. 2006 Response of travelling bottlenose dolphins (*Tursiops aduncus*) to experimental approaches by a powerboat in Jervis Bay, New South Wales, Australia *Biological Conservation 127 363–372*
- Liret C. 2001. Domaine vital, utilisation de l'espace et des ressources: les grands dauphins, *Tursiops truncatus*, de l'île de Sein. *155pp.*
- Lott, D.F., McCoy, M., 1995. Asian rhinos *Rhinoceros unicornis* on the run? Impact of tourist visits on one population. *Biological Conservation 73, 23–26.*
- Lusseau D. 2003 Effects of tour boats on the behaviour of Bottlenose dolphins: using Markov chains to model anthropogenic impacts *Conservation Biology, 17, 1785-1793.*
- Lusseau D. 2003 Male and female bottlenose dolphins *Tursiops* spp. have different strategies to avoid interactions with tour boats in Doubtful Sound, New Zealand *Marine Ecology Progress Series Vol. 257: 267–274*
- Lütkebohle T. 1996. Potential avoidance behavior of bottlenose dolphins to vessels in the Kessock channel, Moray firth, Scotland. *Proceedings of the 10th annual conference of the European Cetacean Society, Lisbon, Portugal 11-13 March 1996 53-55.*
- Mann, J. 1999. Behavioral sampling methods for cetaceans: A review and critique. *Marine Mammal Science, 15, 102-122.*
- Mann, J., R. C. Connor, L. M. Barre and M.R. Heithau 2000 Female reproductive success in bottlenose dolphins (*Tursiops* sp.): Life history, habitat, provisioning, and group-size effects. *Behavioral Ecology 11 :2 10-2 19.*
- Martin, P., & Bateson, P. 1993. Measuring behavior. *Cambridge, UK: Cambridge University Press. 222 pp.*
- Mattson M.C, St Aubin D., Thomas J. 1999. The effect of boat activity on the behavior of bottlenose dolphins (*Tursiops truncatus*) in the nearshore waters of Hilton Head, south Carolina. *Abstracts of the 13th biennial conference of the Society of Marine Mammalogy on the Biology of Marine Mammals, Wailea, Maui, Hawaii 28 November- 3 December 1999:37-38.*
- Mattson, M.C., Thomas, J.A., Aubin D.St., 2005. Effects of Boat Activity on the Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in Waters Surrounding Hilton Head Island, South Carolina *Aquatic Mammals, 31(1), 133-140.*
- Muller, M., Boutiere H., Weaver A., Candelon N., 1998 Ethogram of the bottlenose dolphin (*Tursiops truncatus*) with special reference to solitary and sociable dolphins English Translation of Vie Milieu, 48(2):89-104
- Notarbartolo di Sciara, G. Y M. Demma 1994 Guida dei mammiferi marini del Mediterraneo. *Franco Muzzio Editore, Padova. 268 pp.*
- Notarbartolo di Sciara G., Jahoda M., Biassoni N., Lafortuna C. 1996. Reactions of Fin whales to approaching vessels assessed by means of a laser range finder. *Proceedings of the 10th annual conference of the European Cetacean Society, Lisbon, Portugal 11-13 March 1996: 38-42.*
- Notarbartolo di Sciara G. 2002 Cetaceans of the Mediterranean and Black Seas State of Knowledge and Conservation Strategies *A Report to the ACCOBAMS Interim Secretariat*

- Nowacek, S., Wells, R., & Solow, A. 2001 Short-term effects of boat traffic on bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, Florida. *Marine Mammal Science*, 17, 673-688.
- Pace D.S., Pulcini M. & Triossi F. 1998. *Tursiops truncatus* population at Lampedusa island (Italy): preliminary results. *Eur. Res. Cet.* 12: 165-169.
- Polacheck, T., & Thorpe, L. 1990 The swimming direction of harbour porpoise in relation to survey vessel. *Report of the International Whaling Commission*, 40, 463-470.
- Pulcini M., Triossi F., Pace D.S. 2006 Distribution, habitat use and behaviour of bottlenose dolphins at Lampedusa island (Italy): results of five years of survey
- Reeves R., Notarbartolo Di Sciara G. 2006 The status and distribution of cetaceans in the Black sea and Mediterranean sea *International Union for Conservation of Nature and Natural Resources (IUCN)*
- Reynolds JE III, Wells RS, Eide SD 2000 Biology and Conservation of the Bottlenose Dolphin, *Gainesville, FL: University Press of Florida*
- Ross, G.L., 2001. Response of Hawaiian Spinner Dolphins to Boat Presence in Midway Atoll. MA thesis. *San Francisco State University, San Francisco, USA.*
- Roussel E. 2002. Disturbance to Mediterranean cetaceans caused by noise. In: G. Notarbartolo di Sciara (Ed.), *Cetaceans of the Mediterranean and Black Seas: state of knowledge and conservation strategies. A report to the ACCOBAMS Secretariat, Monaco, February 2002. Section 13, 18 p.*
- Simmonds M., Nunny L. 2002. Cetacean habitat loss and degradation in the Mediterranean Sea. In: G. Notarbartolo di Sciara (Ed.), *Cetaceans of the Mediterranean and Black Seas: state of knowledge and conservation strategies. A report to the ACCOBAMS Secretariat, Monaco, February 2002. Section 7, 23 p.*
- Sini M. I., Canning S. J., Stockin K. A. and Pierce G. J. 2005 Bottlenose dolphins around Aberdeen harbour, north-east Scotland: a short study of habitat utilization and the potential effects of boat traffic *J. Mar. Biol. Ass. U.K.* 85: 1547-1554
- Underhill K. 2006 Boat traffic effects on the diving behaviour of bottlenose dolphins (*Tursiops truncatus* Montagu) in Sardinia, Italy. Thesis submitted for the degree of Master of Science By School of Biological Sciences University of Wales, Bangor In association with the Bottlenose Dolphin Research Institute
- Wafo E., Sarrazin T.L., Diana C., Dhermain F., Schembri T., Lagadec V., Pecchia M., Rebouillon P. 2005 Accumulation and distribution of organochlorines (PCBs and DDTs) in various organs of *Stenella coeruleoalba* and a *Tursiops truncatus* from Mediterranean littoral environment (France) *Science of the Total Environment* 348 115–127
- Wells, R.S. and Scott, M.D. 1999. Bottlenose dolphin *Tursiops truncatus* (Montagu 1821) Pp 137-182 in S.H. Ridgway and R. Harrison, *Handbook of Marine Mammals, Vol 6, the Second Book of Dolphins and Porpoises, Academic Press, San Diego, C.A.* 456 pp.