

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

**De novo 13q12.3-q14.11 deletion involving BRCA2 gene in a patient with developmental delay, elevated IgM levels, transient ataxia, and cerebellar hypoplasia, mimicking an A-T like phenotype**

**This is the author's manuscript**

*Original Citation:*

*Availability:*

This version is available <http://hdl.handle.net/2318/127347> since

*Published version:*

DOI:10.1002/ajmg.a.35556

*Terms of use:*

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)



# UNIVERSITÀ DEGLI STUDI DI TORINO

***This is an author version of the contribution published on:***


*Questa è la versione dell'autore dell'opera:*



***[Am J Med Genet A](#). 2012 Oct;158A(10):2571-6. doi:  
10.1002/ajmg.a.35556. Epub 2012 Aug 17.***

***The definitive version is available at:***

*La versione definitiva è disponibile alla URL:*

***<http://onlinelibrary.wiley.com/doi/10.1002/ajmg.a.35556/abstract>***



**A****B****Thymidine Incorporation**

**TABLE I. Immunophenotype and specific antibody production during the follow-up**

<b>Tests</b>	<b>3 y</b>	<b>8 y</b>	<b>17 y</b>
Lymphocyte count (cells/mm <sup>3</sup> )	7200	8150	7530
Lymphocyte subset (%)			
CD3	79	64	67
CD4	39	20	32
CD8	32	39	20
CD19	11	13	17
CD56+	6	19	5
CD3 HLA-DR	6	14	4
Specific IgG antibodies			
Toxoplasma	+	+	+
Rubeo	+	+	+
CMV	+	+	+
HSV	-		
EBV	+	+	+

y, year[s]; + positive; - negative.

