

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

Multicolor FISH with 10 specific painting probes for the rapid identification of the sub-metacentric river buffalo autosomes (*Bubalus bubalis*, 2n=50)

This is the author's manuscript

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/150219> since 2018-03-22T17:56:45Z

Published version:

DOI:10.1007/s10577-014-9435-7

Terms of use:

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)



UNIVERSITÀ DEGLI STUDI DI TORINO

The final publication is available at Springer via <http://dx.doi.org/10.1007/s10577-014-9435-7>

Multicolor FISH with 10 specific painting probes for the rapid identification of the sub-metacentric river buffalo autosomes (*Bubalus bubalis*, 2n=50)

A. Pauciullo¹, A. Perucatti¹, A. Iannuzzi¹, D. Incarnato¹, V. Genuardo¹, L. Pucciarelli¹, D. Di Bernardino², L. Iannuzzi¹ (alfredo.pauciullo@cnr.it)

¹National Research Council (CNR), ISPAAM, Laboratory of Animal Cytogenetics and Gene Mapping, Naples, Italy; ²University of Naples Federico II, Department of Agriculture, Portici (NA), Italy

Multiplex-FISH (M-FISH), spectral karyotyping (SKY) and combined binary ratio labeling FISH (COBRA-FISH) are the current methods used for the simultaneous visualization of chromosomes in different colors. Their application in human clinical cytogenetics makes easier the identification of chromosomal abnormalities. In animal cytogenetics the use of these methods is still very limited, mainly for the lack of species specific-probes. In this work we propose a multi-color approach based on the simultaneous hybridization of specific river buffalo chromosome painting probes. Ten specific autosomal probes were prepared through conventional microdissection and DOP-PCR. Probes were labeled with Spectrum Green and Spectrum Orange in the second DOP-PCR step. Five sequential rounds of FISH were performed on the same slides. Each round was realized by using two probes simultaneously hybridized on the mitosis. Slides were counterstained with DAPI in antifade. After each hybridization, the slide was washed twice in PBST for 10 min, air dried and reused again for the subsequent step. Digital images were captured in gray-scale and pseudo-colored by the software. All the five pairs of banded river buffalo autosomes (BBU 1p, 1q, 2p, 2q, 3p, 3q, 4p, 4q, 5p and 5q) were identified with a different color. The simultaneous hybridization of these probes allowed to develop the first multi-color FISH in the river buffalo species. Given the remarkable extent of chromosome banding homology within the family Bovidae, these probes might be utilized for cross-species hybridization experiments within the family, thus opening further opportunities for cytogenetic investigation also in other species.

This study was supported by CISIA-VARIGEAV project, National Research Council (CNR) of Italy