

This is the author's manuscript



\$SHU72 \$UFKLYLR , VWLWX]LRQDOH 2SHQ \$FFHVV GHOO 8QLY

attice dynamics and thermophysical properties o $\,$ h.c.p. $\,$ e and $\,$ Tc $\,$ rom the $\,$ uasi-harmonic appro $\,$ imation

Original Citation:	
Availability: This version is availablettp: hdl.handle.net since T : :	
Published version: DOI:10.1002/pssb.201700101 Terms of use:	
Open Access \$Q\RQH FDQ IUHHO\ DFFHVV WKH IXOO WH[W RI ZRUNV PDGH DYDLODEOH	Н

(Article begins on next page)



UNIVERSITÀ DEGLI STUDI DI TORINO

The final publication is available at Springer via http://dx.doi.org/(10.1007/s10577-014-9435-7)

Cytogenetic survey in autochthonous endangered animal breeds reared in Campania region (Southern Italy): an up-date

<u>A. Perucatti</u>¹, A. Iannuzzi¹, V. Genualdo¹, A. Pauciullo¹, L.Pucciarelli, V. Scopino¹, F. Ciotola³, G. Galiero⁴, V. Peretti², D. Di Berardino⁵, L. Iannuzzi¹ (angela.perucatti@ispaam.cnr.it)

¹National Research Council (CNR) of Italy, ISPAAM, Lab. Animal Cytogenetics and Gene Mapping, Naples, Italy; ²Dept. Vet. Medicine Animal Production, University of Naples "Federico II", Naples; ³Dep. Health Science, University Magna Graecia, Catanzaro, Italy; ⁴Istituto Zooprofilattico Sperimentale del Mezzogiorno (IZSM), Portici, Italy; ^dDep. of Soil, Plant, Environment and Animal Production Sciences, University of Naples "Federico II", Portici, Italy.

In the Rural Development Plan RDP 2007-2013, Misura 214, e2, project RARECa of Campania (Southern-Italy), three different Institutions (CNR, University of Naples and IZSM) are involved to study, characterize and valorise some autochthonous endangered animal breeds raised in Campania Region. In this report an up-data on the cytogenetic analyses we performed in **horse** (Napoletano, Salernitano and Persano breeds), cattle (Agerolese breed), pig (Casertana breed), **sheep** (Laticauda and Bagnolese breeds) and **goat** (Cilentana breed) are reported. Up to now, upon 63 Agerolese cattle four females (6.3%) were found to be carriers of: (a) rob(1;29) (2 animals), rcp(11;25) and (c) a case of partial monosomy and (2n=60,XX,t(11;25)(g11;g14-21). All examined horses (34 animals) from Napoletana (14) and Salernitana (20) breeds showed normal karyotypes. Concerning the Laticauda sheep (46) animals), two females were found to be carriers of two new reciprocal translocations while Bagnolese sheep breed (32 animals) and Cilentana goat breed (12 animals) showed normal karyotypes. Furthermore, in Casertana pig breed 52 animals were examined and resulted with normal karyotype.

Acknowledgements. This study was supported by the Rural Development Plan under the Project (PSR, Misura 214, e2 of Campania region, "Razze Autoctone a Rischio di Estinzione della Regione Campania – RARECa")