

- 50) Mei-Dan OM, Mann G, Mafulli N. Platelet-rich plasma: any substance into it? *Br J Sports Med* 2010; **44**: 618-9.
- 51) Orimo CP, Hiyamuta E, Arahata K, Sugita H. Analysis of inflammatory cells and complement C3 in bupivacaine-induced myonecrosis. *Muscle Nerve* 1991; **14**: 515-20.
- 52) Drago JL, Braun HJ, Durham JL, et al. Comparison of the acute inflammatory response of two commercial platelet-rich plasma systems in healthy rabbit tendons. *Am J Sports Med* 2012; **40**: 1274-81.
- 53) Asfaha S, Cenac N, Houle S, et al. Protease-activated receptor-4: a novel mechanism of inflammatory pain modulation. *Br J Pharmacol* 2007; **150**: 176-85.
- 54) Aspenberg P, Virchenko O. Platelet concentrate injection improves Achilles tendon repair in rats. *Acta Orthopaed Scand* 2004; **75**: 93-9.
- 55) Everts P, Mahoney C, Hoffmann J. Platelet-rich plasma preparation using three devices: Implications for platelet activation and platelet growth factor release. *Growth Factors* 2006; **24**: 165-71.
- 56) Volpi P, Quaglia A, Schoenhuber H et al. Growth factors in the management of sport-induced tendinopathies: results after 24 months from treatment. A pilot study. *J Sport Med Phys Fitness* 2010; **50**: 494-500.

Arrived: 28 November 2012 - Revision accepted: 12 March 2013

Correspondence: Paolo Borrione
Department of Health Sciences
University of Rome "Foro Italico"
Piazza Lauro de Bosis 15
00194 Rome, Italy
e-mail: paolo.borrione@uniroma4.it

© SIMTI Servizi Srl