

Holistic User Models for Cognitive Disabilities: Personalized Tools for Supporting People with Autism in the City

Amon Rapp
Department of Computer Science
University of Torino
Italy
amon.rapp@gmail.com

Federica Cena
Department of Computer Science
University of Torino
Italy
federica.cena@unito.it

Claudio Mattutino
Department of Computer Science
University of Torino
Italy
claudio.mattutino@unito.it

Alessia Calafiore
Department of Computer Science
University of Torino
Italy
alessia.calafiore@unito.it

Claudio Schifanella
Department of Computer Science
University of Torino
Italy
schi@di.unito.it

Elena Grassi
Department of Computer Science
University of Torino
Italy
elena.grassi@unito.it

Guido Boella
Department of Computer Science
University of Torino
Italy
guido.boella@unito.it

ABSTRACT

This paper presents a personalized interactive map aimed at supporting people with Autism Spectrum Disorder (ASD) in their daily transfers within urban environments. To this end, it aims to model a “complete” representation of the ASD individual by merging a variety of information in a unique user model. Moreover, it exploits crowdsourcing mechanisms to enrich the representation of places that may be considered “safe” by ASD people. As a result, the system is specifically designed for helping them manage stress originated by breakdowns from “spatial routines”, by providing recommendations about safe places to reach and giving personalized tools to manage unexpected events.

CCS CONCEPTS

Human-centered computing → Ubiquitous and mobile computing
→ Ubiquitous and mobile computing systems and tools

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from Permissions@acm.org.

UMAP'18 Adjunct, July 8–11, 2018, Singapore.

© 2018 Copyright is held by the owner/author(s). Publication rights licensed to ACM. ACM ISBN 978-1-4503-5784-5/18/07...\$15.00
<https://doi.org/10.1145/3213586.3226220>

KEYWORDS

Adaptive support, recommender systems, assistive technologies, maps, autism, real world user model, holistic user model.

ACM Reference Format:

A. Rapp, F. Cena, C. Mattutino, A. Calafiore, C. Schifanella, E. Grassi, and G. Boella. 2018. Holistic User Models for Cognitive Disabilities: Personalized Tools for Supporting People with Autism in the City. In UMAP'18 Adjunct: 26th Conference on User Modeling, Adaptation and Personalization Adjunct, July 8–11, 2018, Singapore, Singapore. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/3213586.3226220>

1 INTRODUCTION

In an era of connected technologies, smart cities have the potential to be built to respond to our needs [9]. However, currently cities are designed mainly having needs of “normal” persons in mind. This is a big obstacle for those with some disabilities, both physical and cognitive. While in relation to mobility some attempts to address physical issues have been done [10], cognitive disabilities are still unexplored. On the one hand, the lack of information about the urban environment and its accessibility (from both the physical and cognitive point of view) represents a barrier. On the other hand, the ways we represent the urban environments to give people advice for their daily movements, namely the maps, are cognitive representations of space. Even though maps are allegedly considered a form of scientific knowledge, the same “space” can be represented in diverse ways. Kevin Lynch emphasized that

human cognition affects how we represent spatial areas and urban landmarks. From this point of view, having different cognitive skills might impact how we appraise the city environment, and consequently people with cognitive disabilities may need diverse representation modalities for receiving support. A category of people with peculiar cognitive abilities is that of persons affected by ASD (Autistic Spectrum Disorder). ASD is widely considered a health problem, with currently 1 in 68 children affected by ASD in United States [21]. ASD individuals have problems in communication, attention, practical skills, and interacting with others, being keen on withdrawing from the social world. They also tend to be engaged in a reduced range of interests, as well as have the need to find reassurance in rigid habits, consequently being unable to manage unexpected events. Moreover, ASD people manifest different forms of (dis)abilities, where limitations may range from multiple impairments to no precise cognitive deficits: even within similar levels of skills, the ways ASD affects behavior, perception, and interests widely vary making a one-size-fits-all technology approach not viable [17]. Nevertheless, personalized technologies for autism are still difficult to find [34].

To understand ASD individuals' needs about daily movements, we started from a series of semi-structured interviews [28] addressed to explore their daily "spatial habits", the landmarks they considered important in their city, and their peculiar modalities of representing the urban spaces. Results highlighted that ASD individuals have fixed routines in terms of daily movements, whereby unexpected events may lead to anxiety. Other findings pointed out their willingness of visiting places that have "safe" characteristics. Such characteristics appeared to be highly idiosyncratic.

This has been confirmed by a series of twenty further interviews, where we precisely explored the features that places need to have to be perceived as safe by an ASD person. The findings confirmed literature results, by highlighting that ASD people feel uncomfortable in places that elicit high sensory stimulation [30]. However, the results pointed out that each ASD individual shows her own aversions, and there are no places' characteristics that may reassure the whole ASD population. For example, P4 stressed that she mostly ignores the visual aspects of a place, such as strong lights, rather being negatively influenced by noises and voices, entailing a strong avoidance of trafficked streets and crowded places. On the contrary, P7 highlighted that she avoids silent environments, being also negatively influenced by their narrowness. In sum, the safe nature of a place is a matter of idiosyncratic dispositions that require tailored interventions.

PIUMA (Personalized Interactive Urban Maps for Autism) project has the goal of developing a set of personalized solutions that account for the ASD individuals' idiosyncrasies helping them move across the city where they live, and of improving their autonomy when moving and managing everyday activities.

More precisely, the project aims at creating a "complete" representation of the ASD user as well as of the urban environments in which she moves, by merging heterogeneous data coming from mobile phones, wearable sensors,

crowdsourcing, and open data. It gives a technology-enabled orientation support to adult individuals with medium (who may present moderate-impaired cognitive skills), or high functioning autism (who present normal mental abilities), or with Asperger's Syndrome (now categorized as a form of ASD in the DSM-5¹).

PIUMA supports such people in their daily movements within urban environments, helping them manage anxiety and stress originated by routine breakdowns and unfamiliar situations. It provides an interactive map that is i) personalized, i.e., able to provide just-in-time recommendations about "Safe" Point-of-Interests (SPOIs) according to users' preferences for and aversions to places' sensory characteristics; ii) assistive, i.e., capable of enabling tools (e.g. a direct call to a caregiver or an alternative path to be followed) tailored to the user's cognitive skills, as well as her "external" context (e.g. what the user is doing) and her "internal" states (e.g. her level of anxiety and stress) in case of routine breakdowns; iii) crowdsourced, i.e., enriched with comments and reviews by people with ASD and their caregivers.

2 RELATED WORK

Computer-based interventions are particularly promising for helping ASD people, since their particular affinity to technology [27], entailing the use of interactive tools for supporting their social communications [1], emotion recognition [15], and learning [37]. Nevertheless, most of these works focus on ASD children [3, 11], leaving apart autistic adults. PIUMA instead addresses the specific needs of ASD adults. Moreover, technological interventions mostly preferred to address social behavior issues [29]. PIUMA aims at supporting them in their everyday transfers and tasks. Finally, technological interventions often treated ASD deficits in artificial environments, making the transfer of improvements gained during the treatment to the real world difficult [15, 36]. We propose, instead, a set of tools integrated into their daily environments.

One of the main goals of PIUMA is to provide personalized instruments to ASD adults. Applications exploring the adoption of personalization strategies for ASD users are mostly related to the educational domain [23], for example [19] is a personalized e-learning system exploiting semantic web technologies, and [24], is an adaptive Web-based application for supporting autistic students in succeeding in university studies.

The idea of providing ASD people with tailored recommendations is investigated by Hong et al. [18], who proposed a social network aiming at increasing the independence of young adults with autism. Differently from this work, which is mainly based on crowd-based suggestions, our approach merges diverse data about the ASD person to better drive the personalization and support process. The effectiveness of personalization in this domain has been shown by Khosla et al. who investigated the impact of an adaptive humanoid robot

¹ Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition

able to change its behavior (voice tone, expressions) on the basis of the ASD individuals' activity patterns and preferences [20].

As to spatial support, commonly, crowdsourced maps allow for reviewing the physical accessibility of specific POIs, such as Wheelmap² [5, 10]), and RouteCheckr [37] and mPass [26]. Finally, there is research in the field route recommendation, which consider both user and context model [13, 14, 22, 32, 35], but no applications focuses on recommending POIs and routes that are perceived as safe by people with certain cognitive disabilities.

3 A “HOLISTIC” USER REPRESENTATION

PIUMA supports ASD people's everyday activities and movements (home-relatives, home-work, etc.) by providing tailored helps to face breakdowns from routines. In this perspective, such support is personalized not only according to the user's preferences and interests, but also taking into account her aversions towards sensorial modalities, in order to provide comfortable “safe” POIs, as less annoying as possible. Moreover, personalized support is provided according to the user's current level of stress and anxiety, as well as her current situation.

In PIUMA, the ASD individual is represented by a user model which aims to capture different aspects of her cognition [6], affects, and habits, according to the Real World User Model perspective, which stresses the opportunities for exploiting the data coming from the “real world” (e.g. not just from the web) to build a “complete” representation of the user [7]. The user model contains both short-term and long-term information:

i) *Cognitive status and skills*: this part embraces all the information related to the user's momentary cognitive status (e.g. her level of attention) and her cognitive skills assessed over time (e.g. her difficulties in reading verbal instructions when the light is too strong, which will lead the system to adapt the user interface according to the environmental features, e.g. by providing audio instructions)

ii) *Spatial activities and habits*: this part contains information about where the user is in a specific moment and the path she is following (where she is coming from and where she is directed), as well as her patterns of movement over time in order to detect her “spatial routines” (e. the places and the paths she finds reassuring) and recognize interruptions of such routines (e.g. the system recognizes that the user cannot take the usual bus line due to a strike and provides an alternative path based on routes that she already knows).

iii) *Affects*: this part models data about the current emotional status of the user, by leveraging wearable technologies to detect e.g. the level of anxiety through the monitoring of the heart rate, or by automatically recognizing anomalies in her movements, exploiting the smart phone's sensors (e.g., identifying wandering, or prolonged stays in the same place, which may point to a state of confusion and loss of orientation)

iv) *Interests and aversions*: this part of the user model contains all the data related to the user's attitude towards places, e.g. the sensorial characteristics that negatively impact on her sense of comfort about a place and those that instead make her feel “safe”. At present, the information about the user's aversions is acquired by explicitly asking the user to rate those aspects that she bears less in a given environment, chosen among those that emerged as most stressful during the interviews: quite/noisy, isolated/crowded, cold/warm, narrow/big, bright/dark. Further, data about user's preferences of specific categories of places are collected by asking her to rate from 0 to 4 some photos representing important categories of “urban daily living” (e.g., restaurants, bars, libraries, parks,), extracted from OpenStreetMap³. However, we plan to acquire such information by exploiting Facebook Graph API⁴, which allows developers to access information about check-ins and likes about places.

Such a representation of the user is used to recommend POIs according to the current context (e.g. GPS coordinates). For example, if the bus line the user commonly takes is canceled for any reason, the system will provide her with suggestions about how to reach the target place (e.g. suggesting an alternative “safe” path), or recommendations about alternative “safe” places to be reached, or a communication channel with a caregiver who can provide help. Such spatial support is personalized on the basis of the user's preferences (what she likes and dislikes, for example by recommending a less crowded route if she does not like other people), habits and current emotional status (e.g., thanks to wearable sensors that detects the level of arousal or stress).

4 REPRESENTING SAFE PLACES USING OPEN DATA AND CROWDSOURCED DATA

In case of a routine breakdown, which may yield a state of stress, the system can suggest an alternative “safe” path to reach the target place, or an alternate “safe” POI to be reached, according to the user's preferences. A safe POI is defined as a reference point location identifiable and/or reachable in case of user's reorientation is in need, being familiar for her, comfortable (e.g., not too noisy, according to the idiosyncratic user's sensory dispositions), and easy to reach (visible and well placed: e.g., no crossings needed, clear and accessible entrance from the street, etc.).

These POIs include both places that the user already knows and appreciated in the past, and new places suggested by the recommendation engine, based on crowdsourced information provided by other people through the interaction with the map. We exploit open data made available by web sites like OpenStreetMap and public administrations (Municipality of Torino⁵ and Regione Piemonte⁶) in order to gather information about the typology and “quality” of the places on the map (for

² <http://wheelmap.org/en/>

³ <http://openstreetmap.org>

⁴ <https://developers.facebook.com/docs/graph-api>

⁵ <http://aperto.comune.torino.it>

⁶ <http://www.dati.piemonte.it>




Figure 1. The crowdsourced map

example, to know where the open markets, schools, pedestrian, road works are, as well as the level of traffic in the main streets).

However, these data are often incomplete and, more important, they do not contain information about those perceptual features that ASD individuals consider essential to define a place as safe, as we have seen in the interviews. Thus, in order to have this crucial information to define a place as safe, in PIUMA we decided to exploit also a crowdsourcing mechanism, allowing people to provide rates, comments, and reviews about places. These reviews can be given by people with ASD and their caregivers, and by anyone wishing to contribute to the improvement of ASD people's lives. In order to collect these data, we then developed an interface embedded in the map⁷, where the user can rate through a slider a place with reference to the following five features: i) level of noise; ii) level of crowding, iii) temperature, iv) level of brightness, v) spaciousness. Moreover, she may comment on the "comfort" of the place. All these data, which aim to model all the places of potential interest for ASD individuals, is then used to provide personalized recommendations about the safe place to reach according to the user's preferences and aversions.

The implementation of the crowdsourcing mechanism is based on FirstLife⁸, a social network made of interactive maps (see fig.1). The interactive map is built on AngularJS, Ionic, Leaflet and OpenStreetMap. FirstLife is a flexible platform that can be adapted to different aims. Its architecture is composed of an interactive geographical map-based interface as a frontend and a backend aimed at managing and searching geographical data. It allows to insert and manage different kinds of POIs directly from the map, and supports crowdsourced data collection. The same rationale is followed for the definition of "safe" paths, i.e., paths that satisfy the perceptual needs of ASD people. So, for example, for those who are inclined to avoid

noisy places, trafficked routes are not selected, as well as routes near schools, hospitals, or shopping areas, marketplaces, road works. To have this information, we merge tags and annotations in OpenStreetMap open data made available by the Municipality of Torino with ASD people comments. A detailed description of this part goes beyond the scope of this paper.

5 CONCLUSION

With the recent advancements in ubiquitous and wearables technologies, the amount and type of data that can be gathered about users and used to build user models are expanding. User model can now be enriched with data regarding different aspects of people's everyday lives. All these changes bring novel opportunities for personalization. We think that this enriched user model can particularly benefit people with special needs and abilities, such as people with ASD, as well as individuals affected by Alzheimer's disease, spatial agnosia, and mild cognitive impairment. In fact, to provide useful recommendations to such individuals, we need many different information, much more than that needed for "neurotypical" individuals. Traditional information about interests and preferences should necessary be combined with aversions, habits, idiosyncrasies, cognitive skills and abilities, as well as emotions felt in a particular situation. Thanks to such information it would be possible to avoid providing wrong suggestions, which in this case could have critical effects of the person, given her "fragility", causing for example stress and anxiety, or irritation and anger with unpredictable consequences. Moreover, all these data may be used to enrich the notion of user similarity used in Collaborative Filtering, where it commonly only depends on having rated the same items similarly. Here, this notion could become a wider concept, including similar aversions, habits, movement patterns, etc.. This would allow for the delivery of more tailored suggestions on the basis of "holistic" similarities, i.e., similarities based on multiple characteristics [8].

⁷ <http://www.maps4all.firstlife.org>

⁸ <http://www.firstlife.org>

ACKNOWLEDGMENTS

This work is supported by the COMPAGNIA di SAN PAOLO foundation, Member of the European Foundation Centre. Thanks to Michele Vaiano, Luca Leone, Romina Castaldo, and Stefania Brighenti for their contribution to the work.

REFERENCES

- [1] LouAnne E. Boyd, Alejandro Rangel, Helen Tomimbang, Andrea Conejo-Toledo, Kanika Patel, Monica Tentori, and Gillian R. Hayes. 2016. SayWAT: Augmenting Face-to-Face Conversations for Adults with Autism. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16). ACM, New York, NY, USA, 4872-4883.
- [2] Benoît Bossavit and Sarah Parsons. 2016. "This is how I want to learn": High Functioning Autistic Teens Co-Designing a Serious Game. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16). ACM, New York, NY, USA, 1294-1299.
- [3] Sofiane Boucenna, Antonio Narzisi, Elodie Tilmont, Filippo Muratori, Giovanni Pioggia, David Cohen, Mohamed Chetouani. 2014 Interactive Technologies for Autistic Children: A Review. *Cognitive Computation*, 6, 722-740.
- [4] R. D. Burke. 2002. Hybrid recommender systems: Survey and experiments. In: *User Modeling and User-Adapted Interaction*, Springer.
- [5] Carlos Cardonha, Diego Gallo, Priscilla Aveglano, Ricardo Herrmann, Fernando Koch, and Sergio Borger. 2013. A crowdsourcing platform for the construction of accessibility maps. In Proceedings of the 10th International Cross-Disciplinary Conference on Web Accessibility (W4A '13). ACM, New York, NY, USA, Article 26, 4 pages. DOI=<http://dx.doi.org/10.1145/2461121.2461129>
- [6] Federica Cena, Silvia Likavec, and Amon Rapp. 2015. Quantified Self and Modeling of Human Cognition. In Adjunct Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2015 ACM International Symposium on Wearable Computers (UbiComp/ISWC'15 Adjunct). New York: ACM, 1021-1026. doi:10.1145/2800835.2800954
- [7] Federica Cena, Silvia Likavec, and Amon Rapp. 2018. Real World User Model: Evolution of User Modeling Triggered by Advances in Wearable and Ubiquitous Computing. *Information Systems Frontiers*.
- [8] Federica Cena, Amon Rapp and Claudio Mattutino. 2018. Personalized Spatial Support for People with Autism Spectrum Disorder. In Adjunct Proceedings of the 25th Conference on User Modeling, Adaptation and Personalization (UMAP'18). ACM.
- [9] Hafedh Chourabi, Taewoo Nam, Shawn Walker, J. Ramon Gil-Garcia, Sehl Mellouli, Karine Nahon, Theresa A. Pardo, and Hans Jochen Scholl. 2012. Understanding smart cities: an integrative framework. In *Proceedings of the 45th IEEE Hawaii International Conference on System Sciences (HICSS '12)*.
- [10] Sara Comai, S., Kayange, D., Mangiarotti, R., Matteucci, M., Ugur Yavuz, S. & Valentini, F., Mapping city accessibility: review and analysis. *Studies Health Technology and Informatics*, 217, pp. 325–331, 2015
- [11] Geraldine Dawson, and Karen Burner. 2011. Behavioral interventions in children and adolescents with autism spectrum disorder: a review of recent findings. *Current opinion in pediatrics*, 23(6), 616-620.
- [12] Christopher Frauenberger, Julia Makhavaeva, and Katharina Spiel. 2016. Designing Smart Objects with Autistic Children: Four Design Exposés. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16). ACM, New York, NY, USA, 130-139.
- [13] Ander Garcia, Olatz Arbelaitz, Maria Teresa Linaza, Pieter Vansteenwegen, and Wouter Sou.riau. 2010. Personalized Tourist Route Generation. In Proceedings of the 10th International Conference on Current Trends in Web Engineering (ICWE'10). Springer-Verlag, Berlin.
- [14] Damianos Gavalas, Michael Kenteris, Charalampos Konstantopoulos, and Grammati Pantziou. 2012. Web application for recommending personalised mobile tourist routes. *Software, IET* 6, 4 (2012), 313–322.
- [15] Ofer Golan, Emma Ashwin, Yael Granader, Suzy McClintock, Kate Day, Victoria Leggett, Simon Baron-Cohen. 2010. Enhancing emotion recognition in children with autism spectrum conditions: an intervention using animated vehicles with real emotional faces. *Journal of autism and developmental disorders* 40, 3 (2010), 269–279.
- [16] Francesca Happé, Uta Frith. 2006. The weak coherence account: detail-focused cognitive style in autism spectrum disorders. *J. of Autism and Developmental Disorders*, 36(1): 5-25.
- [17] R. Peter Hobson. 1995. Autism and the development of mind. Psychology Press. 10
- [18] Hong, Hwajung, et al. 2012. Designing a social network to support the independence of young adults with autism. ACM CSWC12
- [19] M. V. Judy, U. Krishnakumar and Hari Narayanan. 2012. Constructing a personalized e-learning system for students with autism based on soft semantic web technologies. 2012 IEEE International Conference on Technology Enhanced Education (ICTEE), Kerala, 2012, pp. 1-5. doi: 10.1109/ICTEE.2012.6208625
- [20] Rajiv Khosla, Khanh Nguyen and Mei-Tai Chu. 2015. Service personalisation of assistive robot for autism care. IECON 2015 - 41st Annual Conference of the IEEE Industrial Electronics Society, Yokohama, 2015, pp. 002088-002093. doi: 10.1109/IECON.2015.7392409
- [21] Leigh J. P., Du J. 2015. Brief Report: Forecasting the Economic Burden of Autism in 2015 and 2025 in the United States. *J Autism Dev Disord*. 2015 Dec; 45(12), 4135-4139
- [22] Kwan Hui Lim, Jeffrey Chan, Christopher Leckie, and Shanika Karunasekera. 2015. Personalized tour recommendation based on user interests and points of interest visit durations. In Proceedings of the 24th International Conference on Artificial Intelligence (IJCAI'15), Qiang Yang and Michael Wooldridge (Eds.). AAAI Press 1778-1784.
- [23] Joseph Mintz and Morten Aagaard . 2012. The application of persuasive technology to educational settings. *Educational Technology Research and Development* 60(3) 483-499
- [24] Alejandro Montes García, Natalia Stash, Marc Fabri, Paul De Bra, George H. L. Fletcher, Mykola Pechenizkiy. 2016. Adaptive web-based educational application for autistic students. Published in: *Extended Proceedings of Hypertext 2016*, Halifax, Canada. <http://ceur-ws.org/Vol-1628/Demo1.pdf>
- [25] Michael J. Pazzani - Daniel Billsus. 2007 *Content-Based Recommendation Systems*, Springer.
- [26] Catia Prandi, Paola Salomoni, Silvia Mirri. 2014. mPASS: integrating people sensing and crowdsourcing to map urban accessibility. 2014 IEEE 11th Consumer Communications and Networking Conference (CCNC), Las Vegas, NV, 2014, pp. 591-595.
- [27] Sathiyaprakash Ramdoss, Wendy Machalick, Mandy Rispoli, Austin Mulloy, Russell Lang, and Mark O'Reilly. 2012. Computer-based interventions to improve social and emotional skills in individuals with autism spectrum disorders: A systematic review. *Developmental Neurorehabilitation* 15, 2 (2012), 119–135. DOI:<http://dx.doi.org/10.3109/17518423.2011.651655>
- [28] Amon Rapp, Federica Cena, Guido Boella, Alessio Antonini, Alessia Calafiore, Stefania Buccoliero, Maurizio Tirassa, Roberto Keller, Romina Castaldo, and Stefania Brighenti. 2017. Interactive Urban Maps for People with Autism Spectrum Disorder. In Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '17). ACM, New York, NY, USA, 1987-1992. DOI: <https://doi.org/10.1145/3027063.3053145>
- [29] Amon Rapp, Federica Cena, Maurizio Tirassa, Guido Boella, Alessia Calafiore, and Roberto Keller. (2017). Tracking personal movements in urban environments: personalized maps for people with autism spectrum disorder. In Proceedings of the 2017 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2017 ACM International Symposium on Wearable Computers (UbiComp '17). New York: ACM, 883-886. DOI: <https://doi.org/10.1145/3123024.3125507>.
- [30] Kathryn E. Ringland, Christine T. Wolf, Heather Faucett, Lynn Dombrowski, and Gillian R. Hayes. 2016. "Will I always be not social?": Re-Conceptualizing Sociality in the Context of a Minecraft Community for Autism. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16). ACM, New York, NY, USA, 1256-1269.
- [31] Ashley E. Robertson and David R. Simmons. 2013. The Relationship between Sensory Sensitivity and Autistic Traits in the General Population *Journal of Autism and Developmental Disorder*, 43: 775. <https://doi.org/10.1007/s10803-012-1608-7>
- [32] Christian Samsel, Karl-Heinz Krempel, and Gerrit Garbereder. 2016. Personalized, Context-aware Intermodal Travel Information. In Proceedings of the 12th International Conference on Web Information Systems and Technologies, WEBIST 2016, Rome, Italy, April 23-25, 2016, Vol. 2. SCITEPRESS, 148–155. DOI: <http://dx.doi.org/10.5220/000585501480155>
- [33] J. Ben Schafer, Dan Frankowski, Jon Herlocker and Shilad Sen. 2003. Collaborative Filtering Recommender Systems, Springer.
- [34] Will Simm, Maria Angela Ferrario, Adrian Gradinar, Marcia Tavares Smith, Stephen Forshaw, Ian Smith, and Jon Whittle. 2016. Anxiety and Autism: Towards Personalized Digital Health. In Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16). ACM, New York, NY, USA, 1270-1281. DOI: <https://doi.org/10.1145/2858036.2858259>
- [35] Gytis Tumas and Francesco Ricci. 2009. Personalized Mobile City Transport Advisory System. In *Information and Communication Technologies in Tourism 2009: Proceedings of the International Conference in Amsterdam, e Netherlands, 2009*, Wolfram H'opken, Ulrike Gretzel, and Rob Law (Eds.). Springer Vienna, Vienna, 173–183. DOI:http://dx.doi.org/10.1007/978-3-211-93971-0_15
- [36] Catalin Voss, Nick Haber, Peter Washington, Aaron Kline, Beth McCarthy, Jena Daniels, Azar Fazel, Titas De, Carl Feinstein, Terry Winograd, Dennis Wall. 2016. Designing a Holistic At-Home Learning Aid for Autism. CHI'16 Workshop Proceedings.
- [37] Thorsten Völkel and Gerhard Weber. 2008. RouteCheckr: personalized multicriteria routing for mobility impaired pedestrians. In Proceedings of the 10th international ACM SIGACCESS conference on Computers and accessibility (Assets '08). ACM, New York, NY, USA, 185-192.