

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

Editorial of the Special Issue on the Mechanics of Extreme Materials

This is a pre print version of the following article:

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/1717975> since 2019-11-29T22:26:19Z

Published version:

DOI:10.1007/s11012-019-01065-5

Terms of use:

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

MECHANICS OF EXTREME MATERIALS

Editorial

Federico Bosia . Massimiliano Fraldi . Nicola M. Pugno

Published online: 17 October 2019

Springer Nature B.V. 2019

This Special Issue discusses some recent advances in the field of “extreme” materials, where with this term we wish to refer to the unprecedented physical, mechanical, thermal, optical and electrical characteristics achieved in many fields of materials science exploiting novel fabrication techniques, material systems (including nanomaterials), nano- or-micro-structuring, or bioinspired processes such as self-healing.

Materials that exhibit complex microstructures or hierarchically organized architectures at different scales have recently attracted wide interest in the scientific community as well as in industry because their macroscopic mechanical and, more in general, physical performance, can be drastically and sometimes unexpectedly enhanced.

At nanoscale, Graphene has emerged in the past years as the most promising extreme material due to its exceptional strength. Lee et al. [1] discuss the

F. Bosia

Department of Physics and “Nanostructured Interfaces and Surfaces” Inter-Departmental Centre, Università di Torino, Via P. Giuria 1, 10125 Turin, Italy

M. Fraldi

Department of Structures for Engineering and Architecture, University of Napoli Federico II, Napoli, Italy

N. M. Pugno (&)

Laboratory of Bio-Inspired and Graphene
Nanomechanics, Department of Civil, Environmental and
Mechanical Engineering, Universita` di Trento, via
Mesiano 77, 38123 Trento, Italy
e-mail: nicola.pugno@unitn.it

N. M. Pugno
School of Engineering and Materials Science, Queen
Mary University of London, Mile End Road,
London E1 4NS, UK

N. M. Pugno
Fondazione E. Amaldi, Ket Lab, Via del Politecnico snc,
00133 Rome, Italy
123

Meccanica (2019) 54:1911–1913

[https://doi.org/10.1007/s11012-019-01065-5\(0123456789\(\).,-volV\(\) 0123458697\(\).,-volV](https://doi.org/10.1007/s11012-019-01065-5(0123456789().,-volV() 0123458697().,-volV)

conditions for stable crack growth in Graphene using
atomistic simulations, highlighting the dependence on
crack tip sharpness. Also at nanoscale, the functionality
of proteins in biology is linked to their vibration
modes. Scaramozzino et al. [2] present a new method
to predict low frequency vibrations using coarsegrained
finite element space truss model, validating
their model with experimental data and other widely
used methods such as the anisotropic network model.
Another important topic in biomechanics is the
modelling of tumor growth: in [3], the authors discuss
the effect of high mechanical stresses on a tumor mass,
modelled as a hyperelastic sphere undergoing finite
heterogeneous growth, showing how this can lead to
remodeling, growth-induced stiffening and development
of heterogeneity, with local auxetic material
properties, all of which can explain the experimentally

observed phenomenology.

An intriguing bioinspired characteristic which is being investigated in the quest for extreme materials is the ability of self-healing. Perepelkin et al. [4] discuss how this can be achieved in soft polymeric materials, demonstrating experimentally the viscoelastic and self-healing behavior of a recently synthesized polyurethane material. Future extreme materials will also be reliant on actuating elements: a mathematical formalism to describe the behavior of electrically activated soft dielectric transducers is presented in [5].

In all bioinspired extreme materials, internal structure plays a decisive role. The paper by Rueger et al. [6] discusses the nonclassical elastic effects in torsion and bending emerging in materials exhibiting a lattice type microstructure, and how they can be described through the theory of Cosserat elasticity. These effects are highlighted through experiments on 3-D printed samples, and the length dependence predicted by the theory is verified. In [7], the authors investigate another type of extreme effect deriving from microstructure, i.e. auxeticity combined with elastic wave band gap formation. The numerical optimization of these types of structures leads to chiral and antichiral layouts with negative Poisson's ratio and full band gaps, which could be exploited for tunable waveguides and phononic crystals.

Another type of extreme mechanical properties derives from the possibility of achieving tunability of material parameters. In [8], a periodic square tensegrity architecture is exploited to achieve an optimized design with minimal mass with small shear stiffness,

opening the way for new materials with force-tunable shear modulus.

At various size scales, periodicity, heterogeneity and architecture contribute in determining extreme dynamic characteristics in elastic or acoustic metamaterials, with effects such as band gaps, negative refraction, focusing or cloaking. On this topic, Bacigalupo et al. [9] discuss the possibility of creating acoustic waveguide filters using an infinite stack of periodic massive blocks connected by elastic joints, determining stop bands in the ultra-low frequency range. Instead, in [10], the authors introduce the concept of inertial amplified resonators as building blocks for metasurfaces with tunable bandgap properties.

This special issue is a collection of key papers presented at the AIMETA 2017 conference in the minisymposium on Mechanics of Extreme Materials organized by the Guest Editors, and also includes—by invitation only—other related key contributions. It aims to provide further insight into the possibilities open to researchers to design and fabricate materials with novel mechanical properties, both in the static and dynamic range, bridging some of the gaps remaining in the fundamental understanding of the behavior of these extreme materials and providing indications on how to optimize their desirable characteristics.

References

1. Lee S, Pugno N, Ryu S (2019) Atomistic simulation study on the crack growth stability of graphene under uniaxial tension and indentation. *Meccanica*. <https://doi.org/10.1007/s00167-019-0181-1>

1007/s11012-019-01027-x

2. Scaramozzino D, Lacidogna G, Piana G et al (2019) A finite-element-based coarse-grained model for global protein vibration. *Meccanica*. <https://doi.org/10.1007/s11012-019-01037-9>

3. Carotenuto AR, Cutolo A, Palumbo S, Fraldi M (2019) Growth and remodeling in highly stressed solid tumors. *Meccanica*. <https://doi.org/10.1007/s11012-019-01057-5>

4. Perepelkin N, Martin-Martinez J, Kovalev A et al (2019) Experimental testing of self-healing ability of soft polymer materials. *Meccanica*. <https://doi.org/10.1007/s11012-019-00965-w>

5. Volpini V, Bardella L, Gei M (2019) A note on the solution of the electro-elastic boundary-value problem for rank-two laminates at finite strains. *Meccanica*. <https://doi.org/10.1007/s11012-019-00974-9>

123

1912 *Meccanica* (2019) 54:1911–1913

6. Rueger Z, Ha C, Lakes R (2019) Cosserat elastic lattices. *Meccanica*. <https://doi.org/10.1007/s11012-019-00968-7>

7. Bruggi M, Corigliano A (2019) Optimal 2D auxetic microstructures with band gap. *Meccanica*. <https://doi.org/10.1007/s11012-019-00981-w>

8. De Tommasi D, Puglisi G, Trentadue F (2019) Tunable shear stiffness in a metamaterial sheet. *Meccanica*. <https://doi.org/10.1007/s11012-019-00994-5>

9. Bacigalupo A, Gambarotta L, Lepidi M et al (2019) Acoustic waveguide filters made up of rigid stacked materials with elastic joints. *Meccanica*. <https://doi.org/10.1007/s11012-019-00959-8>

10. Zeighami F, Palermo A, Marzani A (2019) Inertial amplified resonators for tunable metasurfaces. *Meccanica*. <https://doi.org/10.1007/s11012-019-00959-8>

doi.org/10.1007/s11012-019-01020-4

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

123

Meccanica (2019) 54:1911–1913 1913