



UNIVERSITÀ DEGLI STUDI DI TORINO

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

## Micro-invasive study of a 15th century Armenian manuscript: first identification of lac dye by means of HPLC-MS

## This is the author's manuscript Original Citation: Availability: This version is available http://hdl.handle.net/2318/1720673 since 2019-12-27T19:01:31Z Publisher: Società Chimica Italiana Terms of use: Open Access Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

## Micro-invasive study of a 15<sup>th</sup> century Armenian manuscript: first identification of lac dye by means of HPLC-MS

<u>Elisa Calà</u><sup>a</sup>, Maurizio Aceto<sup>a</sup>, Yeghis Keheyan<sup>b</sup>, Monica Gulmini<sup>c</sup>, Ambra Idone<sup>c</sup>, Patrizia Davit<sup>c</sup>, Annalisa Salis<sup>d</sup>, Gianluca Damonte<sup>d</sup>, Gayane Eliazan<sup>e</sup>, Andranik Mkrtchyan<sup>e</sup>

 <sup>a</sup> Dipartimento di Scienze e Innovazione Tecnologica, Università degli Studi del Piemonte Orientale, viale T. Michel, 11 – 15121 Alessandria, Italy; <sup>b</sup> CNR, c/o Dipartimento di Chimica, piazzale Aldo Moro, 5 - Rome, Italy; <sup>c</sup> Dipartimento di Chimica, Università degli Studi di Torino, via P. Giuria, 7 - 10125 Torino, Italy; <sup>d</sup> Center of Excellence for Biomedical Research (CEBR), University of Genoa, viale Benedetto XV, 5 - 16132 Genoa, Italy; <sup>e</sup> Department of Restoration of Ancient Manuscript Museum, Matenadaran - Mesrop Mashtots Institute of Ancient Manuscripts, Mashtotsi 62, Yerevan, Armenia; E-mail of presenting author elisa.cala@uniupo.it

The possibility of analyzing small samples taken from paintings allows obtaining interesting information that could not be gained by means of non-invasive techniques. This is particularly true for illuminated manuscripts which are fragile and precious artworks, for whom sampling is therefore usually not allowed. On such cases the knowledge of the colourants used for the miniatures is forcedly confined to the results yielded by the a poorly selective non-invasive analytical approach.

In the present case a  $15^{\text{th}}$  century Armenian illuminated manuscript held in the collection of Matenadaran ancient manuscripts Museum, in Yerevan (Armenia). The manuscript was made in a scriptorium at Aghtamar Island, in the Vaspurakan region of historic Armenia and the present investigation represent one of the very few performed on Armenian ancient manuscripts. A selection was carried out in order to obtain samples from all hues present in the miniatures and 15 micro samples (mostly < 1 mm<sup>2</sup>) were obtained. The size of the samples was suitable for performing non-destructive measurements with UV-Visible diffuse reflectance spectrophotometry with optic fibres (FORS), in order to obtain preliminary information useful for addressing further analyses. After that, Raman spectroscopy, Surface Enhanced Raman Spectroscopy (SERS), SEM-EDX and HPLC-MS were used for a complete characterization of the samples.

The combination of molecular (Raman, SERS, FORS, HPLC-MS) and elemental (SEM-EDX) techniques allowed the identification of all the pigments used in the miniatures. Natural ultramarine, indigo, cinnabar, minium and orpiment were the main pigments identified. Green hues were obtained with a mixture of indigo and orpiment, the so-called *vergaut*. Of particular interest was the identification of iron-gall ink, which in this case has been used as a pigment in the black areas of the paintings.

As to red-pink areas, preliminary FORS analysis suggested the presence of dyes from scale insects such as Kermes, Armenian cochineal, Polish cochineal or lac dye (Indian lac), whereas Mexican cochineal was excluded for historical reasons. Despite the extremely tiny size of the sample, upon hydrolysis with formic acid and HPLC-MS analysis it was possible to identify lac dye through the identification of laccaic acid A and B. Lac dye is obtained from *Kerria lacca*, a species native of Southeastern Asian countries, therefore its presence - and not that of Armenian cochineal - might seems unusual from the geographic point of view. The exhaustive molecular characterization obtained here for the organic dyes is relevant as miniature paintings are very rarely analysed with invasive techniques and such information is therefore almost totally lacking.

Interesting information was also obtained with concern to later interventions on the miniatures. Raman analysis highlighted the presence of  $20^{th}$  century pigments such as phthalocyanine blue and Naphthol Red, clearly indicating contemporary restorations.