



UNIVERSITÀ DEGLI STUDI DI TORINO

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

# Characterization of the major whey proteins from milk of Mediterranean water buffalo (Bubalus bubalis)

This is the author's manuscript
Original Citation:
Availability:
This version is available http://hdl.handle.net/2318/151433 since 2015-12-22T09:50:34Z
Published version:
DOI:10.1016/j.foodchem.2011.02.008
Terms of use:
Open Access
Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)



## UNIVERSITÀ DEGLI STUDI DI TORINO

This Accepted Author Manuscript (AAM) is copyrighted and published by Elsevier. It is posted here by agreement between Elsevier and the University of Turin. Changes resulting from the publishing process - such as editing, corrections, structural formatting, and other quality control mechanisms - may not be reflected in this version of the text. The definitive version of the text was subsequently published in *[Buffoni Jn., Bonizzi I., Pauciullo A., Ramunno L., Feligini M. (2011). Characterization of the major whey proteins from milk of Mediterranean water buffalo. Food Chemistry.* 127, 1515-1520. doi:10.1016/j.foodchem.2011.02.008].

You may download, copy and otherwise use the AAM for non-commercial purposes provided that your license is limited by the following restrictions:

(1) You may use this AAM for non-commercial purposes only under the terms of the CC-BY-NC-ND license.

(2) The integrity of the work and identification of the author, copyright owner, and publisher must be preserved in any copy.

(3) You must attribute this AAM in the following format: Creative Commons BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/deed.en), [+ *Digital Object Identifier link to the published journal article on Elsevier's ScienceDirect*® *platform* **doi:10.1016/j.foodchem.2011.02.008**]

1	Characterization of the major whey proteins from milk of Mediterranean water
2	buffalo (Bubalus bubalis)
3	
4	Joanna Natalia Buffoni <sup>a,*</sup> , Ivan Bonizzi <sup>a</sup> , Alfredo Pauciullo <sup>b</sup> , Luigi Ramunno <sup>b</sup> , Maria Feligini <sup>a</sup>
5	
6	
7	<sup>a</sup> Laboratorio Qualità dei Prodotti, Istituto Sperimentale Italiano ''Lazzaro Spallanzani'', Via
8	Einstein, località Cascina Codazza, 26900 Lodi, Italy
9	<sup>b</sup> Department of Soil, Plant, Environment and Animal Production Sciences, Agriculture Faculty,
10	University of Naples ''Federico II'', Via Università 133, 80055 Portici, Italy
11	
12	
13	
14	
15	
16	
17	*Corresponding author.
18	<i>Tel.:</i> +39 0371 35118;
19	fax: +39 0371 437070.
20	E-mail address: <u>natalia.buffoni@istitutospallanzani.it</u>
21	

## 1 Abstract

2 In this work, the whey protein fractions from 120 Mediterranean water buffalo individual milks were analysed by microchip electrophoresis (MCE), reverse-phase high-performance liquid 3 4 chromatography (RP-HPLC) and mass spectrometry (ESI-MS). Validation procedures were carried 5 out for both MCE and HPLC. The chromatographic analysis allowed the complete separation of the whey protein fractions, resulting in a well-defined peak structure; the adopted RP-HPLC and ESI-6 7 MS protocols provided identification of  $\beta$ -lactoglobulin (18,266 Da),  $\alpha$ -lactoalbumin (14,236 Da) 8 and serum albumin (66,397 Da). The calculated mean concentrations were 4.04 g/l, 2.45 g/l and 9 0.35 g/l, respectively.

10

#### 11 Keywords

12 Water buffalo milk, Whey proteins, Microchip electrophoresis, Reverse-phase high-performance,

13 liquid chromatography, Mass spectrometry

## 1. Introduction

2 Whey is a biological fluid derived from milk. It is rich in proteins and peptides which play a crucial role in the innate immunity of the progeny (Zimecki & Kruzel, 2007). The protein components of 3 4 whey include serum albumin (SA),  $\alpha$ -lactalbumin ( $\alpha$ -LA),  $\beta$ -lactoglobulin ( $\beta$ -LG) and 5 immunoglobulins (Fox, 1989). Besides, the minor proteins include lactoferrin, lactoperoxidase and 6 lysozyme, which have important antimicrobial and carrier functions (Marshall, 2004; Parodi, 2007). 7 The primary structures are known for  $\beta$ -lactoglobulin and  $\alpha$ -lactalbumin; their genetic properties 8 and factors responsible for quantitative variability in their expression, are reported in the literature 9 (Farrell et al., 2004). The physicochemical characterization of whey proteins can be achieved by a 10 combination of electrophoretic, chromatographic and spectroscopic methods (Andreotti, Trivellone, 11 & Motta, 2006; Bonfatti, Grigoletto, Cecchinato, Gallo, & Carnier, 2008; Bonizzi, Buffoni, & 12 Feligini, 2009; Bordin, Cordeiro Raposo, de la Calle, & Rodriguez, 2001; Bramanti, Sortino, Onor, 13 Beni, & Raspi, 2003; D'Ambrosio et al., 2008; Elgar et al., 2000; El-Zahar et al., 2004; Vallejo-14 Cordoba, González-Córdova, & Olguin-Arredondo, 2008). On the other hand, recent advances in 15 chip-based separation of proteins (microchip electrophoresis, MCE) have provided an easier system 16 than conventional gel electrophoresis with higher throughput (Anema, 2009). Despite cow milk 17 proteins having been extensively studied, there still is a substantial lack of characterization, and 18 particularly of quantitative information, about whey proteins from water buffalo. Several studies on 19 whey proteins have determined the primary structures of genetic variants of b-LG (Vohra, Kumar 20 Bhattacharya, Dayal, Kumar, & Sharma, 2006) and a-LA (Chianese et al., 2004; Fan, Li, & Wu, 21 2000; Ramesha, Khosravinia, Gowda, & Rao, 2008). Even after these reports, quantitative data 22 about whey proteins from Mediterranean water buffalo (the milk of which is mostly used to produce 23 the highly-valued PDO Mozzarella cheese) are evidently unavailable. Milk protein content can be 24 influenced by physiological and nutritional factors, but several studies have indicated that genetic 25 context plays the most important role in the control of milk composition (Martin, Szymanowska, 26 Zwierchowski, & Leroux, 2002). The main goal of this work was to obtain new data on the qualiquantitative composition of the major whey proteins in Mediterranean water buffalo milk, useful for
 animal selection purposes. An additional aim of this work was to test the performance of the MCE
 technique for the routine analysis of water buffalo whey proteins.

4

## 2. Materials and methods

6

5

## 7 2.1. Materials and reagents

Commercial purified whey proteins, β-LG (purity 80%), α-LA (purity 85%), SA (purity 98%) from
bovine milk, and trifluoroacetic acid (TFA) were supplied by Sigma–Aldrich (St. Louis, MO, USA).
HPLC-grade water and acetonitrile were purchased from VWR International (West Chester, PA,
USA). MCE of whey protein was performed using the Bioanalyzer Protein 80 kit (Agilent
Technologies, Waldbronn, Germany) that contains chips and proprietary reagents (sieving gel
matrix, protein dye concentrate solution, marker protein buffer solution and protein molecular mass
ladder solution). All the other chemicals were purchased from Bio-Rad (Hercules, CA, USA).

15

#### 16 2.2. Standard solutions

Individual mother solutions of whey proteins were prepared by weighing 45 mg of b-LG, 17 mg of 17 a-LA or 23 mg of SA and dissolving the weighed amounts in 4 ml, 4 ml and 25 ml of water, 18 19 respectively. Equal volumes of the individual mother solutions (1.5 ml each) were combined to 20 obtain a mixed standard solution. Aliquots of 200 µl, 400 µl, 600 µl, 800 µl and 1 ml were diluted to 21 the volume of 1.2 ml with water in order to obtain a set of diluted standards; these were used to 22 construct six-level calibration curves along with the undiluted mixed standard solution itself. The 23 final concentrations of this set of standards, corrected for the purity degrees of each protein, are 24 shown in Table 1.

- 25
- 26 2.3. Milk sampling

Individual milk samples from 120 Mediterranean water buffaloes (genus Bubalus, species Bubalus bubalis) were collected at four farm sites in the Campania region (southern Italy). The animals were from different breeding stocks. All samples were collected from animals at 120 d post partum. After collection, samples were immediately frozen and kept at -20 °C until analysis. Prior to determinations, milk was thawed overnight at 4 °C and the whey was obtained by centrifugation of raw milk (8 ml) at 57,438 g for 90 min at 4 °C.

7

## 8 2.4 Microchip electrophoretic analysis (MCE)

9 A subset of 40 randomly chosen individual whey samples was analyzed by microchip electrophoresis (MCE). The analyses were performed using an Agilent 2100 Expert Bioanalyzer, 10 11 operated by the 2100 Expert software, in conjunction with Agilent Protein 80 series II kits. The kit reagents were prepared according to the manufacturer's instructions. In brief, the required gel-dye 12 13 mix was prepared by mixing 600 µl of spin-filtered sieving matrix with 25 µl of dye, whereas the 14 destaining solution was spin-filtered sieving matrix without any addition. To obtain reducing 15 conditions, a 3.5% (by volume) solution of  $\beta$ -mercaptoethanol was added to the kit sample buffer. 16 Two hundred microlitres of whey samples were diluted with 400 µl of water and filtered through a 17 0.45 µm-pore cellulose membrane (Phenomenex, Torrance, CA, USA), then prepared as follows. Four microlitres of diluted samples were mixed with 2 µl of Protein 80 denaturing solution in 0.5 ml 18 19 tubes and heated at 95 °C for 5 min. After cooling at room temperature for 5 min, and shortly spinning tubes at 11,000g for 30 s at 4 °C, the resulting solutions were further diluted with 84 µl of 20 21 water, vortexed and loaded onto the chips. All chips were loaded with two samples, in two repeats 22 each, and the full set of calibration standards. The instrumental operational parameters for the MCE 23 analysis, i.e. electrode programme, chip temperature and fluorescence detection, were set by the 24 Bioanalyzer software (which also allowed electrophoretogram acquisition and processing) upon 25 user's specification of the utilized kit.

## 1 2.5. Reversed phase-high-performance liquid chromatography

Whey samples were prepared by diluting 200 µl of ultracentrifuged whey with 400 µl of HPLC-2 grade water. The diluted samples were filtered through a 0.45 µm-pore cellulose membrane and 3 4 directly analyzed in two repeats per sample. The chromatographic equipment consisted of a Waters 5 system (Waters, Milford, MA, USA), including two pumps (model 515, Waters), a manual injector 6 (Rheodyne, Cotati, CA, USA) equipped with a 20 ll loop, and a UV detector (model 2487, Waters). 7 The chromatographic separation was performed in reversed-phase mode, using a Jupiter C4 column 8 (250 x 4.6 mm, 300 Å-sized pores, 5 µm-sized particles; Phenomenex) maintained at 30 °C. 9 Gradient elution and peak detection were performed according to Enne et al. (2005). 10 Chromatograms were acquired and processed by the Empower 2 software (Waters).

11

## 12 2.6. Mass spectrometry and chromatographic analysis of whey proteins

13 The determination of the molecular mass of the chromatographic peaks was carried out on an 14 Agilent 1100 series HPLC chromatographer (Agilent, Santa Clara, CA, USA) combined with a 15 Micromass Q-TOF mass spectrometer (Waters), which was equipped with a nanospray source and 16 operated by the Mass-links version 4.1 (Waters) software. The chromatographic separation 17 conditions were as described above. Experiments were run using positive ion detection, applying a 18 capillary voltage of 2–5 kV and a cone voltage of 30–35 V; the capillary temperature was set at 19 220 °C. Determinations were carried out on two buffalo samples and one standard solution and 20 were repeated twice each.

21

## 22 2.7. Quantification of whey proteins

Whey proteins in samples were quantified by HPLC through the construction of calibration curves by the external standard method. The calibration was performed by analyzing each mixed standard in 10 repeats and calculating a linear regression of mean peak areas over concentration, in order to obtain a six-level, 60-points calibration curve for each whey protein. Validation was performed as

1 follows: to estimate repeatability, a standard solution corresponding to the level 3 of the calibration curves was analyzed, in 10 repeats, on the same analytical day; repeatability was expressed as the 2 3 relative standard deviation of peak times and areas over this dataset. Ruggedness (intermediate 4 precision) was estimated by repeating the same set of analyses for 3 days and calculating the overall 5 relative standard deviation for retention times and peak areas. Accuracy was evaluated by recovery 6 assays. Briefly, a bovine whey sample was subdivided into four 10 ml aliquots; one was taken as 7 blank and known amounts of commercial whey proteins were added to the other three, as follows. 8 The first aliquot was fortified with 4 mg of SA, 8 mg of  $\alpha$ -LA and 20 mg of  $\beta$ -LG; the second one 9 was with 5 mg of SA, 10 mg of  $\alpha$ -LA and 25 mg of  $\beta$ -LG, and the third one was with 6 mg of SA, 10 12 mg of  $\alpha$ -LA and 30 mg of  $\beta$ -LG. The four aliquots were diluted, as above, and analyzed in 11 triplicate; the recovery rate was determined for each protein as the ratio between the peak area due 12 to the addition (i.e. the differences between the fortified aliquots and the blank) and the peak area 13 predicted by the calibration curves for the same addition, taking into account the purity degree of 14 the commercial whey proteins. Student's t-tests were applied to check whether the recovery rates were significantly different from 100%. In order to test the performance of MCE, quantification of 15 16 whey protein in a 40-sample subset was also done, using the same set of standards as adopted for 17 HPLC. The electrophoretic quantification was calibrated by loading the set of standards onto each 18 chip, along with samples (two samples in two repeats per chip); the chip-specific calibration curves 19 obtained on each run were then used to quantitate the samples loaded onto the same chip only. The 20 MCE protocol was submitted to validation according to the same procedure as adopted for HPLC. 21 Statistical analysis was performed by means of the instrumentation software and of the R language 22 for statistical computing, version 2.8.1 (R Development Core Team, 2008).

23

## 24 **3. Results and discussion**

25 *3.1. Electrophoretic characterization of whey fractions* 

Electrophoretic separation of water buffalo whey samples was performed by the MCE technique; 1 2 the aim was to obtain protein separation and quantification. This technique allowed very fast separation of the major whey proteins as the run time was about 3 min per chip well. The resolution 3 4 achieved by this method enabled the complete separation of the three major whey proteins (Fig. 1). 5 The electrophoretograms are characterized by three major peaks and a number of lesser peaks, possibly corresponding to minor whey proteins or degradation products. Overall, the separation 6 7 performance of MCE appeared very similar to traditional SDS-PAGE, which also indicated a slight 8 difference in SA migration between standards and samples. This small variation, however, did not 9 interfere with protein identification through sizing. Such features make MCE a convenient 10 alternative to SDS-PAGE (Goetz et al., 2004) with considerably higher throughput. Protein 11 quantification over a 40-sample subset was performed on a per-chip basis by loading the standards 12 onto each chip and using the software "calibrated quantification" feature to quantitate the samples loaded onto the same chip, so that chip-specific calibration curves (Table 1) were used. The 13 14 corresponding results are shown in Table 2. The instrumental response showed nearly linear behaviour, leading to average  $r^2$  coefficients of 0.95 for  $\alpha$ -LA, 0.94 for  $\beta$ -LG and 0.93 for SA over 15 16 all the chip runs. The mean values of buffalo  $\alpha$  -LA,  $\beta$  -LG and SA concentrations indicated a 17 higher mean concentration of  $\alpha$  -LA and  $\beta$  -LG than the literature data obtained for bovine whey proteins by both HPLC (Farrell et al., 2004) and MCE (Anema, 2009); however, a high variability 18 19 (up to 39% for SA) was observed in the MCE results over the 40 analyzed samples.

20

## 21 *3.2. Identification of whey protein by chromatographic analysis and mass spectrometry*

The described RP-HPLC protocol allowed effective resolution of the individual whey proteins in about 24 min with good precision of the retention times, thus allowing a reliable recognition of the chromatographic peaks associated with SA,  $\alpha$ -LA and  $\beta$ -LG proteins in the buffalo whey (Fig. 2). In order to achieve an unambiguous identification of whey proteins from water buffalo samples, the molecular masses of the chromatographic peaks, separated by the HPLC protocol, were determined

by ESI-MS. The results were: 66,397 Da for peak 1, 14,236 Da for peak 2 and 18,266 Da for peak 3, 1 corresponding to SA,  $\alpha$ -LA and  $\beta$ -LG, respectively. As expected, the main difference between 2 standards and samples was represented by the  $\beta$  -LG which exhibits genetic polymorphism in cow 3 4 whereas it is genetically invariant in Mediterranean water buffalo. Besides, genetic polymorphisms, 5 at the  $\beta$  -LG locus, have been observed in Asian riverine buffalo (Vohra et al., 2006). Furthermore, 6 water buffalo  $\alpha$  -LA exhibited a secondary small peak eluting before the major one, as shown in Fig. 7 2 (referred to as peak 2s). The presence of a minor additional peak may arise because of 8 glycosylation: in fact, several differently glycosylated forms of bovine  $\alpha$  -LA have been described 9 by Slangen and Visser (1999). In addition, calcium ion loss at low pH, leading to a conformational 10 change with different folding and hydrophobicity, has been observed in human  $\alpha$ -LA (Håkansson et 11 al., 2000) and subsequently confirmed in cow (Expósito & Recio, 2006). The molecular mass 12 measured for peak 2s (16,663 Da) is in accordance with the results reported by Slangen et al. (1999), 13 thus supporting the glycosylation scenario. The glycosylated alpha-lactalbumin was detected in all 14 whey samples. A further peak occurring in buffalo samples only and eluting after  $\beta$ -LG, as first 15 reported in Resmini, Pellegrino, Andreini, and Prati (1989), was also detected in all samples and 16 considered as the buffalo-specific Bx compound (referred to as peak 5 in Fig. 2); this peak was not 17 quantified but only characterized by its migration time (24.64 min with standard deviation of 0.22 min) and molecular mass (18,447 Da). 18

19

## 20 3.3. Quantification of water buffalo whey proteins

Protein quantification of 120 individual whey samples was performed by HPLC through the external standard calibration method. The standards were analyzed at six concentration levels, in ten repeats each, and the mean total peak areas generated by each protein were calibrated over concentration by linear regression, yielding the equations and the corresponding statistical parameters summarized in Table 3. The set of mixed standard solutions was designed to reflect the commonly known proportions between the whey proteins in milk while ensuring suitable

1 concentration ranges for their simultaneous quantification. The instrument response was linear over the chosen concentration range for all the proteins with  $r^2$  coefficients of at least 0.998 and a 2 3 satisfactory prediction uncertainty (RSD less than 2.4% for all the proteins). The quantitative results 4 achieved for the three major whey proteins are shown in Table 4. Compared to the literature data on 5 bovine whey proteins, Mediterranean water buffalo showed, on average, higher concentrations of  $\alpha$ -6 LA, whereas  $\beta$ -LG and SA were very close to the values reported for cow milk. The quantitative 7 variability over the sampled buffaloes, as determined by HPLC, was in the range 17–27%, for all 8 three whey proteins. No data on the absolute quantification of water buffalo whey proteins by 9 HPLC or other techniques were found in the literature to draw a comparison. Farm-wise mean protein concentrations were calculated and one-way ANOVA was used to test the presence of 10 11 significant differences between farms ( $\alpha = 0.05$ ). The results indicated that the farm-wise groupings were significant for all the proteins. One farm, referred to as "farm1" (means  $\pm$  SD:  $\alpha$ -LA = 2.82  $\pm$ 12 13 0.69 g/l;  $\beta$ -LG = 4.92 ± 1.01 g/l; SA = 0.43 ± 0.13 g/l) featured several significant differences with respect to the others. In particular, "farm1" showed significantly higher α-LA concentration than 14 15 did "farm2" ( $2.33 \pm 0.41$  g/l) and "farm4" ( $2.43 \pm 0.44$  g/l), significantly higher SA concentration 16 than "farm3" ( $0.32 \pm 0.09$  g/l) and "farm4" ( $0.34 \pm 0.08$  g/l) and, most interestingly, significantly higher  $\beta$ -LG concentration than all the other farms ("farm2" = 4.12 ± 0.58 g/l; "farm3" = 3.81 ± 17 0.60 g/l; "farm4" =  $3.96 \pm 0.67$  g/l). No significant differences not involving "farm1" were 18 19 observed, suggesting that the milk production from this farm is influenced by site-specific factors 20 (for example, genealogy of animals).

21

#### 22 *3.4. Validation of HPLC and MCE protocols*

The performances of the HPLC protocol were tested in terms of precision and accuracy. The results of the validation procedure are reported in Table 5. The method showed repeatability and ruggedness of retention times below 1.5%, thus enabling a straightforward recognition of protein peaks. The chromatographic results featured satisfactory and nearly uniform repeatability and

ruggedness of chromatographic areas (the former at levels below 2.4% and the latter not exceeding 1 3.6%) for all the peaks, indicating that the method offers acceptable quantification precision. 2 Accuracy was evaluated by means of recovery assays. The protocol achieved recovery rates close to 3 4 100% for all the whey proteins with acceptable standard deviations (8.8% or less), so that none 5 significantly differed from the theoretical expectation (for a = 0.05). The same validation scheme was applied to MCE, leading to the results shown in Table 5. The repeatability and ruggedness of 6 7 migration times were satisfactory, whereas the same parameters calculated for peak areas were in 8 the range of roughly 7–11%, depending on the protein. The observed repeatability and ruggedness 9 of the MCE separation are in accordance with those reported by Anema (2009) for  $\alpha$ -LA and  $\beta$ -LG 10 and by Goetz et al. (2004) for SA, respectively. On the other hand, the recovery assays performed 11 by MCE led to recovery rates quite distant from 100% (up to 183% in the case of SA); in spite of 12 this, the Student's t-test did not indicate significant differences from the theoretical expectation (for 13  $\alpha = 0.05$ ) because of the large associated standard deviations. It is interesting to note that the former 14 are calculated on a single chip (repeatability) or using 30 repeats over 3 chips (ruggedness), 15 respectively. On the other hand, as no more than 10 analyses can be run on a single chip, the recovery assays could only be performed using several chips because the calibration standards had 16 17 to be loaded on every run. Therefore, the exceedingly large standard deviations and distances from 100% observed in the MCE recovery assays can only be due to between-chip variation. This, of 18 19 course, implies that chips are scarcely comparable to each other, thus limiting the use of MCE as a 20 quantitative technique. The validation procedures highlighted substantial dissimilarities between 21 HPLC and MCE; the two methods are not strictly comparable, either by separation principle or by separation and quantification performances. In particular, MCE does not feature the same 22 23 quantification reliability as does HPLC because of its larger standard deviations, thus allowing the 24 occurrence of discrepancies in the quantification of samples, such as those observed in the case of 25  $\beta$ -LG (Tables 2 and 4).

## 1 4. Conclusions

2 In this study, the Mediterranean water buffalo whey proteins were analyzed to achieve reliable identification and quantification of the α-LA, β-LG and SA by using a RP-HPLC method; well-3 4 established techniques, such as gradient reverse-phase HPLC and electrospray ionization mass 5 spectrometry, were exploited. The analytical findings indicate that  $\alpha$ -LA is, on average, more abundant in water buffalo than in cow, whereas β-LG and SA show similar mean values. The 6 proteins did not show heterogeneity in chromatograms although a peak corresponding to 7 8 glycosylated  $\alpha$ -LA was observed in buffalo samples. The results we report address the lack of data 9 concerning the Mediterranean water buffalo whey protein profile, as no previous data are available 10 in the literature.

11 In addition, as the obtained data are based upon the analysis of a suitable number of animals, this 12 research represents novel information that can be applied to the definition of selection schemes for 13 buffalo. In particular, the analysis of the protein concentrations, by farm, allowed us to identify one 14 site producing milk with significantly higher levels of whey proteins than the others. Furthermore, 15 we tested the ability of the microchip electrophoresis (MCE) to rapidly separate and characterize 16 whey proteins. The key operational advantage of MCE is its speed of analysis, representing a 17 significant and convenient improvement over traditional techniques, such as SDS-PAGE. The higher throughput and the ability to consistently estimate molecular mass make MCE a suitable 18 19 technique for rapid screening of large sample sets and for routine protein sizing.

20

## 21 Acknowledgement

22 This research was supported by the Italian Ministry of Agriculture, MIPAF (SELMOL project).

23

## 24 **References**

Andreotti, G., Trivellone, E., & Motta, A. (2006). Characterization of buffalo milk by 31P-nuclear
magnetic resonance spectroscopy. Journal of Food Composition and Analysis, 19(8), 843–849.

2	Anema, S. G. (2009). The use of "lab-on-a-chip" microfluidic SDS electrophoresis technology for
3	the separation and quantification of milk proteins. International Dairy Journal, 19(4), 198–204.
4	
5	Bonfatti, V., Grigoletto, L., Cecchinato, A., Gallo, L., & Carnier, P. (2008). Validation of a new
6	reversed-phase high-performance liquid chromatography method for separation and quantification
7	of bovine milk protein genetic variants. Journal of Chromatography A, 1195(1-2), 101-106.
8	
9	Bonizzi, I., Buffoni, J. N., & Feligini, M. (2009). Quantification of bovine casein fractions by direct
10	chromatographic analysis of milk. Approaching the application to a real production context. Journal
11	of Chromatography A, 1216(1), 165–168.
12	
13	Bordin, G., Cordeiro Raposo, F., de la Calle, B., & Rodriguez, A. R. (2001). Identification and
14	quantification of major bovine milk proteins by liquid chromatography. Journal of Chromatography
15	A, 928(1), 63–76.
16	
17	Bramanti, E., Sortino, C., Onor, M., Beni, F., & Raspi, G. (2003). Separation and determination of
18	denatured alpha(s1)-, alpha(s2)-, beta- and kappa-caseins by hydrophobic interaction
19	chromatography in cows', ewes' and goats' milk, milk mixtures and cheeses. Journal of
20	Chromatography A, 994(1–2), 59–74.
21	
22	Chianese, L., Caira, S., Lilla, S., Pizzolongo, F., Ferranti, P., Pugliano, G., et al. (2004). Primary
23	structure of water buffalo a-lactalbumin variants A and B. Journal of Dairy Research, 71(1), 14-19.
24	
25	D'Ambrosio, C., Arena, S., Salzano, A. M., Renzone, G., Ledda, L., & Scaloni, A. (2008). A
26	proteomic characterization of water buffalo milk fractions describing PTM of major species and the

1	identification of minor components involved in nutrient delivery and defense against pathogens.
2	Proteomic, 8(17), 3657–3666.
3	
4	Elgar, D. F., Norris, C. S., Ayers, J. S., Pritchard, M., Otter, D. E., & Palmano, K. P. (2000).
5	Simultaneous separation and quantification of the major bovine whey proteins including proteose
6	peptone and caseinomacropeptide by reversed-phase highperformance liquid chromatography on
7	polystyrene-divinylbenzene. Journal of Chromatography A, 878(2), 183-196.
8	
9	El-Zahar, K., Sitohy, M., Dalgalarrondo, M., Choiset, Y., Métro, F., Haertlé, T., et al. (2004).
10	Purification and physicochemical characterization of ovine betalactoglobulin and alpha-lactalbumin.
11	Nahrung, 48(3), 177–183.
12	
13	Enne, G., Elez, D., Fondrini, F., Bonizzi, I., Feligini, M., & Aleandri, R. (2005). High-performance
14	liquid chromatography of governing liquid to detect illegal bovine milk's addition in water buffalo
15	Mozzarella: Comparison with results from raw milk and cheese matrix. Journal of Chromatography
16	A, 1094(1–2), 169–174.
17	
18	Expósito, I. L., & Recio, I. (2006). Antibacterial activity of peptides and folding variants from milk
19	proteins. International Dairy Journal, 16(11), 1294–1305.
20	
21	Fan, B. L., Li, N., & Wu, C. X. (2000). Research on constructing phylogenetic trees of ruminants
22	basing on the database of milk protein gene sequences. Yi Chuan Xue Bao, 27(6), 485-497.
23	

- 24 Farrell, H. M., Jr., Jimenez-Flores, R., Bleck, G. T., Brown, E. M., Butler, J. E., Creamer, L. K., et
- al. (2004). Nomenclature of the Proteins of Cows' Milk–Sixth Revision. Journal of Dairy Science,
  87(6), 1641–1674.

1	Fox, P. F. (1989). Developments in dairy chemistry, Vol. 4: Functional milk proteins. London, UK:
2	Elsevier. pp. 1.

4	Goetz, H., Kuschel, M., Wulff, T., Sauber, C., Miller, C., Fisher, S., et al. (2004). Comparison of
5	selected analytical techniques for protein sizing, quantification and molecular weight determination.
6	Journal of Biochemical and Biophysycal Methods, 60(3), 281–293.
7	
8	Håkansson, A., Svensson, M., Mossberg, AK., Sabharwal, H., Linse, S., Lazou, I., et al. (2000). A
9	folding variant of alpha-lactalbumin with bactericidal activity against Streptococcus pneumoniae.
10	Molecular Microbiology, 35(3), 589–600.
11	
12	Marshall, K. (2004). Therapeutic applications of whey protein. Alternative Medicine Review, 9(2),
13	136–156.
14	
15	Martin, P., Szymanowska, M., Zwierchowski, L., & Leroux, C. (2002). The impact of genetic
16	polymorphisms on the protein composition of ruminant milks. Reproduction, Nutrition,
17	Development, 42(5), 433–459.
18	
19	Parodi, P. W. (2007). A role for milk proteins and their peptides in cancer prevention. Current
20	Pharmaceutical Design, 1(8), 813–828.
21	
22	R Development Core Team (2008). R: A language and environment for statistical computing. R
23	Foundation for Statistical Computing, Vienna, Austria. http://www.R-project.org.
24	

1	Ramesha, K. P., Khosravinia, H., Gowda, S., & Rao, M. R. S. (2008). Alpha-lactalbumin gene
2	polymorphism: a preliminary study on two breeds of the river Buffalo (Bubalus bubalis). Asia
3	Pacific Journal of Molecular Biology and Biotechnology, 16(2), 47–52.

- 5 Resmini, P., Pellegrino, L., Andreini, R., & Prati, F. (1989). Evaluation of milk whey proteins by
- 6 reversed-phase HPLC. Scienza e Tecnica Lattiero-Casearia, 40, 7–23.

Standard level	Final protein concentration [g/l]				
	SA [purity 98%]	α-LA [purity 85%]	85%] β-LG [purity 80%]		
1	0.05	0.20	0.50		
2 3 4	0.10	0.40	1.00		
	0.15	0.60	1.50		
	0.20	0.80	2.00		
5	0.25	1.00	2.50		
6	0.30	1.20	3.00		

2 Composition of the whey protein concentration standards

Peak	Whey protein	Migration time mean ± SD, n = 40 [s]	Concentration mean ± SD, n = 40 [g/l]
1	α-LA	21.86 ± 0.05	2.20 ± 0.88
2	β-LG	24.28 ± 0.04	4.6 ± 1.5
3	SA	39.60 ± 0.04	0.40 ± 0.15

2 Mean concentration of whey proteins in water buffalo samples, as determined by MCE.

## 2 HPLC Calibration curves.

Whey protein	Equation <sup>a</sup>	RSD <sup>b</sup> [%]	r <sup>2</sup>	Standard errors	
				Slope	Intercept
SA	$y = 3.64 * 10^7 x - 1.14 * 10^5$	1.91	0.999	5.73 * 10 <sup>5</sup>	1.11 * 10 <sup>5</sup>
α-LA	$y = 3.65 * 10^7 x + 7.17 * 10^5$	2.06	0.999	6.25 * 10 <sup>5</sup>	4.87 * 10 <sup>5</sup>
β-LG	$y = 3.02 * 10^7 x + 3.06 * 10^5$	2.36	0.998	6.03 * 10 <sup>5</sup>	1.17 * 10 <sup>6</sup>

4 <sup>a</sup> y: peak area; x: analyte concentration expressed as g/l.

<sup>b</sup> All the curves consist of 6 data points, each taken as the mean of 10 repeats.

6 7

2 Concentration of whey proteins in water buffalo samples.

	Peak	Whey protein	Rt mean ± SD [min]	Concentration mean ± SD, [g/l]	Cow (literature data <sup>a</sup> ) [g/l]
	1	SA	15.64 ± 0.047	0.35 ± 0.10	0.4
	2	α-LA	18.26 ± 0.0067	2.45 ± 0.45	0.6-1.7
	3	β-LG	22.73 ± 0.0056	4.04 ± 0.72	2-4
3		-			

4 <sup>a</sup> Farrell et al., 2004.

	Peak time RSD (%)		Peak area RSD (%)		Quantitation accuracy		
	Repeatability	Ruggedness	Repeatability	Ruggedness	Recovery rate (%)	RSD (%)	t-test (t <sub>0.05,2</sub> = 4.30)
HPLC							
SA	0.31	1.31	2.31	2.80	99.8	5.46	0.047
α-LA	0.037	1.20	2.35	3.18	109.6	3.90	4.252
β-LG	0.025*	0.82 <sup>a</sup>	2.06 <sup>a</sup>	3.04ª	97.1	8.80	0.562
	0.034 <sup>b</sup>	0.73 <sup>b</sup>	2.07 <sup>b</sup>	3.58 <sup>b</sup>			
MCE							
SA	0.09	0.92	11.3	11.9	183	36	4.039
α-LA	0.23	0.25	7.16	6.85	130	46	1.111
β-LG	0.18	0.21	6.91	9.04	140	65	1.058

Validation of the HPLC and MCE protocols using bovine standards: precision and accuracy. 

<sup>a</sup> First peak in elution order. <sup>b</sup> Second peak in elution order. 

Fig. 1. MCE electrophoretogram (emitted fluorescence vs. migration time) of whey from
 Mediterranean water buffalo individual milk obtained by MCE using an Agilent 2100 Bioanalyzer
 in combination with a Protein 80 kit. Mass markers and system peaks are also indicated.



Fig. 2. Chromatogram of whey from Mediterranean water buffalo individual milk. Peak 2s is a
 secondary α -lactalbumin peak observed in buffalo samples, which is considered a glycoform of α LA based on its molecular mass. Column: Phenomenex Jupiter C4 (250 mm x 4.6 mm, 300 Å pores,
 5 µm particles); detection: UV, λ = 205 nm; mobile phase: water containing 0.1% trifluoroacetic
 acid (TFA)/acetonitrile containing 0.1% TFA (refer to Section 2.5 for elution gradient details).

