

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

The protective effect of the mesoporous host on the photo oxidation of fluorescent guests: a UV-Vis spectroscopy study

This is the author's manuscript

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/146404> since 2016-07-25T13:47:15Z

Published version:

DOI:10.1039/c4cp01143k

Terms of use:

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

This is the author's final version of the contribution published as:

Ivana Miletto; Annalisa Massa; Elena Ugazio; Giorgia Musso; Giuseppe Caputo; Gloria Berlier. The protective effect of the mesoporous host on the photo oxidation of fluorescent guests: a UV-Vis spectroscopy study.

PHYSICAL CHEMISTRY CHEMICAL PHYSICS. 16 pp: 12172-12177.

DOI: 10.1039/c4cp01143k

The publisher's version is available at:

<http://xlink.rsc.org/?DOI=c4cp01143k>

When citing, please refer to the published version.

Link to this full text:

<http://hdl.handle.net/2318/146404>

The protective effect of the mesoporous host on the photo oxidation of fluorescent guests: a UV-Vis spectroscopy study

Ivana Miletto ^{*ab}, Annalisa Massa^c, Elena Ugazio^c, Giorgia Musso^{ab}, Giuseppe Caputo^{bd} and Gloria Berlier^{ab}

^a Università degli Studi di Torino, Dipartimento di Chimica, Via P. Giuria 7, 10125 Torino, Italy. E-mail: ivana.miletto@unito.it; Fax: +39 0116707855; Tel: +39 0116708384

^b NIS (Nanostructured Interfaces and Surfaces) Interdepartmental Centre, Università degli Studi di Torino, Via P. Giuria 7, 10125 Torino, Italy

^c Università degli Studi di Torino, Dipartimento di Scienza e Tecnologia del Farmaco, Via P. Giuria 9, 10125 Torino, Italy

^d Cyanine Technologies S.p.A., via Giannone 3, 10036 Settimo Torinese, Italy

The inclusion of fluorescent molecules within the pores of an inorganic host system is one of the most common ways used for the preparation of highly fluorescent nanosystems. The confinement of labile molecules usually leads to better performances mainly due to their protection against environmental parameters which can concur with the deactivation of the fluorescent ones. In this work the protective effect of the siliceous mesoporous host on photo oxidation of fluorescent guest molecules has been investigated under different experimental conditions, highlighting an outstanding photostability if compared to the performances exerted by the fluorescent dye in solution.

Introduction

Since the early 1990s when the preparation of MCM-41 was first reported, [1] host-guest systems based on such a kind of mesoporous materials started attracting increasing interest. In the last few decades mesostructured silicas have been studied and tested as hosts for different kinds of guest molecules, ranging from drugs and bioactive molecules for drug delivery [2–5] to organic and inorganic luminescent compounds for both technological and biomedical applications. Several kinds of fluorescent moieties have been hosted within the pores and channels of mesoporous materials, ranging from organic dyes [6,7] (e.g. coumarins, fluoresceins, rhodamines, porphyrins, thionines and cyanines) to organometallic complexes [8,9] (e.g. ruthenium complexes) [29] and semiconductor nanocrystals [10] (e.g. CdSe or silicon quantum dots).

The confinement of an organic molecule within the pores and channels of mesoporous materials should result in its protection against both chemical and photochemical decomposition (e.g. photo oxidation processes), as demonstrated in the case of the hosting of small labile molecules such as drugs [11–13]. In the case of organic fluorophores the dispersion within the uniform pores of mesoporous materials should lead to highly homogeneous distribution of the dye within the final hybrid. This induces an improvement in the photophysical properties, mainly due to reduction of side effects such as quenching phenomena, formation of non-luminescent aggregates and inner filter effects and a consequent enhancement of the fluorescence performances, in terms of brightness, quantum yield, photostability, etc. [14,15]

Among the organic fluorophores which could be used for these purposes, indocyanine dyes represent valid candidates due to their high structural versatility that allows the introduction of functional groups

exploitable for the linkage with variously functionalized biomolecules and materials. Moreover, it is possible to tune the absorption and emission features from the visible up to the Near Infra Red region of the electromagnetic spectrum, where the interference from the biological samples (cells, biomolecules, tissues) is negligible [16,17].


Fluorescent hybrid organic–inorganic mesoporous nanoparticles can be prepared by physical adsorption or grafting of indocyanine dyes within the channels of MCM-41 nanoparticles [18–20]. Some authors of the present work have recently demonstrated [21–23] that photoactive mesoporous nanoparticles based on indocyanines inserted by physical adsorption into the pores of pure MCM-41 silica can be used as fluorescent tools for imaging and tracking of intracellular events in cell cultures. Previous experiments showed that this kind of architecture provides the highest stability and signal intensity upon specific thermal treatments, if compared to the corresponding indocyanine dye in solution and other kinds of nanoparticles [24]. This gain in performances could be related to the combined beneficial effect of the immobilization of the dye, which leads to an increase in the probability of radiative processes, and the protective effect of the dye by the silica matrix on photo oxidation processes.

In this contribution the sensitivity of fluorescent hybrid organic–inorganic mesoporous nanoparticles, prepared as previously reported, [18] to photo oxidation was tested under different experimental conditions and compared to the performances of the corresponding indocyanine dye in solution. Photodegradation experiments were performed under simulated solar illumination and the optical performances of the samples after irradiation were evaluated by UV-Vis absorption and emission spectroscopy, augmented by fluorescence lifetime measurements. The effect of different parameters, such as the absence or the presence of oxygen and the presence of TiO₂, on the photodegradation was also investigated.

Experimental

Materials

Fluorescent hybrid organic–inorganic mesoporous nanoparticles (fMSNPs) were prepared by physical adsorption of indocyanine dye IRIS3 (Scheme 1) (hereafter dye) within the channels of MCM-41 mesoporous nanoparticles, as reported elsewhere [18]. IRIS3 dye was kindly provided by Cyanine Technologies S.p.A. (Settimo Torinese, Italy). The uncoated TiO₂ Aeroxide P 25 (ca. 80% anatase, 20% rutile, BET area ca. 50 m² g⁻¹) and Aerosil300 were from Evonik; all the other reagents were purchased from Sigma Aldrich and used as received, without any further purification.



IRIS3

Scheme 1 Chemical structure of indocyanine dye used in the present study

Methods

UV-Vis absorption and diffuse reflectance UV-Vis spectroscopy. UV-Vis absorption spectroscopy measurements were carried out on a Varian-Cary300 BIO instrument.

DR-UV-Vis spectra were taken using a Varian-Cary 5000 instrument equipped with an integrated sphere for measurements on solid samples in the diffuse reflectance mode. The reflectance spectra were then elaborated by using the Kubelka–Munk function.

Fluorescence. Photoemission and excitation steady-state spectra were acquired using a Horiba Jobin Yvon Fluorolog3 TCSPC spectrofluorimeter equipped with a 450 W Xenon lamp and a Hamamatsu R928 photomultiplier. The spectral response was corrected for the spectral sensitivity of the photomultiplier. Solutions and suspensions were kept in contact with air, because dissolved oxygen was expected to be quite ineffective as a quenching agent for fluorophores with lifetimes shorter than 5 ns [25] as typically exhibited by indocyanine dyes. Fluorescence lifetimes were measured using a time-correlated single photon counting (TCSPC) technique (Horiba Jobin Yvon) with an excitation source, NanoLed, at 455 nm (Horiba) and at an impulse repetition rate of 1 MHz at 90° to a TBX-4 detector. The detector was set to 570 nm with a 5 nm band pass. The instrument was set in the Reverse TAC (time-to amplitude converter) mode, where the first detected photon represented the start signal of the TAC, and the excitation pulse triggered the stop signal. DAS6 decay analysis software was used for lifetime calculation.

Photodegradation tests

Photodegradation experiments were performed on IRIS3 water solutions (2.00 μM concentration) and fMSNPs water suspensions (1.5 mg mL^{-1} , corresponding to ca. 2.8 μM IRIS3 concentration, on the basis of 1.0 mg g^{-1} IRIS3/fMSNP loading) under solar illumination. Irradiation was carried out using a solar light simulator MASTER TL-D90 Graphica 36W/956 ISL, Philips. The lamp had 0.9 W m^{-2} power emission of radiation, measured, under the same experimental conditions, using a CO.FO.ME.GRA. power meter.

An aliquot (10.0 mL) of each sample was introduced in Pyrex® glass cells closed with a screw cap and irradiated at different time intervals (0, 1, 2, 3, 4 hours) under magnetic stirring (RO 5, IKA, Staufen, Germany) at a distance of 2.75 cm from the solar simulator.

In order to study the influence of TiO_2 photocatalytic activity on cyanine degradation, TiO_2 (0.025% w/w with respect to dye content) was added to the fMSNPs suspensions upon sonication. Irradiation was carried out under the same conditions previously adopted for the samples without TiO_2 , with the exception that short irradiation time frames were also considered (1 to 4 minutes).

In order to evaluate the influence of oxygen on photodegradation processes, all the experiments were also performed in a nitrogen atmosphere. The samples were de-aerated by bubbling/insufflating high purity N_2 gas into the glass cells for 15 s in dark; the cells were then hermetically sealed and irradiated. The estimation of the photodegradation was made on the basis of both DR-UV-Vis measurements (performed on the solid sample, after centrifugation and drying in the dark) and steady-state fluorescence measurements (performed on suspension).

Results and discussion

General properties of the fMSNPs

fMSNPs were prepared by physical adsorption of indocyanine dye IRIS3 within the pores of MCM-41 nanoparticles (see ESI[†] for details); the obtained hybrid material exhibited a quasi-spherical particle morphology with an average particle size of ca. 100 ± 23 nm and regular and ordered cylindrical channels with hexagonal symmetry. A representative High Resolution Transmission Electron Microscopy (HRTEM) image of the sample is reported in Fig. 1. According to the results from gas-volumetric analyses (N_2 adsorption–desorption isotherms at liquid nitrogen temperature), as expected fMSNPs showed a type IV isotherm, typical of mesoporous materials with one-dimensional cylindrical channels [26,27] and a SSA (Specific Surface Area) of ca. $900\text{--}1000\text{ m}^2\text{ g}^{-1}$ with an average pore diameter of ca. 3.4 nm (see ESI[†] for details). IRIS3 dye molecules were inserted within the pores of MCM-41 nanoparticles at a low loading (1.0 mg g^{-1}) which ensure the maintenance of the photophysical properties of the dye without occurrence of aggregation or self quenching phenomena [18,21].




Fig. 1 HRTEM images of the fMSNP sample

Photodegradation tests

The evaluation of the photodegradation extent was carried out on both the sample suspensions by steady-state fluorescent measurements and the dried samples by DR-UV-Vis spectroscopy. Steady-state measurements were carried out on the fMSNPs water suspensions after the photodegradation experiments, without any dilution. As a consequence, the investigated IRIS3 concentration range was similar both in IRIS3 solutions and in fMSNP suspensions. It was not possible to measure absorption spectra of fMSNP suspensions because the contribution of scattering of silica nanoparticles severely affects the goodness of transmission measurements, so the absorption profile of fMSNP samples was derived by DR-UV-Vis measurements on dry samples.

The estimations obtained by the two methods are in good agreement, hence for the sake of comparison with the data recorded on dye solution, only the data obtained by DR-UV-Vis measurements are reported within the text whilst steady-state fluorescence data are reported in the ESI[†] file.

The absorption spectra of dye solutions, under both air and N_2 -saturated conditions, recorded at different time intervals during the visible light irradiation are shown in Fig. 2, section A.




Fig. 2 (A) Absorption spectra of dye water solution and (B) DR-UV-Vis spectra of fMSNP water suspension taken at different time intervals during the irradiation, in the presence (left) and in the absence (right) of O₂; (C) plot of the abs/DR-UV-Vis intensity vs. time of irradiation.

In the same figure, section B, DR-UV-Vis spectra recorded on fMSNPs irradiated in the same time-frame are reported.

The dye absorption maximum is observed at ca. 540 nm both in water solution and in fMSNPs, indicating a negligible effect of the confinement within the pores of MCM-41 on the UV-Vis absorption features of the dye [18,28]. In both cases the intensity of the absorption/DR-UV-Vis band decreases along with the increase in time of irradiation. In Fig. 2C the absorbance/DR-UV-Vis taken at any time interval is plotted against the time; the absorbance/DR-UV-Vis values are normalized with respect to the non-irradiated sample.

Concerning the dye in solution, in the presence of air (O₂) ca. 18%, 30%, 41% and 48% of the dye degrades after 1, 2, 3 and 4 hours, respectively. On the other hand, when irradiation is carried out under N₂-saturated conditions the loss of substance registered after 4 hours of irradiation corresponds only to ca. 30%. In the case of the fMSNPs suspension, we registered a total loss of substance after 4 h of irradiation of the 20% in the presence of air, whilst the photodegradation is strongly reduced when the suspension is de-aerated before irradiation: ca. 87% of the dye is preserved at the end of the irradiation.

It is worth noting that the protective effect obtained by the encapsulation within the pores of MCM-41 NPs is higher than the effect of the absence of molecular oxygen dissolved in the indocyanine dye solution.

In order to investigate the effect of the TiO₂ photocatalytic activity on the photodegradation of the cyanine dye in solution and encapsulated into fMSNPs, photodegradation tests were performed in the presence of 0.025% w/w TiO₂. As shown in Fig. 3A, in the presence of TiO₂ an irradiation time of 4 minutes is enough to have a complete degradation of the dye in solution. In the same time-frame no degradation of the dye is detectable in fMSNPs; only after 4 hours of irradiation a significant photodegradation is achieved (Fig. 3B).




Fig. 3 Plot of the abs/DR-UV-Vis intensity vs. time of irradiation in the presence of TiO₂ and O₂: (A) in a 4 minutes time-frame; (B) comparison of 4 minutes (circles) and 4 hours (squares) time-frame.

Fluorescence lifetimes of the dye molecule in solution and of the fMSNPs in suspension were measured at any time interval during the irradiation (0, 1, 2, 3, 4 h). Lifetime data are reported in Table 1. For the sake of clarity only the values taken at the beginning and at the end of irradiation are reported; the complete list of lifetime data is provided in the ESI[†] material.

Table 1 Fluorescence lifetime data

Sample	Irradiation time (h)	τ_1 (ns)	%	τ_2 (ns)	%	χ^2
Dye	-	0.24	100	-	-	1.12
fMSNPs (air)	0h	0.60	60	1.70	40	1.09
fMSNPs (N ₂)	4h	0.62	42	1.75	58	1.05
fMSNPs (TiO ₂)	0h	0.60	60	1.70	40	1.11
fMSNPs (TiO ₂)	4h	0.60	58	1.70	42	1.09
fMSNPs (TiO ₂)	0h	0.60	60	1.70	40	1.08
fMSNPs (TiO ₂)	4h	0.60	47	1.74	53	1.04

The fluorescence decay of the dye in solution followed monoexponential kinetics, characterized by a lifetime of 0.24 ns. In contrast, fMSNPs are characterized by emission decay traces well fitted by biexponential decay function. The cyanine dye entrapped within the pores of MCM-41 NPs is therefore characterized by two different lifetime values ($\tau_1 = 0.60$ ns; $\tau_2 = 1.70$ ns). Both the lifetimes of the fMSNPs are longer than the value that characterizes the corresponding dye in solution. This is due to the fact that the interaction with the silica surface restricts the vibrations and rotations of the dye molecules, thus reducing their non-radiative transitions. Furthermore, due to the dispersion within the channels of the inorganic host, the energy loss caused by the dye molecule collisions and dye-solvent molecule interactions is reduced and the fluorescence lifetime prolonged [18,30].

The presence of two different lifetime values is clear evidence that the dye molecules in the composite system have experience of two distinct microenvironments which affect in different extents their performances. The longer lifetime ($\tau_2 = 1.70$ ns) could be assigned to a family of dyes which are much more constrained, whereas the shorter lifetime ($\tau_1 = 0.60$ ns) could be due to cyanine molecules which are more exposed to the external environment. Previous work [28] carried out on non-porous silica nanoparticles

demonstrated that for dyes having structure and polarity similar to the IRIS3 dye used in the present study, two distinct dye molecule fractions were identified on the basis of the fluorescence lifetime distribution, one of which was located at the surface of non-porous silica nanoparticles. In that case the location at the surface was demonstrated by means of solvatochromism experiments. Due to the non-homogeneous distribution of silanol groups in MCM-41 type materials, [31] different silica microenvironments (and then different cyanine dye populations) can be distributed in a different manner in the nanoparticles, e.g. at the entrance of the pores and more deeply into the pores, on the external surface and inside the pores, etc. Hence, in the present case, the spatial distribution of the cyanine molecules within the composite system cannot be determined univocally. In order to have a better insight into the distribution of dye molecules in the fMSNP system we investigated a composite system in which IRIS3 molecules were physically adsorbed on the surface of non-porous silica particles (Aerosil300, Evonik; see ESI† for details). This situation should mimic that of the dye eventually attached to the outer surface of MCM-41 nanoparticles. The fluorescence lifetime profile of this sample is well fitted by a monoexponential decay function, with a lifetime value of 0.67 ns ($\chi^2 = 1.09$); this value is consistent with the shorter lifetime found in the fMSNPs sample and can be considered as a confirmation of the possible location of a fraction of the cyanine molecules on the outer surface of MCM-41 nanoparticles. These results are in agreement with the behaviour described by Cohen and co-workers in the case of similar systems in which a phthalocyanine derivative was studied in interaction with MCM-41 and Al-MCM-41 [32,33].

When looking at the lifetime data reported in Table 1 for the fMSNPs sample irradiated in suspension in the presence of air it can be noted that before the irradiation the fraction of dye molecules characterized by the shorter lifetime value accounts for ca. 60% of the whole luminescent molecules (the longer lifetime values being characteristic of the remaining 40% of dye molecules). After 4 hours of continuous irradiation the populations are inverted, with the shorter lifetime associated with only the 42% of the whole cyanine dye molecules, whilst the 58% of the dye is characterized by longer lifetime. This behaviour can be explained as a selective photodegradation of the cyanine molecules more exposed to the external environment and to the reactive species formed in solution after irradiation, which are those characterized by a shorter lifetime, as previously stated.

Furthermore, no changes in the lifetime absolute values were registered, thus confirming the good dispersion of the dye molecules within the pores/on the external surface without occurrence of quenching phenomena or aggregation [18]. In the case of quenching phenomena or aggregation, in fact, the removal of dye molecules (by either washing or degradation) should lead to an enhancement of the lifetime values for the remaining dye molecules as a consequence of the reduced probability of deactivation through interaction between neighbouring dye molecules. A similar trend is exhibited also in the case of the fMSNPs kept in suspension in the presence of TiO₂. In contrast, the irradiation of the fMSNPs sample in suspension under N₂-saturated conditions does not cause any significant variation in the fluorescence lifetime values, mainly because, as stated before, the amount of dye which undergoes photodegradation is low.

Conclusions

In summary, the protective effect of the siliceous mesoporous host matrix on photo oxidation of fluorescent guest molecules was investigated under different experimental conditions. fMSNPs prepared by physical adsorption of IRIS3 indocyanine dye within the pores of preformed MCM-41 NPs exhibited an outstanding photostability. In particular, the stability of the dye in the presence of TiO₂ was increased from minutes to hours due to the confinement within the siliceous mesoporous host. Furthermore, the analysis of the fluorescence lifetime data evidenced a higher sensitivity to photo oxidation of the cyanine molecules characterized by shorter lifetime, which resulted to be more exposed to the external environment and to the reactive species formed in solution after irradiation.

Acknowledgements

A.M. acknowledges Lagrange-CRT foundation and Cyanine Technologies S.p.A. for financial support. Compagnia di San Paolo and University of Turin are gratefully acknowledged for funding Project ORTO114XNH through "Bando per il finanziamento di progetti di ricerca di Ateneo – anno 2011". This work was supported by the European COST Action MP1202 "Rational design of hybrid organic inorganic interfaces: the next step towards advanced functional materials".

Notes and references

- [1] J. S. Beck, J. C. Vartuli, W. J. Roth, M. E. Leonowicz, C. T. Kresge, K. D. Schmitt, C. T.-W. Chu, D. H. Olson, E. W. Sheppard, S. B. McCullen, J. B. Higgins and J. L. Schlenkert, *J. Am. Chem. Soc.*, 1992, 114, 10834.
- [2] M. Manzano, M. Colilla and M. Vallet-Regi, *Expert Opin. Drug Delivery*, 2009, 6(12), 1383.
- [3] M. Vallet-Regi, A. Ramila, R. P. del Real and J. A. Perez-Pariente, *Chem. Mater.*, 2001, 13(2), 308 .
- [4] M. Vallet-Regi, F. Balas and D. Arcos, *Angew. Chem., Int. Ed.*, 2007, 46(40), 7548.
- [5] F. Gao, P. Botella, A. Corma, J. Blesa and L. Dong, *J. Phys. Chem. B*, 2009, 113(6), 1796.
- [6] Y. Yao, M. Zhang, J. Shi, M. Gong, H. Zhang and Y. Yang, *Mater. Lett.*, 2001, 48, 44.
- [7] W. Xu and D. L. Akins, *J. Phys. Chem. B*, 2002, 106(8), 1991.
- [8] M. Ogawa, T. Nakamura, J. Mori and K. Kuroda, *J. Phys. Chem. B*, 2000, 104(35), 8554.
- [9] M. Sohmiya, Y. Sugahara and M. Ogawa, *J. Phys. Chem. B*, 2007, 111(30), 8836.
- [10] X. Hu, P. Zrazhevskiy and X. Gao, *Ann. Biomed. Eng.*, 2009, 37(10), 1960.
- [11] L. Gastaldi, E. Ugazio, S. Sapino, P. Iliade, I. Miletto and G. Berlier, *Phys. Chem. Chem. Phys.*, 2012, 14, 11318.
- [12] G. Berlier, L. Gastaldi, E. Ugazio, I. Miletto, P. Iliade and S. Sapino, *J. Colloid Interface Sci.*, 2013, 393, 109.
- [13] H. Yang, K. Zheng, Z. Zhang, W. Shi, S. Jing, L. Wang, W. Zheng, D. Zhao, J. Xu and P. Zhang, *J. Colloid Interface Sci.*, 2012, 369, 317.
- [14] P. Gomez-Romero and C. Sanchez, *Functional Hybrid Materials*, Wiley-VHC Verlag GmbH & Co. KGaA, Weinheim, Germany, 2004.
- [15] K. Zimny, J. L. Blin and M. J. Stébé, *J. Phys. Chem. C*, 2009, 113(26), 11285.
- [16] A. Wagh, S. Y. Qian and B. Law, *Bioconjugate Chem.*, 2012, 23, 981.
- [17] A. K. Singh, M. A. Hahn, L. G. Gutwein, M. C. Rule, J. A. Knapik, B. M. Moudgil, S. R. Grobmyer and S. C. Brown, *Int. J. Nanomed.*, 2012, 7, 2739.
- [18] I. Miletto, E. Bottinelli, G. Caputo, S. Coluccia and E. Gianotti, *Phys. Chem. Chem. Phys.*, 2012, 14, 10015.
- [19] F. Hoffman, M. Cornelius, J. Morelland and M. Fröba, *Angew. Chem., Int. Ed.*, 2006, 45(20), 3216 .

- [20] F. D. Trindade, J. F. Q. Rey and S. Brochsztain, *Dyes Pigm.*, 2011, 89, 97.
- [21] E. Gianotti, C. A. Bertolino, C. Benzi, G. Nicotra, G. Caputo, R. Castino, C. Isidoro and S. Coluccia, *ACS Appl. Mater. Interfaces*, 2009, 1(3), 678.
- [22] M. Ekkapongpisit, A. Giovia, G. Nicotra, M. Ozzano, G. Caputo and C. Isidoro, *Int. J. Nanomed.*, 2012, 7, 1829 .
- [23] M. Ekkapongpisit, A. Giovia, C. Follo, G. Caputo and C. Isidoro, *Int. J. Nanomed.*, 2012, 7, 4147.
- [24] L. Mortati, I. Miletto, G. Alberto, G. Caputo and M. P. Sassi, *J. Fluoresc.*, 2011, 21(3), 929 .
- [25] J. R. Lackowitz, *Principles of Fluorescence Spectroscopy*, Springer Publishing, Singapore, 3rd edn, 2006.
- [26] F. Rouquerol, J. Rouquerol and K. Sing, *Adsorption by Powders & Porous Solids*, Academic Press, 1999.
- [27] S. A. Kozlova and S. D. Kirik, *Microporous Mesoporous Mater.*, 2010, 133, 124.
- [28] G. Alberto, G. Caputo, G. Viscardi, S. Coluccia and G. Martra, *Chem. Mater.*, 2012, 24(14), 2792.
- [29] E. Bottinelli, I. Miletto, G. Caputo, S. Coluccia and E. Gianotti, *J. Fluoresc.*, 2011, 21(3), 901.
- [30] L. Wang, Y. Shao, J. Zhang and M. Anpo, *Opt. Mater.*, 2006, 28(10), 1232.
- [31] M. F. Ottaviani, A. Galarneau, D. Desplandier-Giscard, F. Di Renzo and F. Fajula, *Microporous Mesoporous Mater.*, 2001, 44–45, 1.
- [32] B. Cohen, F. Sanchez and A. Douhal, *J. Am. Chem. Soc.*, 2010, 132, 5507.
- [33] B. Cohen, C. Martin Álvarez, N. Alarcos Carmona, J. Organero and A. Dohual, *Phys. Chem. Chem. Phys.*, 2011, 13, 1819.

Footnote

† Electronic supplementary information (ESI) available: Emission spectra of dye molecules in solution and of fMSNP suspensions, a complete set of fluorescence lifetime data, other characterization data of fMSNPs.